

CX103GMBL

Cooker size N. of cavities with energy label Cavity heat source Hob type Type of main oven Type of second oven EAN code Energy efficiency class Energy efficiency class, second cavity 100x60 cm 2 Electric Gas Thermo-ventilated Thermo-ventilated 8017709336622 A B



Aesthetics

DIGI screen			
Aesthetics	Classic	Control knobs	Smeg Classic
Series	Concert	Controls colour	Stainless steel
Design	Standard	No. of controls	8
Colour	Black	Serigraphy colour	Silver
Finishing	Gloss Black	Display	Touch
Command panel finish	Enamelled metal	Door	With frame
Logo	Assembled	Glass type	Black
Logo position	Command panel	Handle	Smeg Classic
Hob colour	Black enamel	Handle Colour	Brushed stainless steel
Type of pan stands	Cast Iron	Feet	none
Type of control setting	Control knobs	Plinth	Black

Programs / Functions

No. of cooking functions Traditional cooking functions		4		
Circulaire	Small grill		Large grill	
😨 Fan grill (large)				

Programs / Functions Auxiliary Oven



Cooking functions cavity 2

1

Traditional cooking functions, cavity 2



Programme / Functions Third Oven

No. of functions third oven Full grill

1

Hob technical features



Total no. of cook zones	5		
Left centre - Gas - 2UR (d	ual) - 4.20 kW		
Rear centre - Gas - Semi F	Rapid - 1.80 kW		
Front centre - Gas - AUX -	· 1.00 kW		
Rear right - Gas - Rapid -	2.90 kW		
Front right - Gas - Semi Ro	apid - 1.80 kW		
Type of gas burners	Standard	Gas safety valves	Yes
Automatic electronic ignition	Yes	Burner caps	Matt black enamelled

Main Oven Technical Features

💷 🚊 🚑 🔊 💭			
No. of lights	1	Removable door	Yes
Fan number	1	Full glass inner door	Yes
Net volume of the cavity	61 litres	Removable inner door	Yes
Gross volume, 1st cavity	701	Total no. of door glasses	3
Cavity material	Easy clean enamel	No.of thermo-reflective	1
Shelf positions	4	door glasses	
Type of shelves	Metal racks	Safety Thermostat	Yes
Light type	Halogen	Cooling system	Tangential
Light power	40 W	Usable cavity space	316x460x412 mm
Cooking time setting	Start and Stop	dimensions (HxWxD)	
Door opening	Side opening	Temperature control	Electro-mechanical
		Circular heating element	2000 W

- Power

Options Main Oven

Timer	Yes	Minimum Temperature	50 °C
End of cooking acoustic alarm	Yes	Maximum temperature	245 °C



Second Oven Technical Features

84 11 😐 😳 🧔 💭			
Fan number	2	Removable door	Yes
Net volume of the	84 litres	Full glass inner door	Yes
second cavity		No. total door glasses	2
Gross volume, 2nd	94	No. thermo-reflective	1
cavity		door glasses	
Cavity material	Easy clean enamel	Safety Thermostat	Yes
Shelf positions	9	Cooling system	Tangential
Type of shelves	Metal racks	Usable cavity space	605x275x370 mm
No. of lights	1	dimensions (HxWxD)	
Light type	Halogen	Temperature control	Electro-mechanical
Light power	40 W	Circular heating element	2500 W
Door opening	Side opening	- Power	

Options Auxiliary Oven

Minimum Temperature 50 °C

Maximum temperature 245 °C

Third Oven Technical Features

35K 📃 🔁 🔊 💭			
Net volume, 3rd cavity	351	Removable inner door	Yes
Gross volume, 3rd	41 I	No. total door glasses	3
cavity		No. of thermo-reflective	1
Cavity material	Easy clean enamel	door glasses	
Shelf positions	2	Safety Thermostat	Yes
Type of shelves	Metal racks	Cooling system	Tangential
No. of lights	1	Usable cavity space	169x440x443 mm
Light type	Halogen	dimensions (HxWxD)	
Light power	40 W	Temperature control	Electro-mechanical
Door opening	Flap down	Large grill - Power	2700 W
Removable door	Yes	Grill type	Electric
Full glass inner door	Yes	Tilting grill	Yes

Options Third Oven

Minimum Temperature 50 °C

Maximum temperature 260 °C

Accessories included for Main Oven & Hob

Rack with back and side 1 stop

40mm deep tray

1



Accessories included for Secondary Oven


Chrome shelf with back 3 stop

Electrical Connection

8600
38 A
220-2
380-4

38 A 220-240 V 380-415 V

W



Type of electric cable Additional connection modalities Frequency Terminal block

Yes, Single phase Yes, Double and Three Phase 50/60 Hz 5 poles



Not included accessories

AIRFRY



Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.

BG6090-1

Cast iron grill plate suitable for Concert cookers

BN640



GRM



Gas hobs moka support

Enamelled tray, 40mm deep

GTT

Totally extractable telescopic guides (1 level) Extraction: 433 mm Material: Stainless steel AISI 430 polished



KITH93

Height extension kit (950 mm), suitable for TR93 cookers

PPX6090-1

Stainless steel teppanyaki grill plate suitable for 90cm Concert cookers



SMOLD

Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C

BBQ

Double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of grilled cooking. The ribbed side is particularly suitable for meats and cheeses. The smooth side for fish, seafood and vegetables.

BN620-1

Enamelled tray, 20mm deep

BNP608T

Teflon-coated tray, 8mm depth, to be placed on the grid

GTP

Partially extractable telescopic guides (1 level) Extraction: 300 mm Material: Stainless steel AISI 430 polished

KIT90N9

Splashback 90 cm, black, for BU & BM cookers

PALPZ

Pizza shovel with fold away handle width: 315mm length: 325mm

SFLK1 Child lock

WOKGHU




Cast-Iron WOK Support





-se-smeg

Symbols glossary



*****smeg

Г	-	
Ŀ.	9	5
۱Ŧ		-

<u>.9</u> :	The oven cavity has 9 different cooking levels.	ŝ	Electr tempe 3 ° C. sensit souffle
Ċ	Tilting grill: the tilting grill can be easily unhooked to move the heating element and clean the roof of the appliance in one simple step.	UR	Ultra offer u
35 H	The capacity indicates the amount of usable space in the oven cavity in litres.	61 It	The co space

. . . .

84 It

The capacity indicates the amount of usable space in the oven cavity in litres.

tronic control: Allows you to maintain perature inside the oven with the precision 2-. This enables to cook meals that are very itive to temperature changes, such as cakes, fles, puddings.

rapid burners: Powerful ultra rapid burners up to 5kw of power.

capacity indicates the amount of usable e in the oven cavity in litres.



Benefit

Gas hob

Induction offers fast cooking and precise temperature control

Equipped with a thermocouple, the gas supply is cut off if the flame is extinguished for greater safety

Ever Clean Enamel

Easy oven cleaning thanks to special pyrolytic enamel

Touch control

Easy and intuitive timer setting with a single touch

True-convection

The best cooking performances guaranteed by ventilated circular flow.

Multiple fans and heating elements guarantee the perfect aerodynamic heat flow, allowing homogeneous and quicker cooking inside the cavity.

Multilevel cooking

Several cooking levels allow maximum flexibility of use

Multilevel halogen light

Internal halogen lighting on different levels guarantees excellent visibility

Removalble inner glass

Internal door glasses are easily removable for complete cleaning

Tangential cooling

New cooling system with tangential fan and airflow from the door to the splashback

Isothermic Cavity

The best cooking performance at the highest energy efficiency

Cold door

During any function, the external door glass is cold, avoiding any risk of burns

AirFry (AIRFRY optional accessory)

Lighter and tastier food thanks to airfry basket

Adjustable height

Cooker top flushed with the working area thanks to adjustable feet



BBQ (optional accessory)

Barbeque cooking directly in the oven with the double-sided grill

Pizza stone (optional accessory)

Baking with refractory stone for soft and crispy pizza and yeast products (STONE optional accessory)

Single turbine

The oven has a fan equipped with a circular heating element allowing cooking with rotating heat