

FS9010XS


Cooker size N. of cavities with energy label Cavity heat source Hob type Type of main oven EAN code 90x60 cm 1 ELECTRICITY Gas Thermoseal 8017709222482



Aesthetics

6 Aesthetic Mista Type of control setting Control knobs Control knobs Serie Concerto **Smeg Classic** Design Standard **Controls** colour Stainless steel Colour Stainless steel No. of controls 8 Finishing Satin Serigraphy colour Black Command panel finish Stainless steel Door Full glass Embossed Stopsol Logo Glass type Logo position Facia below the oven Handle Smeg round handle Handle Colour Brushed stainless steel Upstand Yes Hob colour Feet Black Stainless steel Type of pan stands Matt black enamelled flat

Programs / Functions





Hob technical features

UR

Total no. of cook zones 5Front left - Gas - Rapid - 2.90 kWRear left - Gas - Semi Rapid - 1.80 kWCentral - Gas - UR - 4.00 kWRear right - Gas - Semi Rapid - 1.80 kWFront right - Gas - Semi Rapid - 1.80 kWFront right - Gas - Semi Rapid - 1.80 kWType of gas burnersStandardAutomatic electronicYesignition

Gas safety valves Burner caps Yes Matt black enamelled

Main Oven Technical Features

115 IR .5			
Net volume of the cavity	115	Total no. of door glasses	3
Gross volume, 1st cavity	126 I	No.of thermo-reflective	2
Cavity material	Ever Clean enamel	door glasses	
No. of shelves	5	Safety Thermostat	Yes
Type of shelves	Metal racks	Cooling system	Tangential
Light type	Halogen	Usable cavity space	371x724x418 mm
Light Power	25 W	dimensions (HxWxD)	
Cooking time setting	Stop	Temperature control	Electro-mechanical
Light when oven door is open	Yes	Lower heating element power	1700 W
Door opening	Flap down	Upper heating element - Power	1200 W
Removable door	Yes	Grill elememt	1700 W
Full glass inner door Yes	Yes	Large grill - Power	2900 W
		Circular heating element - Power	1550 W
		Grill type	Electric

Options Main Oven

Timer	Yes	Minimum Temperature	50 °C
End of cooking acoustic	Yes	Maximum temperature	260 °C
alarm			


Accessories included for Main Oven & Hob

Moka stand	1	40mm deep tray	1
Rack with back and side	1	Grill mesh	1
stop			



Electrical Connection

Plug	(I) Australia	Voltage	220-240 V
Electrical connection	3200 W	Frequency	50/60 Hz
rating		Terminal block	3 poles
Current	14 A		





Not included accessories

AIRFRY9



Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.

BN920

BN940

BBQ9

GTP



Partially extractable telescopic guides (1 level) Extraction: 300 mm Material: Stainless steel AISI 430 polished

PPR9



Refractary pizza stone without handles. Squared shaped stone: L64xH2,3xP37,5 cm Suitable also for gas ovens, to be put on the griddle.



SMOLD

Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C



Totally extractable telescopic guides (1 level) Extraction: 433 mm Material: Stainless steel AISI 430 polished

SFLK1

Child lock

-ss-smeg

Symbols glossary

	Installation in column: Installation in column	Q	Knobs control
<u>ٿ</u>	Air cooling system: to ensure a safe surface temperatures.	3	Triple glazed doors: Number of glazed doors.
	Enamel interior: The enamel interior of all Smeg ovens have a special antacid lining which helps keep the interior clean by reducing the amount of cooking grease adhering to it.	æ)	Fan assisted base: the mix of fan and lower heating element alone allows to finish cooking foods already cooked on the surface but not internally more quickly. This system is recommended to finish cooking foods that are already well cooked on the surface, but not internally, which therefore require a moderate higher heat. Ideal for any type of food.
(%)	Fan with upper and lower elements: The elements combined with the fan aim to provide more uniform heat, a similar method to conventional cooking, so pre-heat is required. Most suitable for items requiring slow cooking methods.	$\left(\right)$	Upper and lower element only: a traditional cooking method best suited for single items located in the centre of the oven. the top pf the oven will always be hottest. Ideal for roast, fruit cakes, bread etc.
®	Circulaire: The combination of the fan and circular element around it gives a hot air cooking method. This provides many benefits including no preheat if cook time is more than 20 minutes, no flavour transfer when cooking different foods at the same time, less energy, and shorter cook times. Good for all types of food.	****	Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon.
<i>(%)</i>	Fan with grill element: The fan reduces the fierce heat from the grill, providing an excellent method of grilling various foods, chops, steaks, sausages etc. giving even browning and heat distribution, without drying out the food. The top two levels recommended for use, and the lower part of the oven can be used to keep items warm at the same time, an excellent facility when cooking a grilled breakfast. Half grill (centre portion only) is ideal for small quantities of food.		All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.
یں۔ ا	Side lights: Two opposing side lights increase visibility inside the oven.		Automatic opening: some models have Automatic opening door when the cycle is finished which is a perfect solution for handle-less kitchen units as no handle is needed. For safety reasons, the door locks automatically when the machine is in use to avoid it being opened inadvertently.
.5	The oven cavity has 5 different cooking levels.	UR	Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.
V	Vapour Clean: a simple cleaning function using steam to loosen deposits in the oven cavity.	115 R	The capacity indicates the amount of usable space in the oven cavity in litres.



Benefit (TT)

Gas hob

Induction offers fast cooking and precise temperature control

Equipped with a thermocouple, the gas supply is cut off if the flame is extinguished for greater safety

Knobs control

Easy and intuitive timer setting with a elegant knobs

True-convection

The best cooking performances guaranteed by ventilated circular flow.

Multiple fans and heating elements guarantee the perfect aerodynamic heat flow, allowing homogeneous and quicker cooking inside the cavity.

Multilevel cooking

Several cooking levels allow maximum flexibility of use

Multilevel halogen light

Internal halogen lighting on different levels guarantees excellent visibility

Tangential cooling

New cooling system with tangential fan and airflow from the door to the splashback

Isothermic Cavity

The best cooking performance at the highest energy efficiency

Cold door

During any function, the external door glass is cold, avoiding any risk of burns

AirFry (AIRFRY optional accessory)

Lighter and tastier food thanks to airfry basket

BBQ (optional accessory)

Barbeque cooking directly in the oven with the double-sided grill

Pizza stone (optional accessory)

Baking with refractory stone for soft and crispy pizza and yeast products (STONE optional accessory)

Adjustable height

Cooker top flushed with the working area thanks to adjustable feet