

KPF36URD

Product family

Hood Type Decorative wall hood

Hood

Chimney

Vented

Design Extraction Material

aterial Stainless steel

Stainless steel type Brushed

EAN code 8017709246259



Aesthetic

AestheticsPortofinoSilkscreen colorSilverColorRedLogoApplied

Controls

Control setting Control knobs Control knobs Portofino

No. of controls 2 Controls color Stainless steel effect

Program / Functions

Speed levels 4

Technical Features

Ö

Motor power

No. of lights 2 No. of filters 3

LightingLEDAnti-grease filtersStainless steelLight power2 WVent outlet5 7/8 "Light color temperature4000 °KMinimum distance from750 "

Light color temperature 4000 °K Minimum distant scale (°K) gas cooktop

455 W

gus cooktop

Maximum extraction 577.5 CFM Minimum distance from 650 " capacity at free mode electric cooktop

· Non-return valve Yes



	Extraction rate [CFM]	Noise level [dBA]
Speed level 1	210.5	53
Speed 2	317	62
Speed 3	437.5	69
Speed level 4	573.5	75

Electrical Connection

Electrical connection

495 W

Frequency (Hz)

60 Hz

rating

Voltage 120 V

Power supply cable

1000 "

length

Also available

Available colors

White, Black, Stainless steel, Anthracite, Yellow,

Green, Orange

Available colors


KPF36UWH-BL-X-AN-YW-


OG-OR


Optional accessories

Charcoal filter

FLTK-1









Not included accessories

FLT6U





KITALLFC

Universal Charcoal filter Stainless Steel AISI 304 The filter can be washed in dishwasher 50 °C (water and suitable detergent) and to dry it put in the oven 180°C 25 minutes



Symbols glossary



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.