

# PGF32C



Product Family	Hob
Built-in type	Ultra-low profile
Dimensions	30 cm
Power supply	Electric
Type	Ceramic
EAN code	8017709138035



## Aesthetics



Aesthetic	Classica
Colour	Stainless steel/Black
Finishing	Glass
Material	Glass
Glass type	Ceramic
Frame	Yes
Frame colour	Stainless Steel
Type of control setting	Control knobs
Control knob position	Front
No. of controls	2
Controls colour	Steel effect

## Programs / Functions

No. of ceramic cook zones	2
Power levels	9
Total no. of cook zones	2

## Options

Worktop Cut-Out	494x292 mm
-----------------	------------

## Technical Features




Front-centre - Ceramic - Single - 1.20 kW - Ø 14.0 cm

Rear-centre - Ceramic - Single - 1.80 kW - Ø 18.0 cm

Residual heat indicator Yes

## Electrical Connection

Plug	Not present	Voltage (V)	220-240 V
Electrical connection rating (W)	3000 W	Frequency (Hz)	50/60 Hz
Current	13 A	Power supply cable length	120 cm



---

## Not included accessories

---

### 6MP1PGF

6 Linea knobs for PGF hobs



### SCRP

Non-scratch hob scraper - suitable for induction and ceramic hobs

### LGPGF-1





Aluminium connecting strip for PGF



---

## Symbols glossary

---

- |  |  |   |   |
|--|--|---|---|
|  | Ultra-low profile: Installation of product with flat edge - height of 1 mm.                                      |  | Knobs control   |
|  | Glass ceramic: The base of the hob is made glass ceramic. Heating is performed by the heating elements Hi-Light. |  | Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out. |