

PGFU36X



Product family Cooktop

Installation Ultra-low profile

Dimensions 36"
Power supply Mixed
Type Gas

EAN code 8017709210878



Aesthetic





Aesthetics Classic

Color Stainless steel

Finishing Satin

MaterialStainless steelStainless steel typeBrushedGratesCast ironBurnersStandardBurners materialAluminumControl setting typeControl knobsControls positionLateral

No. of controls

Program / Functions

Burners 5
Cooking zones 5

Options

Controls color

Standard cut-out 492x850 mm

Technical Features

SMEG SPA 2/5/2025

Stainless steel effect





Front-left - Gas - Semi-rapid - 1.80 kW - 6000 BTU - Double booster BTU

Rear-left - Gas - Semi-rapid - 1.80 kW - 6000 BTU - Double booster BTU

Center - Gas - Ultra-rapid - 4.00 kW - 13500 BTU - Double booster BTU

Rear-right - Gas - Semi-rapid - 1.80 kW - 6000 BTU - Double booster BTU

Front-right - Gas - AUX - 1.05 kW - 3500 BTU - Double booster BTU

Double booster BTU

Gas safety valves Yes Automatic Ignition Yes

Accessories Included

Cast iron wok support

Electrical Connection


Nominal power1 WFrequency50/60 HzVoltage100-120 VPower cord length47 1/4 "

Electric cable type Single phase Plug B

Gas Connection

Gas Type G20 Natural gas Other gas nozzles G30 LPG liquid gas

Gas connection Cylindric included
Gas nominal rating 9500 W



SMEG SPA 2/5/2025



Not included accessories

6MP1PGF

6 Linea knobs for PGF hobs

GRW

Wok support



GRM

Gas hobs moka support

WOKGHU

Cast-Iron WOK Support





Symbols glossary



Ultra-low profile: Installation of product with flat edge - height of 1 mm.



Heavy duty cast iron pan stands: for maximum stability and strength.



Knobs control



Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.

SMEG SPA 2/5/2025