

SO4104APG

45 cm

Category Product Family Vitality system Power supply Heat source Cooking method Galileo cavity Cleaning system EAN code 45cm Compact Ovens Oven Yes Electric Electric Multitech Omnichef Vapor Clean 8017709326784



Aesthetics

Aesthetics Colour Finishing Design Component finish Material Linea Neptune Grey Matte Flat Silver Glass Glass Type Serigraphy colour Door Handle Handle Colour Logo Clear1 Black Full glass Linea minimal Satin metal and black Applied

Controls

VIVO

Display name Display technology Control setting

VivoScreen TFT Advanced full touch

No. of display languages Display languages

20

Italiano, English (UK), Français (FR), Français (CA), Nederlands, Español (ES), Español (MX), Português (PT), Svenska, Русский, Deutsch (DE), Dansk, Norsk, Polski, English (AU), Suomi, Ukrainian, Kazakh, Afrikaans (ZA), Zulu (ZA)

Programs / Functions

| No. of cooking functions | 26 |
|--------------------------|------------|
| Automatic programmes | 150 |
| Steam assisted levels | 3 + manual |



| Customisable recipes Traditional cooking functions | 10 | |
|--|---------------------------------|--------------------------------|
| Static | 🛞 Fan assisted | Ciculaire |
| | | |
| Turbo (circulaire + bottom + upper + | ECO ECO | Large grill |
| fan) | | |
| 😥 Fan grill (large) | Base | Circulaire + bottom |
| Bizza | | |
| Cooking functions with pulsed ste | am | |
| Fan assisted | Circulaire | Circulaire + Bottom + Fan |
| 1 Alexandree Alexandre | | |
| Turbo (circulaire + bottom + upper + | 😴 Fan Grill | |
| fan) | | |
| Cooking functions with steam | | |
| 🍙 Manual steam | Steam + bottom + upper + fan | Steam + circulaire + fan |
| Circulaire + Bottom + Fan | Sous Vide | |
| Other Steam functions | | |
| Tank cleaning | Water outlet | Vater input |
| Descaling | | |
| Microwave functions | | |
| 📚 Microwave | | 🛞 Microwave + circulaire + fan |
| | Microwave + bottom + top + fan | |
| 🚔 Microwave + grill | Microwave + Circulaire + bottom | |
| Microwave functions | | |
| Multitech | Twintech | |

•ss•smeg

Other functions * * 111 Defrost by weight Proving Defrost by time Stone cooking Air-Fry BBQ H Melt Soft Ŵ Pop-corn Sabbath (in) Keep warm Plate rack/warmer i **Cleaning functions** Vapor Clean V

Options

| 0 🚔 🎽 🖊 | A A A | | |
|-----------------------------------|---|----------------------|--|
| Time-setting options | Delay start and automatic | SameTime | Yes |
| | end cooking | DeltaT cooking | Yes |
| Minute minder | Yes | Showroom demo option | Yes |
| Timer | 3 | Demo-tutorial mode | Yes |
| Controls Lock / Child | Yes | Touch guide | Yes |
| Safety Other options | Keep warm, Eco light, | History | Yes, the last 10 functions utilised |
| | Language setting, Digital | Rapid pre-heating | Yes |
| | clock display, Brightness, Tones, Tones volume | Instant GO | Yes |
| Cooking with probe thermometer | Yes | | |
| Multi-step cooking | Yes, up to 2 steps | | |
| Smart cooking | Yes | | |

Technical Features

| 2 | | I I | |
|----------------------------------|--------|-----------------------------------|-------------|
| Minimum Temperature | 30 °C | Total no. of door glasses | 4 |
| Maximum temperature | 250 °C | Soft Close hinges | Yes |
| Shelf positions | 2 | Soft Open | Yes |
| No. of lights | 1 | Inverter | Yes |
| Light type | LED | Stirrer | Yes |
| Light power | 3 W | Chimney | Double |
| Light when door is | Yes | Cooling system | Centrifugal |
| opened | | Cooling duct | Double |
| Lower heating element power | 1200 W | Speed Reduction Cooling System | Yes |
| Upper heating element - Power | 1000 W | Door Lock During Pyrolisis | Yes |
| Grill element - power | 1700 W | | 20 100% |
| Large grill - Power | 2700 W | Steam range | 20 - 100% |
| | | | |



| Circular heating elemer - Power | t 1400 W | Usable cavity space dimensions (HxWxD) | 214x462x397 mm |
|---|-------------------------|---|--|
| Heating suspended when door is opened Door opening type | Yes Standard opening | Temperature control Cavity material Water loading | Electronic Easy clean enamel Fill&Hide 2 , automatic |
| Door Full glass inner door | Cool Yes | Tank capacity | 21 |

Performance / Energy Label

| 40 K | | | |
|--------------------------|-----------|---------------------|-------|
| Net volume of the cavity | 40 litres | Microwave effective | 900 W |
| Number of cavities | 1 | power | |


Accessories Included

| 3 | | | |
|----------------------|---|--------------------------|-----------------|
| Chrome shelf | 1 | St/steel perforated deep | 1 |
| Enamelled deep tray | 1 | tray (40mm) | |
| (50mm) | | Glass tray | 1 |
| Grill mesh | 1 | Telescopic Guide rails, | 1 |
| St/steel tray (20mm) | 1 | total Extraction | |
| | | Temperature probe | Yes, multipoint |

Electrical Connection

| Voltage 2 | 20-240 V | Frequency (Hz) | 50/60 Hz |
|-----------|----------------|------------------------------|----------|
| | .3 A 9000 W | Power supply cable length | 150 cm |







Not included accessories

AIRFRY



Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.

BN620-1

BX640PL



Enamelled tray, 20mm deep



BBQ

Double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of grilled cooking. The ribbed side is particularly suitable for meats and cheeses. The smooth side for fish, seafood and vegetables.

BN640

Enamelled tray, 40mm deep


ET20

Enamelled tray, 20mm deep



Stainless steel perforated tray. To cook many types of vegetables, fish, white meats, ravioli or other varieties of stuffed pasta, preserving all the vitamins and mineral salts for a richer, fuller and natural flavour

ET50





GTTV2

Totally extractable telescopic guides (1 level), suitable for steam ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.

PR3845N



Black spacer cover for furniture when more ovens are installed in column. Suitable for 45cm Dolce Stil Novo compact ovens.



GTP2

Partially extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.

PALPZ

Pizza shovel with fold away handle width: 315mm length: 325mm


PR3845X



Antifingerprint stainless steel. Cover for furniture in column installation of more ovens

•se•smeg

Symbols glossary





| (?) (?) | Fan with grill element: The fan reduces the fierce heat from the grill, providing an excellent method of grilling various foods, chops, steaks, sausages etc. giving even browning and heat distribution, without drying out the food. The top two levels recommended for use, and the lower part of the oven can be used to keep items warm at the same time, an excellent facility when cooking a grilled breakfast. Half grill (centre portion only) is ideal for small quantities of food. | 2 | Microwave: Penetrating straight into the food, microwaves cook very quickly and with considerable energy savings. Suitable for cooking without fat, they are also able to thaw and heat food without altering its original appearance and aroma. The microwave function can also be combined with conventional functions with all the resulting advantages. Ideal for all types of food. |
|------------|---|-------|---|
| | Cooking with the simultaneous use of the heating element in combination with fan and microwave supply. | ()// | Microwave + grill element: The use of the grill results in a perfect browning of the surface of the food. The action of microwaves allows instead of cooking in a short time the internal part of the food. |
| (#**) | Fan combined with traditional cooking, where heat is generated from above and below, provides uniform heat. Adding the microwave function allows the same cooking results in less time. | ٢ | Pizza function: The simultaneous operation of three elements ensures an optimum cooking facility when used with the Smeg pizza stone. |
| | Sous Vide Cooking: Steam function for perfect cooking of sous vide dishes. Enhances the taste of dishes and keeps their appearance and nutrients unaltered. Vacuum cooking (Sous Vide) made with the help of a steam oven is also an incredibly healthy and genuine type of cooking. The Sous Vide cooking technique allows heat to be efficiently transferred from the steam to the food, avoiding the loss of flavour due to oxidation and the evaporation of nutrients and moisture during cooking. Sous Vide cooking also allows better control over the cooking of food compared to traditional methods, ensuring uniform cooking results. It also allows cooking at a lower temperature than traditional cooking. | | Steam cooking: it's a natural way of cooking for any kind of products, from vegetables to desserts, to preserve the nutritional and organoleptic properties of ingredients. Ideal for cooking without fat, to heat up food without drying. Steam is ideal for simultaneous cooking of meals that require different cooking times. |
| ((*?)) | Fan combined with traditional cooking, where heat is generated from above and below, provides uniform heat. Adding the steam function allows the same cooking results in less time. | | Circulaire element with steam: Cooking with the simultaneous use of the circular heating element in combination with fan and steam supply. |
| | FUN_STEAM_OTHER_WATER_IN_OUT_72dpi | | Circulaire with upper and lower elements: The use of the fan with both elements allows food to be cooked quickly and effectively, ideal for large joints that require thorough cooking. It offers a similar result to rotisserie, moving the heat around the food, instead of moving the food itself, enabling any size or shape to be cooked. |
| | Fan with grill with steam assist: For creating a perfectly roasted meat joint. The extra moisture keeps the meat juicy and tender, whilst the heat from the turbo function creates the caramelised flavours we know and love. | | Circulaire with steam assist: Provides extra moisture to food during cooking. Excellent for bread baking. The moisture allows the bread dough to stretch further at the beginning of cooking, creating an aerated and light textured dough. The remaining part of the cooking process allows for the signature crust to form. |



| | Circulaire + lower element with steam assist: Ideal for reheating flans and quiches. This function will re-crisp the base, whilst filling will not dry out due to the additional moisture in the cooking cavity. | | Circulaire with steam assist: Provides extra moisture to food during cooking. Excellent for bread baking. The moisture allows the bread dough to stretch further at the beginning of cooking, creating an aerated and light textured dough. The remaining part of the cooking process allows for the signature crust to form. |
|-------------|--|----------|---|
| | Turbo with steam assist: For creating a perfectly roasted meat joint. The extra moisture keeps the meat juicy and tender, whilst the heat from the turbo function creates the caramelised flavours we know and love. | 45 cm | Compact appliances with a height of 45 cm - perfect solution to meet the functional requirements of kitchen sets of small height. Available in several types and in different styles. |
| | All glass inner door: All glass inner door, a single flat surface which is simple to keep clean. | si[]o | Keep warm: This function allows you to keep precooked foods warm. |
| | Warming up: An option for dish warming and keeping the prepared meals hot. | p | Cooking with temperature probe: It is possible to display the temperature detected by the probe and set a target temperature that the dish must reach. When the core of the dish reaches the desired temperature, cooking stops |
| | Air at 40°C provides the perfect environment for proving yeast type dough mixes. Simply select the function and place dough in the cavity for allotted | = | Rapid preheat: The rapid preheat function can be used to reach the selected temperature in just a few minutes. |
| i | Sabbath: This function allows you to cook food whilst respecting the provisions of the Jewish day of rest. | (Jan | Touch guide: By holding down any symbol for 3 seconds you can get information on its function |
| <u>;2</u> . | The oven cavity has 2 different cooking levels. | • | Smart Cooking System: for the perfect cooking it is simply necessary choosing the kind and the weight of food and the cooking temperature: any other setting will be established automatically. |
| D | Soft close: all models are equipped with advanced function of smooth closing of the door, which allows the device to close smoothly and quietly. | 灬 | To guarantee the optimal functioning of the appliance, it is suggested to carry out the tank cleaning roughly once every 2-3 months. |
| | Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely. | 0 | Electronic control: Allows you to maintain temperature inside the oven with the precision 2- 3 ° C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings. |
| V | Vapor Clean: a simple cleaning function using steam to loosen deposits in the oven cavity. | 40 lt | The capacity indicates the amount of usable space in the oven cavity in litres. |

•se•smeg

| The capacity indicates the amount of usable space in the oven cavity in litres. The 4.3" VIVOscreen display offers an advanced colour touch interface, for automatic management of fining programmes such as Delta T. Multi-step and SameTime fining. Stirrer Active and controlled microwave distributes the woves evenly within the oven, reducing the cooking time and the oven will gradually reach the desired temperature. Particularly suitable for frozen foods. Stirrer Active and controlled microwave sturer from distributes the woves evenly within the oven, reducing the need for a turnable. Multi-cooking Technology: combine up to three difference technology and unloading tube can be easily removed from the oven and the outer mellied at any time during the cooking cycle, without opening the during the door. guarantee is and unloading tube can be easily removed from the oven and the water relified at any time during the cooking cycle, without opening the during the cooking duration of steps in the same times. Sametime: The perfect way to have a complete major the same times. Sametime: The perfect way to have a complete major water is a solution of the same times. Dedicated cooking function for the double sided of cycles, allows you to precisely control the tamperature, reduce times, without on and off cycles, allows you to botin excellent cooking direction for the rectangular refractory stone PPR2 Dimensional led lot or cooking direction for the hour bar the during microwave cooking. Dedicated cooking function for the rectangular refractory stone PPR2 Dimensional led lot for cooking. Dedica | | | | |
|--|---------|--|----------------|--|
| to start immediately. Preheating is included in the cosking time and the oven will gradually reach the desired temperature. Particularly suitable for frazen foods. Stirrer Active and controlled microwave giver fan distributes the waves evenly within the oven, reducing the need for a turntable. Multicooking Technology: combine up to three different technologies and take the best out of them: steam, microwave, and convection cooking. Fill & Hide: The water folded system is designed to enhance the aesthetics of the oven. The loading and unloading tube can be aesily removale from the oven and the water refilled at any time during the cooking cycle, without opening the door, guaranteeing an infinite duration of steam. Sametime: The perfect way to have a complete menu in a few simple steps. The SameTime algorithm calculates the times, the cooking tructuot and off cycles, allows you to precisely control the temperature, reduce times, volds wasting energy and allows you to abtain excellent cooking duration for the same time. Dedicated cooking function for the double sided for crocking function for the texting structure and convexitor wood fire appearing the so a typical taxte of special circling traditional frying in the cooking pizzas with the same results as a typical taxte of special circling traditional frying in the cooking pizzas with the same results as a typical taxte of special circling traditional frying in temperature to a predefined temperature sets. Deleta T cooking: The oven automatically sets the cooking temperature to a predefined temperature detected by the probe detects on ext a degree at the core, the oven automatically sets the contexing traditional the probe detects on ext a degree at the core, the oven automatically sets the contexing the probe detects on ext a degree at the core, the oven automatically sets the contexing the probe detects on ext a degree at the core, the oven automatically sets the contexin | 50 R | | VIVO screen | colour touch interface, for automatic management of firing programmes such as Delta |
| distribution. The Microwave Stirrer fan distributes the waves evenly within the oven, reducing the need for a turntable. Multicooking Technology: combine up to three different technologies and take the best out of them: steam, microwave, and convection cooking. Sametime: The perfect way to have a complete mealgorithm calculates the times, the cooking cycle, without opening the door, guaranteeling an infinite duration of steam. Sametime: The perfect way to have a complete mealgorithm calculates the times, the cooking functions and all the parameters so that 3 foods can be ready at the same time. Dedicated cooking function for the double sided plate BBQ. Suitable for recreating succulant and crispy dishes in the oven with the typical taste of g Dedicated cooking function for the rectangular refractory stone PPR2 Dimensions Ideal for cooking, deforsting and relative during microwave cooking. Delta T cooking: The oven automatically sets the cooking. Delta T cooking: The oven automatically sets the cooking. Delta T cooking: The oven automatically sets the cooking. Delta T cooking: The oven automatically sets the cooking. Evenction to soften butter and cheese It is useful tory using the bain-marie Function to soften butter and cheese It is useful tory using the bain-marie Function to soften butter and cheese It is useful tory using the bain-marie Function for the notion consisted to sole survise to the cooking. | | | πī | to start immediately. Preheating is included in the cooking time and the oven will gradually reach the desired temperature. Particularly suitable for |
| different technologies and take the best out of them: steam, microwave, and convection cooking. enhance the aesthetics of the oven. The loading and unloading tube can be easily removed from the oven and the water refiled at any time during the cooking cycle, without opening the door , guaranteeing an infinite duration of steam. Sametime: The perfect way to have a complete algorithm calculates the times, the cooking functions and all the parameters so that 3 foods can be ready at the same time. Dedicated cooking function for the double sided plate BBQ. Suitable for recreating succulent and surface temperature in food Dedicated cooking function for the texpland and the typical taste of g Dedicated cooking function for the rectangular refractory stone PPR2 Dimensions ideal for cooking. Chimey: The double chimney technology creates a special airflow inside the cavity during microwave cooking. Chimey: The double chimney technology creates a special airflow inside the cavity during microwave cooking. Function to soften butter and cheese It is useful for quickly bringing frozen desperts. Function to soften butter and cheese It is useful for quickly bringing frozen desperts. Function to soften butter and cheese It is useful for quickly bringing frozen desperts to serving temperature. | ((((-f) | distribution. The Microwave Stirrer fan distributes the waves evenly within the oven, reducing the | /31 | |
| menu in a few simple steps. The SameTime algorithm calculates the times, the cooking functions and all the parameters so that 3 foods can be ready at the same time. Dedicated cooking function for the double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of g Dedicated cooking function for the rectangular refractory stone PPR2 Dimensions Ideal for cooking. Chimney: The double chimney technology creates a special airflow inside the cavity that reduce the cooking. Delta Cooking: The oven automatically sets the cavity temperature to a predefined temperature detected by the probe. When the probe detects an extra degree at the core, the oven automatically sets the cavity temperature by one degree. Function to soften butter and cheese It is useful for quickly bringing frozen desserts to serving temperature The function can also be used to | | different technologies and take the best out of | 1 | enhance the aesthetics of the oven. The loading and unloading tube can be easily removed from the oven and the water refilled at any time during the cooking cycle, without opening the door, |
| plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of g Dedicated cooking function for the rectangular refractory stone PPR2 Dimensions Ideal for cooking pizzas with the same results as a typical wood-fire DeltaT cooking: The oven automatically sets the cavity temperature to a predefined temperature (named deltaT) higher than the core temperature detected by the probe. When the probe detects an extra degree at the core, the oven automatically increases also its internal temperature by one degree. Function to soften butter and cheese It is useful for quickly bringing frozen desserts to serving temperature The function can also be used to | | menu in a few simple steps. The SameTime algorithm calculates the times, the cooking functions and all the parameters so that 3 foods | | microwaves continuously and at the desired power The constant flow, without on and off cycles, allows you to precisely control the temperature, reduce times, avoids wasting energy and allows you to obtain excellent cooking, defrosting and re-heating results, thanks to the smaller difference between core and |
| refractory stone PPR2 Dimensions Ideal for cooking pizzas with the same results as a typical wood-fire DeltaT cooking: The oven automatically sets the cavity temperature to a predefined temperature (named deltaT) higher than the core temperature detected by the probe. When the probe detects an extra degree at the core, the oven automatically increases also its internal temperature by one degree. Function to soften butter and cheese It is useful for quickly bringing frozen desserts to serving temperature The function can also be used to | | plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of | | AIRFRY . Ideal for recreating traditional frying in |
| cavity temperature to a predefined temperature (named deltaT) higher than the core temperature detected by the probe. When the probe detects an extra degree at the core, the oven automatically increases also its internal temperature by one degree. Function to soften butter and cheese It is useful for quickly bringing frozen desserts to serving temperature The function can also be used to | | refractory stone PPR2 Dimensions Ideal for cooking pizzas with the same results as a typical | * | a special airflow inside the cavity that reduce the condensation inside the cavity during microwave |
| for quickly bringing frozen desserts to serving temperature The function can also be used to | Pat | cavity temperature to a predefined temperature (named deltaT) higher than the core temperature detected by the probe. When the probe detects an extra degree at the core, the oven automatically increases also its internal | æ | |
| | | for quickly bringing frozen desserts to serving temperature The function can also be used to | ١ | |