

# SR64S



Product Family  
Built-in type  
Dimensions  
Power supply  
Type  
EAN code

Hob  
Traditional  
60 cm  
Gas  
Gas  
8017709175764



## Aesthetics



Aesthetic	Selezione
Colour	Stainless steel
Material	Stainless Steel
Pan stands	Enamelled flat
Burners	Smeg Contemporary
Burners Material	Alluminium
Type of control setting	Control knobs
Control knob position	Lateral
No. of controls	4
Controls colour	Silver
Control knob protection	Yes

## Programs / Functions

No. of gas cook zones	4
Total no. of cook zones	4

## Options



Worktop Cut-Out 478-482x555-560 mm

## Technical Features

**UR**

Front-left - Gas - UR - 4.10 kW

Rear-left - Gas - Semi Rapid - 1.80 kW

Rear-right - Gas - Semi Rapid - 1.80 kW

Front-right - Gas - AUX - 1.10 kW


Gas safety valves                      Yes                                      Automatic Ignition                      Yes

## Electrical Connection

Plug	Not present	Type of electric cable installed	Yes, Single phase
Electrical connection rating (W)	1 W	Frequency (Hz)	50/60 Hz
Voltage (V)	220-240 V	Power supply cable length	120 cm

## Gas Connection

Gas Type	G20 Natural gas	Other gas connections provided	Conical
Gas connection	Cilindrical	Gas connection rating (W)	8600 W
Other gas nozzles included	G30 GPL Liquid gas		



---

## Not included accessories

---



### 7520EB

White cover suitable for 60 cm side control hobs.



### 7520NE

Black cover suitable for 60 cm side control hobs.



### 7520X

Glass cover suitable for 60 cm side control hobs.



### BB3679

Cast Iron griddle



### GRC60

Cast Iron pan stands suitable for 60 cm hobs.



### TPK

Stainless steel grill plate to cook Teppanyaki dishes







### WOKGHU

Cast iron WOK Support

---

## Symbols glossary

---

	Standard installation: Traditional installation in tabletop, suitable for any kitchen sets		Knobs control
	CUT_OUT_STANDARD_72dpi		Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.