

TR103IBL2


Cooker size N. of cavities with energy label Cavity heat source Hob type Type of main oven Type of second oven Cleaning system main oven EAN code Energy efficiency class Energy efficiency class, second cavity 100x60 cm 2 Electric Induction Thermo-ventilated Thermo-ventilated Vapor Clean 8017709312404 A B



Aesthetics

\$			
Aesthetics	Victoria	Control knobs	Smeg Victoria
Design	Victoria	Controls colour	Stainless steel
Colour	Black	No. of controls	9
Finishing	Gloss	Serigraphy colour	Silver
Command panel finish	Enamelled metal	Display	electronic 5 buttons
Logo	assembled 50's	Door	With frame
Logo position	Upstand+ Command panel	Glass type	Black
Upstand	Yes	Handle	Smeg Victoria
Hob colour	Black enamel	Handle Colour	Brushed stainless steel
Type of control setting	Control knobs	Plinth	Anthracite

Programs / Functions





Cleaning functions



Vapor Clean

Programs / Functions Auxiliary Oven

Cooking functions cavity 2 Traditional cooking functions, cavity 2



Programme / Functions Third Oven

No. of functions third oven Oven light

Full grill

	1	
	Ŋ.	
I		

1

Hob technical features

Total no. of cook zones 5

Front left - Induction - single - 1.30 kW - Booster 1.40 kW - - Ø 21.0 cm Rear left - Induction - single - 2.30 kW - Booster 3.00 kW - - Ø 18.0 cm Central - Induction - single - 2.30 kW - Booster 3.00 kW - - Ø 27.0 cm Rear right - Induction - single - 1.30 kW - Booster 1.40 kW - - Ø 18.0 cm Front right - Induction - single - 2.30 kW - Booster 3.00 kW - - Ø 21.0 cm

Main Oven Technical Features

M 🖳 🚑 🔊 📃			
No. of lights	1	Removable door	Yes
Fan number	1	Full glass inner door	Yes
Net volume of the cavity	61 litres	Total no. of door glasses	3
Gross volume, 1st cavity	701	No.of thermo-reflective	1
Cavity material	Easy clean enamel	door glasses	
Shelf positions	4	Safety Thermostat	Yes
Type of shelves	Metal racks	Cooling system	Tangential
Light type	Halogen	Usable cavity space	316x460x412 mm
Light power	40 W	dimensions (HxWxD)	
Cooking time setting	Start and Stop	Temperature control	Electro-mechanical
Door opening	Side opening	Lower heating element power	1200 W
		Upper heating element - Power	1000 W
		Circular heating element	2000 W

- Power



Options Main Oven

Timer	Yes	Minimum Temperature	50 °C
End of cooking acoustic	Yes	Maximum temperature	250 °C
alarm			

Second Oven Technical Features

84 K 🧾 📮 🔅			
Fan number	2	Removable door	Yes
Net volume of the	84 litres	Full glass inner door	Yes
second cavity		Removable inner door	Yes
Gross volume, 2nd	941	No. total door glasses	2
cavity		No. thermo-reflective	1
Cavity material	Easy clean enamel	door glasses	
Shelf positions	9	Safety Thermostat	Yes
Type of shelves	Metal racks	Cooling system	Tangential
No. of lights	1	Usable cavity space	605x375x375 mm
Light type	Halogen	dimensions (HxWxD)	
Light power	40 W	Temperature control	Electro-mechanical
Door opening	Side opening	Circular heating element - Power	2 x 1550 W

Options Auxiliary Oven

Minimum Temperature 50 °C

Maximum temperature 245 °C

Third Oven Technical Features

368 📃 🔁 🔊 💭			
Net volume, 3rd cavity	36	Removable inner door	Yes
Gross volume, 3rd	41 I	No. total door glasses	3
cavity		No. of thermo-reflective	1
Cavity material	Easy clean enamel	door glasses	
Shelf positions	2	Safety Thermostat	Yes
Type of shelves	Metal racks	Cooling system	Tangential
No. of lights	1	Usable cavity space	169x440x443 mm
Light type	Halogen	dimensions (HxWxD)	
Light power	40 W	Temperature control	Electro-mechanical
Door opening	Flap down	Large grill - Power	2700 W
Removable door	Yes	Grill type	Electric
Full glass inner door	Yes	Tilting grill	Yes

Options Third Oven



Minimum Temperature 50 °C

Maximum temperature 260 °C

1 1

1

Accessories included for Main Oven & Hob

Chrome shelf with back	2	Grill mesh
and side stop		Telescopic Guide rails,
40mm deep tray	1	partial Extraction

Accessories included for Secondary Oven


Chrome shelf with back stop	4	Plate rack/warmer

Accessories included for Third Oven

Chrome shelf with back	1	40mm deep tray	1
and side stop			

Electrical Connection

Max Power Draw Current	15400 W 43 A	Power supply cable length	150 cm
Voltage	220-240 V	Additional connection modalities	Yes, Double and Three Phase
Voltage 2 (V) Type of electric cable	380-415 V Yes, Single phase	Frequency	50/60 Hz
Type of electric cubie	res, single phase	Terminal block	5 poles





Not included accessories

AIRFRY



Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.

BN620-1



Enamelled tray, 20mm deep





Teflon-coated tray, 8mm depth, to be placed on the grid

GTP


Partially extractable telescopic guides (1 level) Extraction: 300 mm Material: Stainless steel AISI 430 polished



KIT1TR103

Splashback 100x75 cm suitable for TR103 Victoria cookers, black

PALPZ





SFLK1

Child lock



TPKPLATE

Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.

BBQ

Double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of grilled cooking. The ribbed side is particularly suitable for meats and cheeses. The smooth side for fish, seafood and vegetables.

BN640

Enamelled tray, 40mm deep

GRILLPLATE

Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.

GTT

Totally extractable telescopic guides (1 level) Extraction: 433 mm Material: Stainless steel AISI 430 polished

KITH103

Height extension kit (950 mm), suitable for TR103 cookers



SCRP

Induction and ceramic hobs and teppanyaki scraper

SMOLD

Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C





SMEG SPA



2511

Symbols glossary



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



Installation in column: Installation in column



B: Product energy rating, measured from A+++ to D / G depending on the product family.



Double glazed doors: Number of glazed doors.

ECO-logic: option allows you to restrict the powe
limit of the appliance real energy saving.



(%)

Fan with upper and lower elements: The elements combined with the fan aim to provide more uniform heat, a similar method to conventional cooking, so pre-heat is required. Most suitable for items requiring slow cooking methods.

Circulaire: The combination of the fan and circular element around it gives a hot air cooking method. This provides many benefits including no preheat if cook time is more than 20 minutes, no flavour transfer when cooking different foods at the same time, less energy, and shorter cook times. Good for all types of food.



Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon.



Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.



Side lights: Two opposing side lights increase visibility inside the oven.



The oven cavity has 2 different cooking levels.



The oven cavity has 9 different cooking levels.

- A D A: Product drying performance, measured from A+++ to D / G depending on the product family Air cooling system: to ensure a safe surface temperatures. Defrost by time: with this function the time of thawing of foods are determined automatically. Triple glazed doors: Number of glazed doors. Enamel interior: The enamel interior of all Smea ovens have a special antacid lining which helps keep the interior clean by reducing the amount of cooking grease adhering to it. Upper and lower element only: a traditional cooking method best suited for single items located in the centre of the oven. the top pf the oven will always be hottest. Ideal for roast, fruit cakes, bread etc.
- ECO: The combination of the grill, fan and lower ECO element is particularly suitable for cooking small quantities of food.



Light



All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.



Warming up: An option for dish warming and keeping the prepared meals hot.



The oven cavity has 4 different cooking levels.



Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely.





Electronic control: Allows you to maintain temperature inside the oven with the precision 2-3 ° C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.



Vapor Clean: a simple cleaning function using steam to loosen deposits in the oven cavity.

The capacity indicates the amount of usable

space in the oven cavity in litres.



٢

Knobs control



Tilting grill: the tilting grill can be easily unhooked to move the heating element and clean the roof of the appliance in one simple step.



The capacity indicates the amount of usable space in the oven cavity in litres.



The capacity indicates the amount of usable space in the oven cavity in litres.



Benefit

Induction hob

Induction offers fast cooking and precise temperature control

Through the use of suitable cookware, induction is easy to use and maintain, safe and responsive

Vapor Clean

By inserting water into a recess at the bottom of the cavity, steam is generated, which softens the residue and facilitates its removal

By inserting water into a recess at the bottom of the cavity, steam is generated, which softens the residue and facilitates its removal.

Buttons control

Easy and intuitive timer setting with a simple buttons

Circulaire

The best cooking performances guaranteed by ventilated circular flow.

Multiple fans and heating elements guarantee the perfect aerodynamic heat flow, allowing homogeneous and quicker cooking inside the cavity.

Multilevel cooking

Several cooking levels allow maximum flexibility of use

Multilevel halogen light

Internal halogen lighting on different levels guarantees excellent visibility

Tangential cooling

New cooling system with tangential fan and airflow from the door to the splashback

Telescopic guides

Easy extraction and safe insertion of trays into the oven thanks to telescopic guides

Isothermic Cavity

The best cooking performance at the highest energy efficiency

BBQ (optional accessory)

Barbeque cooking directly in the oven with the double-sided grill

Pizza stone (optional accessory)

Baking with refractory stone for soft and crispy pizza and yeast products (STONE optional accessory)



Adjustable height

Cooker top flushed with the working area thanks to adjustable feet

Cold door

During any function, the external door glass is cold, avoiding any risk of burns

AirFry (AIRFRY optional accessory)

Lighter and tastier food thanks to airfry basket

Single turbine

The oven has a fan equipped with a circular heating element allowing cooking with rotating heat