

TRA93P

Cooker size

N. of cavities with energy label

Hob type

Type of main oven Type of second oven

Cleaning system main oven

EAN code

90x60 cm

3

Gas

Thermoseal Fan assisted

Vapour Clean

8017709184155



Aesthetics





Aesthetic Victoria Design Victoria Colour Cream **Finishing** Glossy

Command panel finish

Logo

Logo position

Upstand

Hob colour Type of pan stands Cast Iron Control knobs

Type of control setting

Enamelled metal assembled 50's

Upstand

Yes Black enamel Control knobs Controls colour

No. of controls

Serigraphy colour

Display

Door Glass type

Handle

Handle Colour

Plinth

Smeg Victoria

Stainless steel

10 Black

electronic 5 buttons

With frame

Black

Smeg Victoria

Brushed stainless steel

Anthracite

Programs / Functions

No. of cooking functions Traditional cooking functions



Static



Fan assisted



Circulaire



Fan assisted bottom

5

Other functions



Defrost



Cleaning functions



Programs / Functions Third Oven

No. of functions third oven Oven light

Full grill



Hob technical features



Total no. of cook zones 6

Front right - Gas - Semi Rapid - 1.80 kW

Rear right - Gas - Rapid - 1.85 kW - Booster kW

Front centre - Gas - AUX - 1.00 kW

Rear centre - Gas - Semi Rapid - 1.30 kW - Booster kW

Rear left - Gas - AUX - 1.60 (BBQ) kW

Front left - Gas - UR - 4.20 kW

Type of gas burners Standard

Automatic electronic Yes Burner caps Matt black enamelled

ignition

Main Oven Technical Features















No. of lights 1 Net volume of the cavity 63 l Gross volume, 1st cavity 68 l

Cavity material Ever Clean enamel

No. of shelves

Type of shelves Metal racks
Light type Halogen
Light Power 40 W

Cooking time setting Start and Stop

Door opening Side opening

Removable door Yes
Full glass inner door Yes
Removable inner door Yes

Total no. of door glasses 3 No.of thermo-reflective 1

door glasses

Gas safety valves

Safety Thermostat Yes

Usable cavity space 316x444x425 mm

dimensions (HxWxD)

Temperature control Electro-mechanical

Yes

Lower heating element 1200 W

power

Upper heating element - 1000 W

Power

Grill elememt 1700 W Large grill - Power 2700 W

Circular heating element 2000 W

- Power

Grill type Electric
Tilting grill Yes

Options Main Oven



Timer Yes End of cooking acoustic Yes

alarm

50 °C Minimum Temperature Maximum temperature 260 °C

Second Oven Technical Features













Net volume of the second cavity

Gross volume, 2nd

cavity

Cavity material

No. of shelves

Type of shelves No. of lights

Light type

Light Power

Door opening

Removable door

66 I

68 I

Ever Clean enamel

Metal racks

Halogen 40 W

Side opening

Yes

Full glass inner door Removable inner door No. total door glasses

No. thermo-reflective

door glasses

Safety Thermostat Yes

Cooling system **Tangential**

Yes

Yes

245 °C

Yes

Yes

3

1

605x275x370 mm

2

1

Usable cavity space dimensions (HxWxD)

Temperature control Electro-mechanical

Circular heating element 2500 W

- Power

Grill type Electric

Options Auxiliary Oven

50 °C Minimum Temperature Maximum temperature

Third Oven Technical Features

















Net volume, 3rd cavity Gross volume, 3rd

cavity

Cavity material

No. of shelves

Type of shelves

No. of lights

Light type **Light Power** Door opening

Removable door Full glass inner door

36 I

41 I

Ever Clean enamel

2

Metal racks

1 Halogen 40 W

Flap down

Yes Yes Removable inner door

No. total door glasses No. of thermo-reflective

door glasses

Safety Thermostat

Cooling system **Tangential** 169x440x443 mm

Usable cavity space dimensions (HxWxD)

Temperature control

Electro-mechanical

Large grill - Power 2700 W Grill type Electric Tilting grill Yes

Options Third Oven

Minimum Temperature 50°C Maximum temperature 260°C

Accessories included for Main Oven & Hob





Cast iron wok support 40mm deep tray Moka stand in cast iron Grill mesh TOP Oven grid with 2 Telescopic Guide rails, partial Extraction

back stop

Accessories included for Secondary Oven



Voltage

Voltage 2 (V)

Oven grid with back Grill mesh stop Plate rack/warmer 1

Wide baking tray 1

Accessories included for Third Oven


Rack with back and side 1 40mm deep tray stop

Electrical Connection

Plug (I) Australia Type of electric cable Yes, Single phase installed **Electrical connection** 8300 W rating Type of electric cable Yes, Double and Three Phase Current 36 A

50/60 Hz Frequency 220-240 V Terminal block 5 poles 380-415 V

1





Not included accessories

AIRFRY

Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.

BN620-1

Enamelled tray, 20mm deep



BNP608T

Teflon-coated tray, 8mm depth, to be placed on the grid



Totally extractable telescopic guides (1 level) Extraction: 433 mm Material: Stainless steel AISI 430 polished

KITH93

Height extension kit (950 mm), suitable for TR93 cookers

SFLK1

Child lock

STONE

Rectangular refractory stone PPR2. Ideal for cooking pizzas with the same results as a typical wood-fired oven. Can also be used for baking bread, focaccias and other recipes such as pies, flans or biscuits Dimensions:L42 x H1,8 x P37,5 cm.

BBQ

Double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of grilled cooking. The ribbed side is particularly suitable for meats and cheeses. The smooth side for fish, seafood and vegetables.

BN640

Enamelled tray, 40mm deep



GTP

Partially extractable telescopic guides (1 level) Extraction: 300 mm Material: Stainless steel AISI 430 polished

KIT1TR9N

Splashback, 90x75 cm suitable for TR9 Victoria cookers, black

PALPZ

Pizza shovel with fold away handle width: 315mm length: 325mm



SMOLD

Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C





Symbols glossary

	Heavy duty cast iron pan stands: for maximum stability and strength.		Installation in column: Installation in column
Φ	Knobs control	!!!	Air cooling system: to ensure a safe surface temperatures.
*	With the switch on this symbol, no heating is possible even if the thermostat is turned.	2 2	Double glazed doors: Number of glazed doors.
3	Triple glazed doors: Number of glazed doors.		Enamel interior: The enamel interior of all Smeg ovens have a special antacid lining which helps keep the interior clean by reducing the amount of cooking grease adhering to it.
*	Fan assisted base: the mix of fan and lower heating element alone allows to finish cooking foods already cooked on the surface but not internally more quickly. This system is recommended to finish cooking foods that are already well cooked on the surface, but not internally, which therefore require a moderate higher heat. Ideal for any type of food.	8	Fan with upper and lower elements: The elements combined with the fan aim to provide more uniform heat, a similar method to conventional cooking, so pre-heat is required. Most suitable for items requiring slow cooking methods.
	Upper and lower element only: a traditional cooking method best suited for single items located in the centre of the oven. the top pf the oven will always be hottest. Ideal for roast, fruit cakes, bread etc.	®	Circulaire: The combination of the fan and circular element around it gives a hot air cooking method. This provides many benefits including no preheat if cook time is more than 20 minutes, no flavour transfer when cooking different foods at the same time, less energy, and shorter cook times. Good for all types of food.
ECO	ECO: The combination of the grill, fan and lower element is particularly suitable for cooking small quantities of food.	··	Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon.
Ϋ́	Light	旦	All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.
	The inner door glass: can be removed with a few quick movements for cleaning.	Ó, Ó	Side lights: Two opposing side lights increase visibility inside the oven.
	Warming up: An option for dish warming and keeping the prepared meals hot.	. <u>2</u>	The oven cavity has 2 different cooking levels.
.4	The oven cavity has 4 different cooking levels.	.9:	The oven cavity has 9 different cooking levels.

souffles, puddings.

Electronic control: Allows you to maintain

temperature inside the oven with the precision 2- $3\,^{\circ}$ C. This enables to cook meals that are very

sensitive to temperature changes, such as cakes,

SMEG SPA 13/03/2025

Telescopic rails: allow you to pull out the dish and

check it without having to remove it from the oven

entirely.





Tilting grill: the tilting grill can be easily unhooked to move the heating element and clean the roof of the appliance in one simple step.



Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.



Vapour Clean: a simple cleaning function using steam to loosen deposits in the oven cavity.



The capacity indicates the amount of usable space in the oven cavity in litres.



The capacity indicates the amount of usable space in the oven cavity in litres.

66 It

The capacity indicates the amount of usable space in the oven cavity in litres.



Benefit (TT)

Gas hob

Induction offers fast cooking and precise temperature control

Equipped with a thermocouple, the gas supply is cut off if the flame is extinguished for greater safety

Vapor Clean

By inserting water into a recess at the bottom of the cavity, steam is generated, which softens the residue and facilitates its removal

By inserting water into a recess at the bottom of the cavity, steam is generated, which softens the residue and facilitates its removal.

Buttons control

Easy and intuitive timer setting with a simple buttons

True-convection

The best cooking performances guaranteed by ventilated circular flow.

Multiple fans and heating elements guarantee the perfect aerodynamic heat flow, allowing homogeneous and quicker cooking inside the cavity.

Multilevel cooking

Several cooking levels allow maximum flexibility of use

Multilevel halogen light

Internal halogen lighting on different levels guarantees excellent visibility

Removalble inner glass

Internal door glasses are easily removable for complete cleaning

Telescopic guides

Easy extraction and safe insertion of trays into the oven thanks to telescopic guides

Isothermic Cavity

The best cooking performance at the highest energy efficiency

BBQ (optional accessory)

Barbeque cooking directly in the oven with the double-sided grill

Pizza stone (optional accessory)

Baking with refractory stone for soft and crispy pizza and yeast products (STONE optional accessory)



Adjustable height

Cooker top flushed with the working area thanks to adjustable feet

Cold door

During any function, the external door glass is cold, avoiding any risk of burns

AirFry (AIRFRY optional accessory)

Lighter and tastier food thanks to airfry basket