

A5AU-81

Cooker size

N. of cavities with energy label

Cavity heat source

Hob type

Type of main oven
Type of second oven

EAN code

150x60 cm

2

ELECTRICITY

Gas

Thermoseal Thermoseal 8017709290047

Control knobs

Aesthetics









AestheticClassicSerieOperaDesignProfessionalColourStainless steel

Finishing Satin

Command panel finish Finger friendly stainless

steel

LogoAssembled st/steelLogo positionFacia below the oven

Upstand Yes

Hob colour Stainless steel
Type of pan stands Cast Iron

Type of control setting

Control knobs Smeg Classic
Controls colour Stainless steel

No. of controls 13
Serigraphy colour Black
Display Touch

Door With 2 horizontal strips

Glass type eclypse
Handle Smeg Classic

Handle Colour Brushed stainless steel

Storage compartment Drawer

Programs / Functions

No. of cooking functions Traditional cooking functions

 \bigcirc s

Static

Æ

Fan assisted



Circulaire



Turbo



Eco



Large grill



Fan grill (large)



Fan assisted bottom

SMEG SPA 13/08/2025

8



Programs / Functions Auxiliary Oven

Cooking functions cavity 2

8

Traditional cooking functions, cavity 2

Static

Fan assisted

Circulaire

Large grill

Fan grill (large)

Fan-assisted bottom

Circulaire + bottom

Pizza

Cleaning functions cavity 2

Catalisi

Hob technical features



Total no. of cook zones 7

Type of gas burners Standard

Automatic electronic

ignition

Gas safety valves

Yes

Yes

Burner caps

Automatic switch off

when overflow

Matte black enamelled

Yes

Main Oven Technical Features





















No. of lights Fan number 1 Net volume of the cavity 77 l Gross volume, 1st cavity 90 l

Cavity material Ever Clean enamel

No. of shelves

Type of shelves Metal racks

Roof Liner

Light type Incandescent

25 W **Light Power**

Cooking time setting Start and Stop

Light when oven door is Yes

open

Door opening Flap down

Removable door Yes Full glass inner door Yes Removable inner door Yes Total no. of door glasses 3 No.of thermo-reflective door glasses

Safety Thermostat Yes

Cooling system **Tangential**

Usable cavity space dimensions (HxWxD)

Electro-mechanical Temperature control

Lower heating element

power

1750 W

305X613X405 mm

Upper heating element - 1050 W

Power

2800 W Grill elememt Circular heating element 2500 W

- Power

Grill type Electric

Options Main Oven



Timer Yes End of cooking acoustic

Minimum Temperature Maximum temperature 50 °C

Yes

3

2

Yes

Tangential

290x444x425 mm

Electro-mechanical

250 °C

Second Oven Technical Features

















Net volume of the second cavity

Gross volume, 2nd

cavity

Cavity material

No. of shelves Type of shelves

No. of lights

Light type

Light Power Cooking time setting Light when oven door is

open

Door opening Removable door

Full glass inner door

54 I

70 I



Ever Clean enamel

Metal racks

Halogen

Flap down

40 W

Stop

Yes

Yes



Removable inner door No. total door glasses No. thermo-reflective

door glasses

Safety Thermostat Cooling system

Usable cavity space dimensions (HxWxD)

Temperature control

Lower heating element - 1100 W power

Upper heating element - 1000 W Power

Grill element - power 1700 W Circular heating element 2000 W

- Power

Grill type Tilting grill Electric Yes

Options Auxiliary Oven

Timer End of cooking acoustic

alarm

Yes

Minimum Temperature Maximum temperature 50 °C 280 °C

Accessories included for Main Oven & Hob

TOP Oven grid with

back stop

2

Wide baking tray

2

Accessories included for Secondary Oven

Rack with back and side 1

stop

40mm deep tray 1 Grill mesh 1 Catality cpanels

Pizza Accessories

Refractory stone + cover +

shovel


Electrical Connection

Plug (I) Australia Type of electric cable installed

Yes, Double and Three Phase



Electrical connection 7700 W Power supply cable 150 cm rating length Frequency 50 Hz Current 34 A Terminal block 5 poles Voltage 220-240 V Voltage 2 (V) 380-415 V





Compatible Accessories

BN620-1

Enamelled tray, 20mm deep



BNP608T

Teflon-coated tray, 8mm depth, to be placed on the grid



GC120

BN640

Cast iron grill plate suitable for A3/A4/A5 cookers

Enamelled tray, 40mm deep



GRM

Gas hobs moka support



KIT1A5-81

Splashback 150x75 cm, stainless steel, suitable for Opera A5-81 cookers



KIT2A5-5

Plinth, 150 cm, stainless steel suitable for A5 Opera cookers



PALPZ

Pizza shovel with fold away handle width: 315mm length: 325mm



PPR9

Refractary pizza stone without handles. Squared shaped stone: L64xH2,3xP37,5 cm Suitable also for gas ovens, to be put on the griddle.



SFLK1

Child lock



SMOLD

Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C



TPKX

Teppanyaki inox



Symbols glossary



Heavy duty cast iron pan stands: for maximum stability and strength.



Installation in column: Installation in column



Air cooling system: to ensure a safe surface temperatures.



Triple glazed doors: Number of glazed doors.



Enamel interior: The enamel interior of all Smeg ovens have a special antacid lining which helps keep the interior clean by reducing the amount of cooking grease adhering to it.



Fingerprint proof stainless steel: Fingerprint proof stainless steel keeps stainless steel looking as good as new.



Fan assisted base: the mix of fan and lower heating element alone allows to finish cooking foods already cooked on the surface but not internally more quickly. This system is recommended to finish cooking foods that are already well cooked on the surface, but not internally, which therefore require a moderate higher heat. Ideal for any type of food.



Fan with upper and lower elements: The elements combined with the fan aim to provide more uniform heat, a similar method to conventional cooking, so pre-heat is required. Most suitable for items requiring slow cooking methods.



Upper and lower element only: a traditional cooking method best suited for single items located in the centre of the oven. the top pf the oven will always be hottest. Ideal for roast, fruit cakes, bread etc.



Circulaire with lower element: The addition of the lower element adds extra heat at the base for food which requires extra cooking.



...



Circulaire: The combination of the fan and circular element around it gives a hot air cooking method. This provides many benefits including no preheat if cook time is more than 20 minutes, no flavour transfer when cooking different foods at the same time, less energy, and shorter cook times. Good for all types of food.



ECO: The combination of the grill, fan and lower element is particularly suitable for cooking small quantities of food.



Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon.



Fan with grill element: The fan reduces the fierce heat from the grill, providing an excellent method of grilling various foods, chops, steaks, sausages etc. giving even browning and heat distribution, without drying out the food. The top two levels recommended for use, and the lower part of the oven can be used to keep items warm at the same time, an excellent facility when cooking a grilled breakfast. Half grill (centre portion only) is ideal for small quantities of food.



Pizza function: The simultaneous operation of three elements ensures an optimum cooking facility when used with the Smeg pizza stone.





Circulaire with upper and lower elements: The use of the fan with both elements allows food to be cooked quickly and effectively, ideal for large joints that require thorough cooking. It offers a similar result to rotisserie, moving the heat around the food, instead of moving the food itself, enabling any size or shape to be cooked.



All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.



The inner door glass: can be removed with a few quick movements for cleaning.



Side lights: Two opposing side lights increase visibility inside the oven.



Automatic opening: some models have Automatic opening door when the cycle is finished which is a perfect solution for handle-less kitchen units as no handle is needed. For safety reasons, the door locks automatically when the machine is in use to avoid it being opened inadvertently.



Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.



Removable roof liner: This is a perfect solution that protects the upper part of the cavity of the oven from pollution. Easy to remove for cleaning, it can be washed in the dishwasher.



The oven cavity has 4 different cooking levels.



Electronic control: Allows you to maintain temperature inside the oven with the precision 2-3 °C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.



Tilting grill: the tilting grill can be easily unhooked to move the heating element and clean the roof of the appliance in one simple step.



Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.



The capacity indicates the amount of usable space in the oven cavity in litres.



The capacity indicates the amount of usable space in the oven cavity in litres.



Knobs control



Benefit (TT)

Gas hob

Induction offers fast cooking and precise temperature control

Equipped with a thermocouple, the gas supply is cut off if the flame is extinguished for greater safety

Ever Clean Enamel

Easy oven cleaning thanks to special pyrolytic enamel

Touch control

Easy and intuitive timer setting with a single touch

Drawer storage compartment

More space thanks to the lower compartment, ideal for storing accessories or cooking utensils

True-convection

The best cooking performances guaranteed by ventilated circular flow.

Multiple fans and heating elements guarantee the perfect aerodynamic heat flow, allowing homogeneous and quicker cooking inside the cavity.

Multilevel cooking

Several cooking levels allow maximum flexibility of use

Removalble inner glass

Internal door glasses are easily removable for complete cleaning

Tangential cooling

New cooling system with tangential fan and airflow from the door to the splashback

Adjustable height

Cooker top flushed with the working area thanks to adjustable feet

Pizza stone (optional accessory)

Baking with refractory stone for soft and crispy pizza and yeast products (STONE optional accessory)

BBQ (optional accessory)

Barbeque cooking directly in the oven with the double-sided grill

Isothermic Cavity

The best cooking performance at the highest energy efficiency



AirFry (AIRFRY optional accessory)

Lighter and tastier food thanks to airfry basket

Cold door

During any function, the external door glass is cold, avoiding any risk of burns

Single turbine

The oven has a fan equipped with a circular heating element allowing cooking with rotating heat