

C6IPXM2

Cooker size

N. of cavities with energy label

Cavity heat source

Hob type

Type of main oven

Cleaning system main oven

EAN code

Energy efficiency class

60x60 cm

1

ELECTRICITY Induction

Thermo-ventilated

Pyrolitic

8017709330880

Α



Hybrid: Knobs + Touch

Aesthetics





Aesthetic Classica Series Sinfonia

Colour Stainless steel

Finishing Satin

Square design Design

Door With 2 horizontal strips

Upstand

Hob colour Stainless steel

Command panel finish Finger friendly stainless

steel

Control knobs **Smeg Classic** Controls colour Stainless steel Display DigiScreen

No. of controls 6 Serigraphy colour Black

Type of control setting

hob

Hob LED colours

Handle

Smeg Classic Handle Colour Brushed stainless steel

Red

Glass type **Eclipse** Silver Feet Storage compartment Door

Logo Assembled st/steel Facia below the oven Logo position

Programme / Functions

No. of cooking functions Traditional cooking functions 9



Static

Fan assisted



Circulaire



Turbo



Eco

Small grill

Large grill



Fan grill (large)



Fan assisted bottom



Cleaning functions



Pyrolytic

Hob options







Control lock Yes End cooking timer 4 Minute minder 1

Limited Power 1000, 1600, 2200, 2800, Consumption Mode in W 3500, 6000, 7200 W

Yes

Bridge option Yes

Hob technical features





Total no. of cook zones 4

Front left - Induction - single - 1.50 kW - Booster 2.00 kW - - Ø 18.0 cm Rear left - Induction - single - 1.50 kW - Booster 2.00 kW - - Ø 18.0 cm Rear right - Induction - single - 1.50 kW - Booster 2.00 kW - - Ø 18.0 cm Front right - Induction - single - 1.50 kW - Booster 2.00 kW - - Ø 18.0 cm

Booster power left

3.0 kW

Bridge

Booster power right 3,0 kW

Bridge

Automatic switch off

when overheat

Automatic pan

detection

Minimum pan diameter

indication

Selected zone indicator Yes Residual heat indicator Yes

Yes

Yes

Main Oven Technical Features





















No. of lights Fan number 1 Net volume of the cavity 70 l Gross volume, 1st cavity 791

Cavity material Ever Clean enamel

No. of shelves

Metal racks Type of shelves Light type Halogen 40 W **Light Power**

Cooking time setting Start and Stop

Light when oven door is Yes

open

Door opening Flap down

Removable door Yes Full glass inner door Yes

Removable inner door Yes Total no. of door glasses 4 No.of thermo-reflective door glasses

Safety Thermostat Yes Heating suspended Yes when door is opened

Cooling system **Tangential Door Lock During** Yes

Pyrolisis

Usable cavity space

360X460X425 mm

1200 W

dimensions (HxWxD)

Electro-mechanical Temperature control

Lower heating element

power

Upper heating element - 1000 W

Power



Large grill - Power 2700 W Circular heating element 2000 W

- Power

Grill type Electric

Options Main Oven

Timer Yes Minimum Temperature 50 °C End of cooking acoustic Yes Maximum temperature 280 °C

alarm


Accessories included for Main Oven & Hob



Rack with back and side 1 Grill mesh 1
stop Telescopic Guide rails, 1
20mm deep tray 1 total Extraction
40mm deep tray 1 Meat Probe 1

Electrical Connection

10000 W **Electrical connection** Type of electric cable Yes, Single phase installed rating 44 A Additional connection Yes. Double and Three Current modalities Phase Voltage 220-240 V Frequency 50/60 Hz Voltage 2 (V) 380-415 V Terminal block 5 poles





Not included accessories



SFLK1 Child lock



SCRP

Non-scratch hob scraper - suitable for induction and ceramic hobs



GTT

Totally extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.



GTP

Partially extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.




KITP60X9

Splashback, stainless steel, suitable for 60X60cm Concerto cookers with pyro and MF oven



SMOLD

Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C





Symbols glossary (TT)



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



Air cooling system: to ensure a safe surface temperatures.



4.3 inch display with LED technology, usability with knobs + 3 touch keys



Quadruple glazed: Number of glazed doors.



A: Product drying performance, measured from A+++ to D / G depending on the product family



Ever Clean Enamel: Ever Clean enamel is applied electrostatically, corner to corner and edge to edge to prevent cracking or cracks over time. It is a particular pyrolytic enamel, resistant to acids which, in addition to being pleasantly bright, promotes greater cleaning of the oven walls, thanks to its lower porosity. It is baked at over 850 °C and slowly polymerized at a scientifically determined rate to ensure uniform depth and strength Ever Clean enamel creates an impeccable finish both on the inside of the oven and on the trays, making the surfaces of the oven incredibly easy to maintain over time as it reduces the adhesion of fat during cooking



Fingerprint proof stainless steel: Fingerprint proof stainless steel keeps stainless steel looking as good as new.



Fan assisted base: the mix of fan and lower heating element alone allows to finish cooking foods already cooked on the surface but not internally more quickly. This system is recommended to finish cooking foods that are already well cooked on the surface, but not internally, which therefore require a moderate higher heat. Ideal for any type of food.



Fan assisted: Intense and homogeneous traditional cooking, also suitable for complex recipes. The fan is active and the heat comes from below and from above at the same time. Ventilated cooking ensures a faster and more homogeneous result, leaving fragrant foods outside and moister inside. Ideal for baked pasta, biscuits, roasts and cobblers.



Static: Traditional cooking suitable for the preparation of one dish at a time. The fan is not active and the heat comes from below and from above at the same time. Static cooking is slower and more delicate, ideal in order to get well cooked and dry dishes even inside. Ideal for cooking all types of roasts, fatty meats, bread, filled cakes.



Circulaire: it is the perfect function for cooking all types of dishes in a more delicate way. The heat comes from the back of the oven and is distributed quickly and evenly The fan is active. It is also ideal for cooking on multiple levels without mixing smells and flavors.



ECO: low energy consumption cooking: this function is particularly suitable for cooking on a single shelf with low energy consumption. It is recommended for all types of food except those that can generate a lot of moisture (for example vegetables). To achieve maximum energy savings and reduce time, it is recommended to put the food in the oven without preheating the cooking compartment



Grill: Very intense heat coming only from above from a double heating element. The fan is not active. Provides excellent grilling and gratinating results. Used at the end of cooking, it gives a uniform browning to dishes.



Half grill: For rapid cooking and browning of foods. Best results can be obtained by using the top shelf for small items, the lower shelves for larger ones, such as chops or sausages. For half grill heat is generated only at the centre of the element, so is ideal for smaller quantities.





Fan grill: very intense heat coming only from above from a double heating element The fan is active. It allows the optimal grilling of thickest meats. Ideal for large cuts of meat.



Turbo: the heat comes from 3 directions: above, below and from the back of the oven The fan is active. It allows quick cooking, even on several shelves without mixing the aromas. Ideal for large volumes or foods that require intense cooking.



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.



All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.



The inner door glass: can be removed with a few quick movements for cleaning.



Side lights: Two opposing side lights increase visibility inside the oven.



PYROLYSIS - AUTOMATIC CLEANING FUNCTION: the oven heats up to a temperature approaching 500 °C and chars grease and food residues into a fine ash that can be easily wiped off with a damp cloth. At such a high temperature, the door locks automatically for safety, while the temperature of the door remains controlled so it is safe to touch User adjustable function based on the level of dirt present in the oven.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



The oven cavity has 5 different cooking levels.



Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely.



Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.



TWIN_ZONE_72dpi



The capacity indicates the amount of usable space in the oven cavity in litres.



Benefit (TT)

True-convection

The best cooking performances guaranteed by ventilated circular flow.

Multiple fans and heating elements guarantee the perfect aerodynamic heat flow, allowing homogeneous and quicker cooking inside the cavity.

Induction hob

Induction offers fast cooking and precise temperature control

Through the use of suitable cookware, induction is easy to use and maintain, safe and responsive