

C92GPX2

Cooker size

N. of cavities with energy label

Cavity heat source

Hob type

Type of main oven

Type of second oven

Cleaning system main oven

EAN code

Energy efficiency class

Energy efficiency class, second cavity

90x60 cm

2

ELECTRICITY

Gas

Thermo-ventilated

Static **Pyrolitic**

8017709329723

Α



Aesthetics









Design

Command panel finish

Square design

Control knobs

Finger friendly stainless

steel

Aesthetic Classica

Assembled st/steel Logo Colour Stainless steel

Logo position Facia below the oven

Finishing Satin Upstand Yes Series Sinfonia Hob colour Stainless steel Type of pan stands Cast Iron

Type of control setting

hob

Type of control knobs **Smeg Classic** Controls colour Stainless steel

No. of controls 8 Serigraphy colour Black

Display name DigiScreen

Door With 2 horizontal strips Glass type **Eclipse**

Handle **Smeq Classic Handle Colour** Brushed stainless steel

Storage compartment Door Feet color Silver

Programs / Functions main oven

No. of cooking functions

9



Net volume of the cavity $\,\,70\,I$

Gross volume, 1st cavity 791

Traditional cooking functions			
Static	Fan assisted	d (& Circulaire
Turbo	ECO Eco	[•	Large grill
Fan grill (large)	Base	[Fan assisted base
Cleaning functions			
P * Pyrolytic			
Programs / Functions	auxiliary ove	n	
Cooking functions cavity 2 Bottom element + Upper eleme	nt	4	
Traditional cooking functions, c	avity 2		
Static	Small grill	[Large grill
Bottom			
Hob technical features	3		
UR			
Total no. of cook zones 5			
Centrale sinistra - Gas - 2UR (dual)	- 4.20 kW		
Rear centre - Gas - Semi Rapid - 1.			
Front centre - Gas - AUX - 1.00 kW			
Rear right - Gas - Rapid - 2.90 kW Front right - Gas - Semi Rapid - 1.8	O F/W		
	O KVV		
Rear right - Gas - Rapid - 3.00 kW			
Type of gas burners Stando Automatic electronic Yes	ara	Gas safety valves Burner caps	Yes Matt black enamelled
ignition		- 200000	
Main Oven Technical F	- eatures		
7011 5 6 6 7			
No. of lights 1		Total no. of door	
Fan number 1		No.of thermo-ref	lective 3

SMEG SPA 11/21/2025

door glasses

Safety Thermostat

Yes



Cavity material

Ever Clean enamel

Type of shelves Light type

No. of shelves

Metal racks Halogen

Light Power

Cooking time setting Light when oven door is

open

Door opening

Removable door Full glass inner door Removable inner door

40 W Start and Stop

Flap down

Yes Yes

Yes

Heating suspended

when door is opened

Cooling system **Door Lock During**

Pyrolisis

Usable cavity space dimensions (HxWxD)

Temperature control Electro-mechanical

Lower heating element

power

Upper heating element - 1000 W

Power

Grill elememt 1700 W Large grill - Power 2700 W Circular heating element 2000 W

- Power

Grill type Electric

Options Main Oven

Timer

Yes

End of cooking acoustic alarm

Yes

Minimum Temperature Maximum temperature 50 °C 260°C

Yes

Yes

Tangential

1200 W

360X460X425 mm

Second Oven Technical Features













Net volume of the second cavity

Gross volume, 2nd

cavity

Ever Clean enamel Cavity material

No. of shelves

Type of shelves

No. of lights

Light type Incandescent

Light Power

Door opening

Removable door Full alass inner door Removable inner door 35 I

36 I

Metal racks

25 W

Flap down

Yes Yes Yes

No. total door glasses No. thermo-reflective

door glasses

Safety Thermostat Yes

Cooling system **Tangential**

Usable cavity space

dimensions (HxWxD) Electro-mechanical Temperature control

1300 W

1900 W

311x206x418 mm

3

1

Lower heating element - 700 W

power

Upper heating element - 600 W

Power

Grill element - power Large grill - Power

Grill type Electric

Options Auxiliary Oven

Minimum Temperature 50 °C Maximum temperature 245 °C

Accessories included for Main Oven & Hob





Moka stand 1 Rack with back and side 2

stop

40mm deep tray

Grill mesh 1

Telescopic Guide rails, partial Extraction

Meat Probe 1

Accessories included for Secondary Oven

Rack with back and side 1

stop

Wide baking tray

Grill mesh

1

Double and Three Phase

Electrical Connection

Electrical connection 5100 W

rating

 Current
 23 A

 Voltage
 220-240 V


 Voltage 2 (V)
 380-415 V

Electric cable Installed, Single phase

Additional connection

modalities

Frequency 50/60 Hz
Terminal block 5 poles
Plug Not present






Compatible Accessories

AIRFRY

Air fryer rack AIRFRY. Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.



AIRFRY2

Air fryer tray. Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.



Double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of grilled cooking. The ribbed side is particularly suitable for meats and cheeses. The smooth side for fish, seafood and vegetables.



BGTR9

Cast iron grill plate suitable for 90 cm Victoria, 60 and 90 cm Master and Sinfonia cookers



Enamelled tray suitable for 45 cm and 60 cm ovens. Depth 20 mm. Perfect for a wide range of savoury and sweet baking.



BN640

Enamelled tray suitable for 45cm and 60cm ovens. Depth 540 mm. Perfect for cooking and roasting meat and fish in sauces. Also ideal for experimenting with lighter and crunchy side dishes



Partially extractable telescopic quides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.



GTT

Teflon-coated tray, 8 mm depth, to be placed on the grid



KIT600C92PX

Cover strip for hob back side, suitable for 90cm Symphony cooker with pyro oven



Totally extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.



KITH900CPF9

Plinth, 90cm, three sides, black, suitable for CPF9 Portofino or Sinfony C9 cookers



KITH95CPF9

Height extension kit with plinth, (950mm), three sides, black with feet, suitable for CPF9 Portofino and Sinfony C9 cookers



Height reduction feet (850mm), st/steel, for Sinfonia and Master cookers (845-856mm)



KITPC9X9

Splashback, 90 cm, for Sinfonia and Portofino pyrolytic cookers



PALPZ



Pizza shovel with folding handle. Dimensions L31.5 x H32.5 cm. Easy and convenient to use and store. Perfect for serving pizza, bread and savory pastries in a safe and professional way.



SFLK1 Child lock

SMOLD



Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C



STONE

Rectangular refractory stone Ideal for cooking pizzas with the same results as a typical wood-fired oven. Can also be used for baking bread, focaccias and other recipes such as pies, flans or biscuits Dimensions:L42 x H1,8 x P37,5 cm.



Symbols glossary

	Heavy duty cast iron pan stands: for maximum stability and strength.	A AT	Energy efficiency class A
	Installation in column: Installation in column.		Air cooling system: to ensure a safe surface temperatures.
1 3	Triple glazed doors: Number of glazed doors.	4	Quadruple glazed: Number of glazed doors.
	Ever Clean Enamel: Ever Clean enamel is applied electrostatically, corner to corner and edge to edge to prevent cracking or cracks over time. It is a particular pyrolytic enamel, resistant to acids which, in addition to being pleasantly bright, promotes greater cleaning of the oven walls, thanks to its lower porosity. It is baked at over 850 °C and slowly polymerized at a scientifically determined rate to ensure uniform depth and strength. Ever Clean enamel creates an impeccable finish both on the inside of the oven and on the trays, making the surfaces of the oven incredibly easy to maintain over time as it reduces the adhesion of fat during cooking.		Fingerprint proof stainless steel: Fingerprint proof stainless steel keeps stainless steel looking as good as new.
*)	Fan assisted base: the mix of fan and lower heating element alone allows to finish cooking foods already cooked on the surface but not internally more quickly. This system is recommended to finish cooking foods that are already well cooked on the surface, but not internally, which therefore require a moderate higher heat. Ideal for any type of food.	8	Fan assisted: Intense and homogeneous traditional cooking, also suitable for complex recipes. The fan is active and the heat comes from below and from above at the same time. Ventilated cooking ensures a faster and more homogeneous result, leaving fragrant foods outside and moister inside. Ideal for baked pasta, biscuits, roasts and cobblers.
	Static: Traditional cooking suitable for the preparation of one dish at a time. The fan is not active and the heat comes from below and from above at the same time. Static cooking is slower and more delicate, ideal in order to get well cooked and dry dishes even inside. Ideal for cooking all types of roasts, fatty meats, bread, filled cakes.		Static: Traditional cooking suitable for the preparation of one dish at a time. The fan is not active and the heat comes from below and from above at the same time. Static cooking is slower and more delicate, ideal in order to get well cooked and dry dishes even inside. Ideal for cooking all types of roasts, fatty meats, bread, filled cakes.
J	Base: the heat comes only from the bottom of the cavity. The fan is not active. Ideal for sweet and savory pies, cobblers and pizzas. Designed to complete cooking and make food more crunchy. This symbol in gas ovens indicates the gas burner.		Base: the heat comes only from the bottom of the cavity. The fan is not active. Ideal for sweet and savory pies, cobblers and pizzas. Designed to complete cooking and make food more crunchy This symbol in gas ovens indicates the gas burner.



oven.

.5

The oven cavity has 5 different cooking levels.

®	Circulaire: it is the perfect function for cooking all types of dishes in a more delicate way. The heat comes from the back of the oven and is distributed quickly and evenly. The fan is active. It is also ideal for cooking on multiple levels without mixing smells and flavors.	ECO	ECO: low energy consumption cooking: this function is particularly suitable for cooking on a single shelf with low energy consumption. It is recommended for all types of food except those that can generate a lot of moisture (for example vegetables). To achieve maximum energy savings and reduce time, it is recommended to put the food in the oven without preheating the cooking compartment.
~~	Grill: Very intense heat coming only from above from a double heating element. The fan is not active. Provides excellent grilling and gratinating results. Used at the end of cooking, it gives a uniform browning to dishes.	•••	Half grill: For rapid cooking and browning of foods. Best results can be obtained by using the top shelf for small items, the lower shelves for larger ones, such as chops or sausages. For half grill heat is generated only at the centre of the element, so is ideal for smaller quantities.
%	Fan grill: very intense heat coming only from above from a double heating element. The fan is active. It allows the optimal grilling of thickest meats. Ideal for large cuts of meat.	Ċ	Light
8	Turbo: the heat comes from 3 directions: above, below and from the back of the oven. The fan is active. It allows quick cooking, even on several shelves without mixing the aromas. Ideal for large volumes or foods that require intense cooking.		Top element only: This is used from above only, and is ideal for foods that are finished off with golden topping but do not require the full heat from the grill. Dishes such as Lasagne, potato topped foods, and cheese topped recipes benefit from this mode.
旦	All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.		The inner door glass: can be removed with a few quick movements for cleaning.
Ö	Side lights: Two opposing side lights increase visibility inside the oven.		Automatic opening: some models have Automatic opening door when the cycle is finished which is a perfect solution for handle-less kitchen units as no handle is needed. For safety reasons, the door locks automatically when the machine is in use to avoid it being opened inadvertently.
Þ	PYROLYSIS - AUTOMATIC CLEANING FUNCTION: the oven heats up to a temperature approaching 500 °C and chars grease and food residues into a fine ash that can be easily wiped off with a damp cloth. At such a high temperature, the door locks automatically for safety, while the temperature of the door remains controlled so it is safe to touch User adjustable function based on the level of dirt present in the	.4:	The oven cavity has 4 different cooking levels.

SMEG SPA 11/21/2025

Telescopic rails: allow you to pull out the dish and check it without having to remove it from the

oven entirely.





Electronic control: Allows you to maintain temperature inside the oven with the precision 2-3 °C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.



Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.



The capacity indicates the amount of usable space in the oven cavity in litres.



The capacity indicates the amount of usable space in the oven cavity in litres.



4.3 inch display with LED technology, usability with knobs + 3 touch keys



Knobs control



Benefit (TT)

Gas hob

Gas provides permanent control of the heat source and the temperature change is immediate

Equipped with a thermocouple, the gas supply is cut off if the flame is extinguished for greater safety.

Pyrolysis

Easy oven cleaning thanks to special pyrolytic function

Touch control

Easy and intuitive timer setting with a single touch

Storage compartment

More space thanks to the lower compartment, ideal for storing accessories or cooking utensils

True-convection

The best cooking performances guaranteed by ventilated circular flow

Multiple fans and heating elements guarantee the perfect aerodynamic heat flow, allowing homogeneous and quicker cooking inside the cavity.

Multilevel cooking

Several cooking levels allow maximum flexibility of use

Multilevel halogen light

Internal halogen lighting on different levels guarantees excellent visibility

Removalble inner glass

Internal door glasses are easily removable for complete cleaning

Tangential cooling

New cooling system with tangential fan and airflow from the door to the splashback

Telescopic guides

Easy extraction and safe insertion of trays into the oven thanks to telescopic guides

Adjustable height

Cooker top flushed with the working area thanks to adjustable feet

Pizza stone (optional accessory)

Baking with refractory stone for soft and crispy pizza and yeast products (STONE optional accessory)



BBQ (optional accessory)

Barbecue cooking directly in the oven with the double-sided grill (BBQ optional accessory)

AirFry (AIRFRY optional accessory)

Lighter and tastier food thanks to airfry basket (optional accessory)

Cold door

During any function, the external door glass is cold, avoiding any risk of burns

Isothermic Cavity

The best cooking performance at the highest energy efficiency

Single turbine

The oven has a fan equipped with a circular heating element allowing cooking with rotating heat