

## CB3202PNFC



Product Family Installation Category Built-in niche Reference width Reference height Cooling type Defrost Hinge type Hinge position Reversible door EAN code Refrigerator Built-in Bottom Mount 178 Until 60 160 - 200 Static refrigerator, no-frost freezer Automatic Sliding Right Yes 8017709242497



## Aesthetics

Aesthetic Colour Material Handle type Side material

Universale White Metal sheet Fixed Steel Side colour Logo Color of glass shelf profile Display Display porition

White Silk screen White

7 segments Interno (sul Top)

## **Refrigerator compartment features**

No. of adjustable 3 shelves	Type of crisper/veget	Glass able
Type of adjustable Glo	ass drawers cove	r
shelves	Internal light	<b>in fridge</b> Yes
Type of Sto crisper/vegetable drawers cover	andard Type of interr (fridge)	nal light LED
Crisper Cover Yes	s	

### **Refrigerator Inner Door**

Number of adjustable door shelves

No. of bottle shelves 1

## **Other Refrigerator features**

3



Accessories

Egg tray

## Freezer compartment features

Number of drawers	3	Type of internal light	Incandescent light
Internal light in freezer	Yes	(freezer)	
-		Type of shelves	Glass

## **Other Freezer features**

Accessories

1 ice box

## Other technical features



•••••	
Functions display	Fast freezing, Temperature alarm
Fast freezing button	Yes
Water network connection	
Temperature alarm lamp	Yes
Antibacterial Gasket	Yes
Type of temperature control	Electronic
No. of compressors	1
Refrigerant gas type	R600a
Type of compressor	Standard
Refrigerant Quantity (gr)	44 g
Foam agent	Cyclopentane

## Performance / Energy Label - Reg. 2019

Airborne acoustical 40 dB(A) re 1 pW noise emissions

## **Electrical Connection**

Electrical connection	125 W	Frequency (Hz)	50 Hz
rating		Power supply cable	240 cm
Current	0,35 A	length	
Voltage (V)	220-240 V		

# -ss-smeg

## Symbols glossary



4 stars freezing compartment for better food preservation.



Antibacterial treatment: antibacterial treatment to ensure better hygiene



Fast freezing: The fast freezing function brings the temperature of the compartment down when activated a few hours prior to usage.



Built-in niche

\*:

The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.

A" D



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.

	1	٠.	/
	1	2	۵
2	(	3	

No Frost: The No Frost and Frost free systems prevent ice from forming so that no defrosting is required.



## Benefit (TT)

### Refrigerant gas R600a

Environmentally friendly R600a refrigerant gas contributes to rapid cooling with lower energy consumption

#### Climate class

Climatic class SN-T makes the appliance suitable for working at room temperature between 10 °C and 43 °C (50 °F  $\sim$  109 °F)

### **Refrigerator Internal lighting**

Interior lighting for perfect visibility of shelves in the refrigerator compartment

### Freezer internal lighting

Interior lighting for perfect visibility of the drawers in the freezer compartment

### Fruit and vegetable drawer

The fruit and vegetable drawer ensures the best storage conditions for fresh food, avoiding any contamination

### Internal display

Internal display for targeted temperature control and a clean, minimalist design