

CB3620UWI



Product Family	Refrigerator
Installation	Built-in
Category	Bottom Mount
Built-in niche	>200
Reference width	Higher than 80
Reference height	Higher than 200
Sistema Total No - Frost	Total
Cooling type	Total No Frost - Double Cooling system
Defrost	Automatic
Hinge type	Door on door
Slot-in	Yes
Kitchen panel	Not supplied
Hinge position	Right
Reversible door	Yes
EAN code	8017709350703



Aesthetics



Aesthetic	Universale	Color of glass shelf profile	Silver
Material	Plastic	Display	LED
Side material	Plastic	Display position	Internal (belt-line)
Door shelves profile color	Silver	Dispenser	Water
Drawers profile color	Silver	Water Filter	Yes

Refrigerator compartment features



Number of compartments	2	Crisper Cover	Yes
Compartment types	Low temperature compartment, Fruit and vegetable compartment	Type of crisper/vegetable drawers cover	Glass
No. of adjustable shelves	2	No. of lights refrigerator compartment	3
Number of fruit and vegetables drawers	1	Low temperature compartment	Yes
Type of adjustable shelves	Glass	Internal light in fridge	Yes
Type of crisper/vegetable drawers cover	On sliding rails	Type of internal light (fridge)	LED

Refrigerator Inner Door

Number of adjustable door shelves 2

Other Refrigerator features



MultiFlow Yes


Freezer compartment features

Number of drawers	2	Internal light in freezer	Yes
No. of lights freezer compartment	1	Type of internal light (freezer)	LED

Other Freezer features

Accessories	1 ice box	Ice tray shelf	Yes
Ice maker	Automatic		

Other technical features



Functions display	Holiday, Fast freezing, ECO, Control lock, Sabbath
Fast freezing button	Yes
Water network connection	Yes
Power on lamp	Yes
Type of temperature control	Electronic
No. of compressors	1
Refrigerant gas type	R600a
Type of compressor	Inverter
Refrigerant Quantity (gr)	3.0 oz
Max weight door panel (fridge)	55 lbs
Foam agent	Cyclopentane
Max weight door panel (freezer)	22 lbs

Performance / Energy Label - Reg. 2019

Annual energy consumption	500 kWh/year	Airborne acoustical noise emissions	43 dB(A) re 1 pW
Total net volume	19.78 cu. ft.	Temperature Rise Time	11 h
		Climate class	ST


Sum of the volumes of the frozen compartment(s) 5.58 cu. ft.

Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s) 14.20 cu. ft.













Electrical Connection

Plug (B) USA 120V
Current 3 A
Voltage (V) 110-120 V

Frequency (Hz) 60 Hz
Power supply cable length 90 9/16 "



Symbols glossary

	ADA-compliant home appliances are designed to meet the accessibility standards outlined in the Americans with Disabilities Act (ADA). These appliances are made with features that make them more accessible to individuals with disabilities, particularly those with mobility, vision, or hearing impairments.		The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.
	Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.		LED display: to show programmes, functions and options selected and the time to the end of the cycle.
	Economical mode: Analyzes fridge functioning during the activation and optimizes the operating cycle in order to reduce power consumption.		Fast freezing: The fast freezing function brings the temperature of the compartment down when activated a few hours prior to usage.
	Power saving mode: The power saving mode allows you to disable the refrigerator and keep the freezer working.		LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.
	Smeg's evolution towards more intelligent and eco-friendly models has led to the choice of Inverter technology, which significantly reduces consumption.		Air plus: keeps food fresher for longer.
	SABBATH: function that allows to cook food respecting Judaism's day of rest provisions.		Slot-in: The refrigerators with Slot-in opening can be perfectly integrated into the furniture structure, as the doors open at 90° do not go beyond the side of the product. In case of installation next to the wall, it will be necessary to consider the dimensions of the handle in order to open the door at 90°.

Benefit (TT)

No-Frost system

The No Frost system prevents the formation of ice and contributes to better preservation of food in the refrigerator

Plastic multiflow system

The Multiflow system ensures even distribution of cold air inside the refrigerator

Refrigerant gas R600a

Environmentally friendly R600a refrigerant gas contributes to rapid cooling with lower energy consumption

Self-supporting hinges

Self-supporting hinges ensure a perfect fit between the equipment door and the cabinet door, giving the product a minimalist and elegant appearance

Water dispenser

The water dispenser always offers fresh water in a practical way and without the need for plastic bottles

Refrigerator Internal lighting

Interior lighting for perfect visibility of shelves in the refrigerator compartment

Freezer internal lighting

Interior lighting for perfect visibility of the drawers in the freezer compartment

Fruit and vegetable drawer

The fruit and vegetable drawer ensures the best storage conditions for fresh food, avoiding any contamination

Inverter compressor

Inverter compressor reduces noise and vibration levels for a quiet and comfortable kitchen environment

Inverter compressor technology offers significant advantages for refrigeration systems, improving both performance and efficiency. Better temperature control ensures a more stable and constant indoor environment, preserving the freshness of food. This technology also results in reduced energy consumption, as the compressor adjusts its speed according to cooling needs.

Automatic ice maker with direct water connection

Constant ice availability thanks to the automatic ice maker, directly connected to the water supply for effortless and uninterrupted production

Internal display

Internal display for targeted temperature control and a clean, minimalist design