

CPF120IGMPR

Cooker size

N. of cavities with energy label

Cavity heat source

Hob type

Type of main oven
Type of second oven

Cleaning system main oven

EAN code

Energy efficiency class

Energy efficiency class, second cavity

120x60 cm

2

ELECTRICITY

Mixed

Thermo-ventilated

Thermo-ventilated

Pyrolitic

8017709286095

A+ A



Aesthetics







Design

Command panel finish

Aesthetic

Aesthetic

Logo

Colour

.

Logo position

Upstand

Hob colour
Type of pan stands

Type of control setting

hob

Type of control knobs

Flush fit

Enamelled metal

Portofino

Assembled st/steel

Red

Facia below the oven

Voc

Stainless steel

Cast Iron

Control knobs

Smeg Portofino

Controls colour

No. of controls

Serigraphy colour

Display name

Door Glass type

.. ..

Handle

Handle Colour

Storage compartment Sliding compartment

Plinth

Stainless steel

11

Black

DigiScreen

With frame

Black

Smeg Portofino

coloured

Drawer

Yes

Black

Programs / Functions main oven

No. of cooking functions Traditional cooking functions

Static

R

Fan assisted



Circulaire



Turbo

ECO

Eco

9



Small grill



Large grill

ૠ

Fan grill (large)



Fan assisted base

SMEG SPA

27/11/2025



Cleaning functions



Pyrolytic

Programs / Functions auxiliary oven

Cooking functions cavity 2

8

Traditional cooking functions, cavity 2

Static

Fan assisted

Circulaire

Eco

Large grill

Fan grill (large)

Fan-assisted bottom

Cooking functions with Direct Steam technology



Fan forced (circular heating + fan)

Cleaning functions cavity 2



Vapor clean

Hob technical features









Total no. of cook zones 6

Centrale sinistra - Gas - 2UR (dual) - 4.20 kW

Front centre - Gas - Semi Rapid - 1.80 kW

Rear centre - Gas - Rapid - 3.00 kW

Front right - Induction - multizone - 2.10 kW - Booster 2.30 kW - 21.1x19.1 cm Rear right - Induction - multizone - 1.60 kW - Booster 1.85 kW - 21.0x19.0 cm

Central - Heating element - Teppanyaki griddle - 1.40 kW

Number of Flexible

Automatic pan detection

Yes

zones

ignition

Standard

Minimum pan diameter

Yes

Type of gas burners Automatic electronic

Yes

indication

Yes

Burner caps

Selected zone indicator Residual heat indicator Yes

Automatic switch off

when overheat

Yes

Main Oven Technical Features













2





Matt black enamelled







Total no. of door glasses 4



Fan number Net volume of the cavity 70 l Gross volume, 1st cavity 79 l

Cavity material Ever Clean enamel

No. of shelves

Type of shelves Metal racks Light type Halogen 40 W **Light Power**

Cooking time setting Start and Stop

Light when oven door is

open

Door opening Flap down

Removable door Yes Full glass inner door Yes Removable inner door Yes

No.of thermo-reflective 3

door glasses

Safety Thermostat Yes Heating suspended Yes

when door is opened

Cooling system **Tangential**

Door Lock During

Pyrolisis

Usable cavity space

360X460X425 mm dimensions (HxWxD)

Yes

Electro-mechanical

Temperature control

1200 W

Lower heating element

power

Upper heating element - 1000 W

Power

1700 W Grill elememt Large grill - Power 2700 W Circular heating element 2000 W

- Power

Grill type Electric Soft Close system Yes

Options Main Oven

50 °C Timer Yes Minimum Temperature Maximum temperature 280°C End of cooking acoustic Yes

alarm

Second Oven Technical Features















63 I





Net volume of the second cavity

Gross volume, 2nd 79 I cavity

Ever Clean enamel Cavity material

No. of shelves

Metal racks Type of shelves

2 No. of lights

Light type Halogen **Light Power** 40 W

Cooking time setting Start and Stop

Light when oven door is

open

Door opening Flap down

Removable door Yes Full glass inner door Yes Removable inner door Yes No. total door glasses 3

No. thermo-reflective door glasses

Safety Thermostat Yes Heating suspended Yes

when door is opened

Cooling system **Tangential**

Usable cavity space dimensions (HxWxD)

Temperature control Electro-mechanical

2

360X460X425 mm

Lower heating element - 1200 W

power

Upper heating element - 1000 W

Power

Grill element - power 1700 W Large grill - Power 2700 W Circular heating element 2000 W

- Power

Grill type Electric Tilting grill Yes Soft Close system Yes



Options Auxiliary Oven

Timer Minimum Temperature 50 °C Yes End of cooking acoustic Yes Maximum temperature 260 °C

alarm

Accessories included for Main Oven & Hob

Rack with back and side 1 Grill mesh Telescopic Guide rails,

20mm deep tray 1 total Extraction **Meat Probe** 40mm deep tray 1 1

Accessories included for Secondary Oven

Rack with back and side 1 Grill mesh 1

stop Telescopic Guide rails, 20mm deep tray total Extraction

Electrical Connection

40mm deep tray

Electrical connection 10900 W Yes, Single phase Cable testing

Additional connection

modalities

Double and Three Phase


50/60 Hz

rating

Current 32 A Voltage 220-240 V

Frequency 380-415 V Terminal block Voltage 2 (V) 5 poles Electric cable Installed, Single phase Plug Not present







Compatible Accessories

AIRFRY

Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.



AIRFRY2

Air fryer tray. Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.



Double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of grilled cooking. The ribbed side is particularly suitable for meats and cheeses. The smooth side for fish, seafood and vegetables.



BGTR4110

Cast iron grill plate suitable for Victoria Cookers TR4110



BN620-1

Enamelled tray suitable for 45 cm and 60 cm ovens. Depth 20 mm. Perfect for a wide range of savoury and sweet baking.



BN640

Enamelled tray suitable for 45cm and 60cm ovens. Depth 540 mm. Perfect for cooking and roasting meat and fish in sauces. Also ideal for experimenting with lighter and crunchy side dishes



BNP608T

Teflon-coated tray, 8 mm depth, to be placed on the grid



GRILLPLATE

Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.



GTP

Partially extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.



GTT

Totally extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.



KIT1CPF120X

Splashback, 120cm, stainless steel, suitable for Portofino cookers



KITH95CPF120

Height extension kit (950 mm), suitable for 120cm Portofino cookers (940-960mm)



KITP65CPF120

Depth extension kit (650mm), black, suitable for 120cm Portofino cookers



PALPZ

Pizza shovel with folding handle. Dimensions L31.5 x H32.5 cm. Easy and convenient to use and store. Perfect for serving pizza, bread and savory pastries in a safe and professional way.





SCRP

Non-scratch hob scraper - suitable for induction and ceramic hobs



SFLK1

Child lock





Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C



TPKPLATE

Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.

WOKGHU



Cast iron WOK Support



Alternative products



CPF120IGMPX

Colour: Stainless steel



CPF120IGMPWH

Colour: White



CPF120IGMPBL

Colour: Black



CPF120IGMPT

Colour: Turquese



Symbols glossary



Automatic merge of zones for a bigger area



Heavy duty cast iron pan stands: for maximum stability and strength.



Energy efficiency class A



A+: Energy efficiency class A+ helps to save up to 10% energy compared to class A. Maximum performance with minimum consumption is guaranteed.



Installation in column: Installation in column.



Air cooling system: to ensure a safe surface temperatures.



A DIRECT STEAM oven has 1 steam cooking function to which the user can MANUALLY add steam. The function is activated when the user turns the function.



Triple glazed doors: Number of glazed doors.



Quadruple glazed: Number of glazed doors.



ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.



Ever Clean Enamel: Ever Clean enamel is applied electrostatically, corner to corner and edge to edge to prevent cracking or cracks over time. It is a particular pyrolytic enamel, resistant to acids which, in addition to being pleasantly bright, promotes greater cleaning of the oven walls, thanks to its lower porosity. It is baked at over 850 °C and slowly polymerized at a scientifically determined rate to ensure uniform depth and strength. Ever Clean enamel creates an impeccable finish both on the inside of the oven and on the trays, making the surfaces of the oven incredibly easy to maintain over time as it reduces the adhesion of fat during cooking.



Fan assisted base: the mix of fan and lower heating element alone allows to finish cooking foods already cooked on the surface but not internally more quickly. This system is recommended to finish cooking foods that are already well cooked on the surface, but not internally, which therefore require a moderate higher heat. Ideal for any type of food.



Fan assisted: Intense and homogeneous traditional cooking, also suitable for complex recipes. The fan is active and the heat comes from below and from above at the same time. Ventilated cooking ensures a faster and more homogeneous result, leaving fragrant foods outside and moister inside. Ideal for baked pasta, biscuits, roasts and cobblers.



Static: Traditional cooking suitable for the preparation of one dish at a time. The fan is not active and the heat comes from below and from above at the same time. Static cooking is slower and more delicate, ideal in order to get well cooked and dry dishes even inside. Ideal for cooking all types of roasts, fatty meats, bread, filled cakes.



Circulaire: it is the perfect function for cooking all types of dishes in a more delicate way. The heat comes from the back of the oven and is distributed quickly and evenly. The fan is active. It is also ideal for cooking on multiple levels without mixing smells and flavors.



ECO: low energy consumption cooking: this function is particularly suitable for cooking on a single shelf with low energy consumption. It is recommended for all types of food except those that can generate a lot of moisture (for example vegetables). To achieve maximum energy savings and reduce time, it is recommended to put the food in the oven without preheating the cooking compartment.



	Grill: Very intense heat coming only from above from a double heating element. The fan is not active. Provides excellent grilling and gratinating results. Used at the end of cooking, it gives a uniform browning to dishes.	•	Half grill: For rapid cooking and browning of foods. Best results can be obtained by using the top shelf for small items, the lower shelves for larger ones, such as chops or sausages. For half grill heat is generated only at the centre of the element, so is ideal for smaller quantities.
₹	Fan grill: very intense heat coming only from above from a double heating element. The fan is active. It allows the optimal grilling of thickest meats. Ideal for large cuts of meat.	<u></u>	Turbo: the heat comes from 3 directions: above, below and from the back of the oven. The fan is active. It allows quick cooking, even on several shelves without mixing the aromas. Ideal for large volumes or foods that require intense cooking.
& 3	Circulaire pulsed steam: Provides extra moisture to food during cooking. Excellent for bread baking. The moisture allows the bread dough to stretch further at the beginning of cooking, creating an aerated and light textured dough. The remaining part of the cooking process allows for the signature crust to form.	°C ∓	Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.
	All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.		The inner door glass: can be removed with a few quick movements for cleaning.
Ö	Side lights: Two opposing side lights increase visibility inside the oven.		Automatic opening: some models have Automatic opening door when the cycle is finished which is a perfect solution for handle-less kitchen units as no handle is needed. For safety reasons, the door locks automatically when the machine is in use to avoid it being opened inadvertently.
Þ,	PYROLYSIS - AUTOMATIC CLEANING FUNCTION: the oven heats up to a temperature approaching 500 °C and chars grease and food residues into a fine ash that can be easily wiped off with a damp cloth. At such a high temperature, the door locks automatically for safety, while the temperature of the door remains controlled so it is safe to touch User adjustable function based on the level of dirt present in the oven.	H	Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.
.5	The oven cavity has 5 different cooking levels.		Soft close: all models are equipped with advanced function of smooth closing of the door, which allows the device to close smoothly and quietly.
	Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely.	٥٢	Electronic control: Allows you to maintain temperature inside the oven with the precision 2-3 °C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings

SMEG SPA 27/11/2025

UR

Tilting grill: the tilting grill can be easily unhooked to move the heating element and clean the roof of

the appliance in one simple step.

souffles, puddings.

offer up to 5kw of power.

Ultra rapid burners: Powerful ultra rapid burners





Vapor Clean: a simple cleaning function using steam to loosen deposits in the oven cavity.



The capacity indicates the amount of usable space in the oven cavity in litres.



The capacity indicates the amount of usable space in the oven cavity in litres.



4.3 inch display with LED technology, usability with knobs + 3 touch keys



Knobs control



Benefit (TT)

Pyrolysis

Easy oven cleaning thanks to special pyrolytic function

Touch control

Easy and intuitive timer setting with a single touch

Drawer storage compartment

More space thanks to the lower drawer compartment, ideal for storing accessories or cooking utensils

True-convection

The best cooking performances guaranteed by ventilated circular flow

Multiple fans and heating elements guarantee the perfect aerodynamic heat flow, allowing homogeneous and quicker cooking inside the cavity.

Multilevel cooking

Several cooking levels allow maximum flexibility of use

Multilevel halogen light

Internal halogen lighting on different levels guarantees excellent visibility

Removalble inner glass

Internal door glasses are easily removable for complete cleaning

Tangential cooling

New cooling system with tangential fan and airflow from the door to the splashback

Telescopic guides

Easy extraction and safe insertion of trays into the oven thanks to telescopic guides

Adjustable height

Cooker top flushed with the working area thanks to adjustable feet

Pizza stone (optional accessory)

Baking with refractory stone for soft and crispy pizza and yeast products (STONE optional accessory)

BBQ (optional accessory)

Barbecue cooking directly in the oven with the double-sided grill (BBQ optional accessory)

AirFry (AIRFRY optional accessory)

Lighter and tastier food thanks to airfry basket (optional accessory)



Cold door

During any function, the external door glass is cold, avoiding any risk of burns

Isothermic Cavity

The best cooking performance at the highest energy efficiency

Soft close

The door is equipped with a specific system for silent closing

Single turbine

The oven has a fan equipped with a circular heating element allowing cooking with rotating heat

Direct Steam

Steam is generated from water placed in a dedicated basin at the bottom of the cavity