

CPF120IGMPWH

Cooker size

N. of cavities with energy label

Cavity heat source

Hob type

Type of main oven Type of second oven

Cleaning system main oven

EAN code

Energy efficiency class

Energy efficiency class, second cavity

120x60 cm

2

Electric Mixed

Thermo-ventilated

Thermo-ventilated

Pyrolytic

8017709286071

A+ Α



Aesthetics







Aesthetics Design Colour

Command panel finish Assembled st/steel Logo Logo position

Upstand

Hob colour Type of pan stands Type of control setting

Control knobs

Portofino

Flush fit White

Enamelled metal

Facia below the oven

Yes

Stainless steel Cast Iron Control knobs **Smeg Portofino** Controls colour

No. of controls Serigraphy colour

Display Door

Glass type

Handle

Handle Colour

Storage compartment Sliding compartment

Plinth

Stainless steel

11 Black

Touch With frame

Black

Smeg Portofino

White Drawer Yes

Black

Programs / Functions

No. of cooking functions

9



Traditional cooking functions			
Static	₹ Fan assisted	@ Circulaire	
Turbo (circulaire + bottom + upper +	ECO ECO	Small grill	
fan)			
Large grill	Fan grill (large)	₹ Fan assisted base	
Cleaning functions			
Pyrolytic			
Programs / Functions Auxiliary Oven			
Cooking functions cavity 2	8		
Traditional cooking functions, cavity 2			
Static	Fan assisted	© Circulaire	
ECO ECO	Large grill	Fan grill (large)	
Fan-assisted bottom			
Cooking functions with Direct Steam technology			
& 3			
Termo-ventilato (Circolare + Ventola)			
Cleaning functions cavity 2			
V [→] Vapor Clean			
Hob technical features			
UR STOP II			
Total no. of cook zones 6			
Left centre - Gas - 2UR (dual) - 4.20 kW			

Rear centre - Gas - Rapid - 3.00 kW Front right - Induction - multizone - 2.10 kW - Booster 2.30 kW - 21.1x19.1 cm

Rear right - Induction - multizone - 1.60 kW - Booster 1.85 kW - 21.0x19.0 cm

Central - Teppanyaki - 1.40 kW

Front centre - Gas - Semi Rapid - 1.80 kW



Number of Flexible

zones

Automatic pan detection

Yes

Yes

Type of gas burners

Automatic electronic

ignition

Burner caps

Automatic switch off when overheat

Standard

Yes

Yes

1

Minimum pan diameter

indication

Selected zone indicator Yes

Residual heat indicator Yes

Main Oven Technical Features













Matte black enamelled







Fan number 1 Net volume of the cavity 70 litres

Gross volume, 1st cavity 791

Cavity material Easy clean enamel

Shelf positions

Metal racks Type of shelves Light type Halogen Light power 40 W

Cooking time setting Start and Stop

Light when oven door is

open

Door opening Flap down

Removable door Yes Full glass inner door Yes Removable inner door Yes

Total no. of door glasses 4 No.of thermo-reflective

door glasses

Safety Thermostat Yes Heating suspended Yes when door is opened

Tangential Cooling system Yes

Door Lock During

Pyrolisis

Usable cavity space dimensions (HxWxD)

Temperature control Electro-mechanical

360X460X425 mm

1200 W

Lower heating element

power

Upper heating element - 1000 W

Power

1700 W Grill elememt Large grill - Power 2700 W Circular heating element 2000 W

- Power

Grill type Electric Soft Close system Yes

Options Main Oven

Timer Yes End of cooking acoustic Yes

alarm

Minimum Temperature Maximum temperature

50 °C 280 °C

Second Oven Technical Features











79 I







Net volume of the 63 litres

second cavity Gross volume, 2nd

cavity

Cavity material





No. thermo-reflective

door glasses Safety Thermostat Heating suspended when door is opened 2

Yes Yes

Easy clean enamel



Shelf positions 5

Type of shelves Metal racks

No. of lights 2

Light type Halogen Light power 40 W

Cooking time setting Start and Stop

Light when oven door is

open

Door opening Flap down

Removable door Yes
Full glass inner door Yes
Removable inner door Yes

No. total door glasses 3

Cooling system Tangential

Usable cavity space dimensions (HxWxD)

Temperature control Electro-mechanical

360X460X425 mm

Lower heating element - 1200 W

power

Upper heating element - 1000 W

Power

Grill element - power 1700 W Large grill - Power 2700 W Circular heating element 2000 W

- Power

Grill type Electric
Tilting grill Yes
Soft Close system Yes

Options Auxiliary Oven

Timer Yes Minimum Temperature 50 °C End of cooking acoustic Yes Maximum temperature 260 °C

alarm

Accessories included for Main Oven & Hob

Chrome shelf with back 1 Grill mesh 1

and side stop

Telescopic Guide rails, 1

20mm deep tray

1 total Extraction

40mm deep tray 1 Meat Probe 1

Accessories included for Secondary Oven

Chrome shelf with back 1 Grill mesh 1 and side stop Telescopic Guide rails, 1

20mm deep tray 1 total Extraction

40mm deep tray


Electrical Connection

Max Power Draw 10900 W Cable testing Yes

Current 32 A Additional connection Yes, Double and Three

Voltage220-240 VmodalitiesPhaseVoltage 2 (V)380-415 VFrequency50/60 HzType of electric cableYes, Single phaseTerminal block5 poles







Compatible Accessories

AIRFRY

Air fryer rack AIRFRY. Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.



BBQ

Double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of grilled cooking. The ribbed side is particularly suitable for meats and cheeses. The smooth side for fish, seafood and vegetables.



BGTR4110

Cast iron grill plate suitable for Victoria Cookers TR4110



BN620-1

Enamelled tray, 20mm deep



BN640

Enamelled tray, 40mm deep



BNP608T

Teflon-coated tray, 8mm depth, to be placed on the grid



GRILLPLATE

Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.



GTP

Partially extractable telescopic guides (1 level) Extraction: 300 mm Material: Stainless steel AISI 430 polished



GTT

Totally extractable telescopic guides (1 level) Extraction: 433 mm Material: Stainless steel AISI 430 polished



KIT1CPF120X

Splashback 120x60 cm, stainless steel, suitable for Portofino cookers



KITH95CPF120

Height extension kit (950 mm), suitable for TR4110 cookers



KITP65CPF120

Depth extension kit (650 mm), suitable for TR4110 cookers



PALPZ

Pizza shovel with fold away handle width: 315mm length: 325mm



SCRP

Induction and ceramic hobs and teppanyaki scraper



SFLK1

Child lock



SMOLD

Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C



TPKPLATE



Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.



WOKGHU

Cast-Iron WOK Support



Alternative products



CPF120IGMPX

Colour: Stainless steel



CPF120IGMPR

Colour: Red



CPF120IGMPBL

Colour: Black



CPF120IGMPT

Colour: Turquoise



Symbols glossary

O Au

Automatic merge of zones for a bigger area



Heavy duty cast iron pan stands: for maximum stability and strength.



A: Product drying performance, measured from A+++ to D / G depending on the product family



A+: Energy efficiency class A+ helps to save up to 10% energy compared to class A. Maximum performance with minimum consumption is guaranteed.



Installation in column: Installation in column



Knobs control



Air cooling system: to ensure a safe surface temperatures.



A DIRECT STEAM oven has 1 steam cooking function to which the user can MANUALLY add steam. The function is activated when the user turns the function knob to the STEAM ON position, and deactivated when the user turns the steam knob to the STEAM OFF position. The user decides at the start of the cooking process how much water to load, up to 250ml. The water in the cavity then becomes steam during the cooking process.



Triple glazed doors: Number of glazed doors.



Quadruple glazed: Number of glazed doors.



ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.



Enamel interior: The enamel interior of all Smeg ovens have a special antacid lining which helps keep the interior clean by reducing the amount of cooking grease adhering to it.



Fan assisted base: the mix of fan and lower heating element alone allows to finish cooking foods already cooked on the surface but not internally more quickly. This system is recommended to finish cooking foods that are already well cooked on the surface, but not internally, which therefore require a moderate higher heat. Ideal for any type of food.



Fan with upper and lower elements: The elements combined with the fan aim to provide more uniform heat, a similar method to conventional cooking, so pre-heat is required. Most suitable for items requiring slow cooking methods.



Upper and lower element only: a traditional cooking method best suited for single items located in the centre of the oven. the top pf the oven will always be hottest. Ideal for roast, fruit cakes, bread etc.



Circulaire: The combination of the fan and circular element around it gives a hot air cooking method. This provides many benefits including no preheat if cook time is more than 20 minutes, no flavour transfer when cooking different foods at the same time, less energy, and shorter cook times. Good for all types of food.



ECO: The combination of the grill, fan and lower element is particularly suitable for cooking small quantities of food.



Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon.




•8	s •smeg
	Half grill: For rapid cookir foods. Best results can be top shelf for small items,

STOP

°C ∓

UR

ng and browning of e obtained by using the the lower shelves for larger ones, such as chops or sausages. For half grill heat is generated only at the centre of the element, so is ideal for smaller quantities.



R

(3)

Circulaire with upper and lower elements: The use of the fan with both elements allows food to be cooked quickly and effectively, ideal for large joints that require thorough cooking. It offers a similar result to rotisserie, moving the heat around the food, instead of moving the food itself, enabling any size or shape to be cooked.

Circulaire with steam assist: Provides extra moisture to food during cooking. Excellent for bread baking. The moisture allows the bread dough to stretch further at the beginning of cooking, creating an aerated and light textured dough. The remaining part of the cooking process allows for the signature crust to form.

- Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.
- All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.
- The inner door glass: can be removed with a few quick movements for cleaning.
- Side lights: Two opposing side lights increase visibility inside the oven.
- Automatic opening: some models have Automatic opening door when the cycle is finished which is a perfect solution for handle-less kitchen units as no handle is needed. For safety reasons, the door locks automatically when the machine is in use to avoid it being opened inadvertently.
- Pyrolitic: Pyrolitic cleaning cycles can be selected as necessary to automatically clean the oven interior.
- Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.
- .5 The oven cavity has 5 different cooking levels.
- Soft close: all models are equipped with advanced function of smooth closing of the door, which allows the device to close smoothly and quietly.
- Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely.
- Electronic control: Allows you to maintain temperature inside the oven with the precision 2-3 ° C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.
- Tilting grill: the tilting grill can be easily unhooked to move the heating element and clean the roof of the appliance in one simple step.
- Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.
- Vapor Clean: a simple cleaning function using steam to loosen deposits in the oven cavity.
- The capacity indicates the amount of usable space in the oven cavity in litres.
- The capacity indicates the amount of usable space in the oven cavity in litres.





The touch timer display or DigiScreen guarantees simple functionality. They display the time, set programmed cooking and the minute minder timer.



Benefit

Pyrolysis

Easy oven cleaning thanks to special pyrolytic function

Touch control

Easy and intuitive timer setting with a single touch

Drawer storage compartment

More space thanks to the lower compartment, ideal for storing accessories or cooking utensils

Circulaire

The best cooking performances guaranteed by ventilated circular flow.

Multiple fans and heating elements guarantee the perfect aerodynamic heat flow, allowing homogeneous and quicker cooking inside the cavity.

Multilevel cooking

Several cooking levels allow maximum flexibility of use

Multilevel halogen light

Internal halogen lighting on different levels guarantees excellent visibility

Removalble inner glass

Internal door glasses are easily removable for complete cleaning

Tangential cooling

New cooling system with tangential fan and airflow from the door to the splashback

Telescopic guides

Easy extraction and safe insertion of trays into the oven thanks to telescopic guides

Adjustable height

Cooker top flushed with the working area thanks to adjustable feet

Pizza stone (optional accessory)

Baking with refractory stone for soft and crispy pizza and yeast products (STONE optional accessory)

BBQ (optional accessory)

Barbeque cooking directly in the oven with the double-sided grill

AirFry (AIRFRY optional accessory)

Lighter and tastier food thanks to airfry basket



Cold door

During any function, the external door glass is cold, avoiding any risk of burns

Isothermic Cavity

The best cooking performance at the highest energy efficiency

Soft close

The door is equipped with a specific system for silent closing

Single turbine

The oven has a fan equipped with a circular heating element allowing cooking with rotating heat

Direct Steam

Steam is generated from water placed in a dedicated basin at the bottom of the cavity