

# CPF120IGMPX

Cooker size

N. of cavities with energy label

Cavity heat source

Hob type

Type of main oven
Type of second oven

Cleaning system main oven

EAN code

**Energy efficiency class** 

Energy efficiency class, second cavity

120x60 cm

2

**ELECTRICITY** 

Mixed

Thermo-ventilated

Thermo-ventilated

**Pyrolitic** 

8017709278267

A+ A



### **Aesthetics**









Aesthetic Portofino

Design Flush fit

Colour Stainless steel

Finishing Satin

Command panel finish Finger friendly stainless

steel

Logo Assembled st/steel
Logo position Facia below the oven

**Upstand** Yes

Hob colourStainless steelType of pan standsCast IronType of control settingControl knobs

Type of control s

hob

Type of control knobs Smeg Portofino

Controls colour Stainless steel

No. of controls

Serigraphy colour

Display name

Door

DigiScreen

With frame

Glass type Black

Handle Smeg Portofino

Handle Colour Brushed stainless steel

Storage compartment Drawer
Sliding compartment Yes
Plinth Black

# Programs / Functions main oven

No. of cooking functions

9



Type of gas burners

Standard

Traditional cooking functions			
Static	<b>₹</b> Fan assisted		© Circulaire
Turbo	ECO Eco		Small grill
Large grill	Fan grill (large	·)	Fan assisted base
Cleaning functions			
P Pyrolytic			
Programs / Functions auxiliary oven			
Cooking functions cavity 2 Traditional cooking functions, cav		8	
Static	<b>②</b> Fan assisted		© Circulaire
ECO Eco	Large grill		Fan grill (large)
Fan-assisted bottom			
Cooking functions with Direct Steam technology			
<b>€</b> <sup>3</sup>			
Fan forced (circular heating + fan)			
Cleaning functions cavity 2			
<b>V</b> Vapor clean			
Hob technical features			
UR STOP II			
Total no. of cook zones 6			
Centrale sinistra - Gas - 2UR (dual) - 4.20 kW			
Front centre - Gas - Semi Rapid - 1.80 kW			
Rear centre - Gas - Rapid - 3.00 kW			
Front right - Induction - multizone - 2.10 kW - Booster 2.30 kW - 21.1x19.1 cm  Rear right - Induction - multizone - 1.60 kW - Booster 1.85 kW - 21.0x19.0 cm			
Central - Heating element - Teppanyaki griddle - 1.40 kW			
Number of Flexible 1 zones		Automatic pan letection	Yes



Automatic electronic

ignition

**Burner caps** 

Automatic switch off

when overheat

Matt black enamelled

Yes

Yes

Minimum pan diameter

indication

Selected zone indicator Yes Residual heat indicator Yes

Yes

### Main Oven Technical Features















2









No. of lights

Fan number Net volume of the cavity 70 l

Cavity material

No. of shelves

Type of shelves Light type Halogen **Light Power** 40 W

Cooking time setting

Light when oven door is

open

Door opening

Removable door Full glass inner door Removable inner door Yes

Gross volume, 1st cavity 79 l

Ever Clean enamel

Metal racks

Start and Stop

Flap down

Yes Yes Total no. of door glasses 4 No.of thermo-reflective

door glasses

Safety Thermostat Yes Heating suspended Yes when door is opened

Cooling system **Tangential Door Lock During** Yes

**Pyrolisis** 

Usable cavity space 360X460X425 mm

dimensions (HxWxD)

Temperature control Electro-mechanical

Lower heating element

power

Upper heating element - 1000 W

Power

1700 W Grill elememt 2700 W Large grill - Power Circular heating element 2000 W

- Power

Grill type Electric Soft Close system Yes

# **Options Main Oven**

End of cooking acoustic

Timer

alarm

Yes

Yes

Minimum Temperature Maximum temperature 50 °C 280 °C

2

Yes

Yes

1200 W

## Second Oven Technical Features























Net volume of the second cavity

Gross volume, 2nd cavity

63 I



Metal racks

79 I

Cavity material Ever Clean enamel

No. of shelves

Type of shelves No. of lights

2 Light type Halogen

No. thermo-reflective door glasses

Safety Thermostat Heating suspended when door is opened

Cooling system

Usable cavity space dimensions (HxWxD) 360X460X425 mm

**Tangential** 

Temperature control Electro-mechanical



**Light Power** 40 W

Cooking time setting Start and Stop

Light when oven door is

open

Door opening Flap down

Removable door Yes Full glass inner door Yes

Removable inner door Yes No. total door glasses

Lower heating element - 1200 W

power

Upper heating element - 1000 W

**Power** 

Grill element - power 1700 W Large grill - Power 2700 W Circular heating element 2000 W

- Power

Grill type Electric Tilting grill Yes Soft Close system Yes

**Options Auxiliary Oven** 

Timer Yes End of cooking acoustic Yes

alarm

50 °C Minimum Temperature

Maximum temperature

260 °C

1

Double and Three Phase

5 poles

Accessories included for Main Oven & Hob

Rack with back and side 1 Grill mesh

Telescopic Guide rails, 1

20mm deep tray 1 total Extraction

40mm deep tray 1 **Meat Probe** 1

Accessories included for Secondary Oven

Rack with back and side 1 Grill mesh

stop Telescopic Guide rails.

total Extraction 20mm deep tray 1 40mm deep tray 1

**Electrical Connection** 

Voltage 2 (V)

Plug Not present Electric cable Installed, Single phase Yes, Single phase **Electrical connection** 10900 W Cable testing

rating Additional connection


380-415 V

Current 32 A modalities Voltage 220-240 V Frequency 50/60 Hz

4/9/2025 **SMEG SPA** 

Terminal block







# **Compatible Accessories**

### **AIRFRY**

Air fryer rack AIRFRY. Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.



### **BBQ**

Double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of grilled cooking. The ribbed side is particularly suitable for meats and cheeses. The smooth side for fish, seafood and vegetables.



### **BGTR4110**

Cast iron grill plate suitable for Victoria Cookers TR4110



### BN620-1

Enamelled tray suitable for 45 cm and 60 cm ovens. Depth 20 mm. Perfect for a wide range of savoury and sweet baking.



### **BN640**

Enamelled tray suitable for 45cm and 60cm ovens. Depth 540 mm. Perfect for cooking and roasting meat and fish in sauces. Also ideal for experimenting with lighter and crunchy side dishes



### BNP608T

Teflon-coated tray, 8 mm depth, to be placed on the grid



### **GRILLPLATE**

Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm



### **GTP**

Partially extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.



### **GTT**

Totally extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.



### KIT1CPF120X

Splashback, 120cm, stainless steel. suitable for Portofino cookers



### KITH95CPF120

Height extension kit (950 mm), suitable for 120cm Portofino cookers (940-960mm)



### KITP65CPF120

Depth extension kit (650mm), black, suitable for 120cm Portofino cookers



### **PALPZ**

Pizza shovel with folding handle. Dimensions L31.5 x H32.5 cm. Easy and convenient to use and store. Perfect for serving pizza, bread and savory pastries in a safe and professional way.



Non-scratch hob scraper - suitable for induction and ceramic hobs



SFLK1

Child lock



### **SMOLD**

Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C



### **TPKPLATE**



Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.



### **WOKGHU**

Cast iron WOK Support



# Alternative products



CPF120IGMPWH

Colour: White



CPF120IGMPBL

Colour: Black



CPF120IGMPR

Colour: Red



CPF120IGMPT

Colour: Turquese



# Symbols glossary



Automatic merge of zones for a bigger area



Heavy duty cast iron pan stands: for maximum stability and strength.



A Î

A+: Energy efficiency class A+ helps to save up to 10% energy compared to class A. Maximum performance with minimum consumption is guaranteed.



Installation in column: Installation in column



Knobs control



Air cooling system: to ensure a safe surface temperatures.



A DIRECT STEAM oven has 1 steam cooking function to which the user can MANUALLY add steam. The function is activated when the user turns the function



4.3 inch display with LED technology, usability with knobs + 3 touch keys



Triple glazed doors: Number of glazed doors.



Quadruple glazed: Number of glazed doors.



ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.



Ever Clean Enamel: Ever Clean enamel is applied electrostatically, corner to corner and edge to edge to prevent cracking or cracks over time. It is a particular pyrolytic enamel, resistant to acids which, in addition to being pleasantly bright, promotes greater cleaning of the oven walls, thanks to its lower porosity. It is baked at over 850 °C and slowly polymerized at a scientifically determined rate to ensure uniform depth and strength Ever Clean enamel creates an impeccable finish both on the inside of the oven and on the trays, making the surfaces of the oven incredibly easy to maintain over time as it reduces the adhesion of fat during cooking



Fingerprint proof stainless steel: Fingerprint proof stainless steel keeps stainless steel looking as good as new.



Fan assisted base: the mix of fan and lower heating element alone allows to finish cooking foods already cooked on the surface but not internally more quickly. This system is recommended to finish cooking foods that are already well cooked on the surface, but not internally, which therefore require a moderate higher heat. Ideal for any type of food.



Fan assisted: Intense and homogeneous traditional cooking, also suitable for complex recipes. The fan is active and the heat comes from below and from above at the same time. Ventilated cooking ensures a faster and more homogeneous result, leaving fragrant foods outside and moister inside. Ideal for baked pasta, biscuits, roasts and cobblers.



Static: Traditional cooking suitable for the preparation of one dish at a time. The fan is not active and the heat comes from below and from above at the same time. Static cooking is slower and more delicate, ideal in order to get well cooked and dry dishes even inside. Ideal for cooking all types of roasts, fatty meats, bread, filled cakes.



Circulaire: it is the perfect function for cooking all types of dishes in a more delicate way. The heat comes from the back of the oven and is distributed quickly and evenly The fan is active. It is also ideal for cooking on multiple levels without mixing smells and flavors.





ECO: low energy consumption cooking: this ECO function is particularly suitable for cooking on a single shelf with low energy consumption. It is recommended for all types of food except those that can generate a lot of moisture (for example vegetables). To achieve maximum energy savings and reduce time, it is recommended to put the food in the oven without preheating the cooking compartment

Grill: Very intense heat coming only from above from a double heating element. The fan is not active. Provides excellent grilling and gratinating results. Used at the end of cooking, it gives a uniform browning to dishes.

Half grill: For rapid cooking and browning of foods. Best results can be obtained by using the top shelf for small items, the lower shelves for larger ones, such as chops or sausages. For half grill heat is generated only at the centre of the element, so is ideal for smaller quantities.

Fan grill: very intense heat coming only from above from a double heating element The fan is active. It allows the optimal grilling of thickest meats. Ideal for large cuts of meat.

Turbo: the heat comes from 3 directions: above. below and from the back of the oven The fan is active. It allows quick cooking, even on several shelves without mixing the aromas. Ideal for large volumes or foods that require intense cooking.

Circulaire pulsed steam: Provides extra moisture to food during cooking. Excellent for bread baking. The moisture allows the bread dough to stretch further at the beginning of cooking, creating an aerated and light textured dough. The remaining part of the cooking process allows for the signature crust to form.

Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.

STOP

°C Ŧ

All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.

The inner door glass: can be removed with a few quick movements for cleaning.

Side lights: Two opposing side lights increase visibility inside the oven.

Automatic opening: some models have Automatic opening door when the cycle is finished which is a perfect solution for handle-less kitchen units as no handle is needed. For safety reasons, the door locks automatically when the machine is in use to avoid it being opened inadvertently.

**PYROLYSIS - AUTOMATIC CLEANING** FUNCTION: the oven heats up to a temperature approaching 500 °C and chars grease and food residues into a fine ash that can be easily wiped off with a damp cloth. At such a high temperature, the door locks automatically for safety, while the temperature of the door remains controlled so it is safe to touch User adjustable function based on the level of dirt present in the

Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 °C, the indicator goes out.

The oven cavity has 5 different cooking levels.

Soft close: all models are equipped with advanced function of smooth closing of the door, which allows the device to close smoothly and quietly.

Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely.

Electronic control: Allows you to maintain temperature inside the oven with the precision 2-3 ° C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.

Tilting grill: the tilting grill can be easily unhooked to move the heating element and clean the roof of the appliance in one simple step.





Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.



Vapor Clean: a simple cleaning function using steam to loosen deposits in the oven cavity.



The capacity indicates the amount of usable space in the oven cavity in litres.



The capacity indicates the amount of usable space in the oven cavity in litres.



# Benefit (TT)

### **Pyrolysis**

Easy oven cleaning thanks to special pyrolytic function

### Touch control

Easy and intuitive timer setting with a single touch

### Drawer storage compartment

More space thanks to the lower drawer compartment, ideal for storing accessories or cooking utensils

### True-convection

The best cooking performances guaranteed by ventilated circular flow

Multiple fans and heating elements guarantee the perfect aerodynamic heat flow, allowing homogeneous and quicker cooking inside the cavity.

### Multilevel cooking

Several cooking levels allow maximum flexibility of use

### Multilevel halogen light

Internal halogen lighting on different levels guarantees excellent visibility

### Removalble inner glass

Internal door glasses are easily removable for complete cleaning

### Tangential cooling

New cooling system with tangential fan and airflow from the door to the splashback

### Telescopic guides

Easy extraction and safe insertion of trays into the oven thanks to telescopic guides

### Pizza stone (optional accessory)

Baking with refractory stone for soft and crispy pizza and yeast products (STONE optional accessory)

### BBQ (optional accessory)

Barbecue cooking directly in the oven with the double-sided grill (BBQ optional accessory)

### Adjustable height

Cooker top flushed with the working area thanks to adjustable feet

### AirFry (AIRFRY optional accessory)

Lighter and tastier food thanks to airfry basket (optional accessory)



### Cold door

During any function, the external door glass is cold, avoiding any risk of burns

### **Isothermic Cavity**

The best cooking performance at the highest energy efficiency

### Soft close

The door is equipped with a specific system for silent closing

### Single turbine

The oven has a fan equipped with a circular heating element allowing cooking with rotating heat

### **Direct Steam**

Steam is generated from water placed in a dedicated basin at the bottom of the cavity