

CPF9GPOGA

Cooker size N. of cavities with energy label Cavity heat source Hob type Type of main oven Cleaning system main oven EAN code 90x60 cm 1 ELECTRICITY Gas Thermoseal Pyrolitic 8017709249984



Aesthetics


COMACT screen			
Aesthetic	Portofino	Controls colour	Stainless steel
Design	Flush fit	No. of controls	8
Colour	Olive green	Serigraphy colour	Black
Command panel finish	Enamelled metal	Display	TFT
Logo	Assembled st/steel	Door	With frame
Logo position	Facia below the oven	Glass type	Grey
Upstand	Yes	Handle	Smeg Portofino
Hob colour	Stainless steel	Handle Colour	coloured
Type of pan stands	Cast Iron	Storage compartment	Push pull
Type of control setting	Control knobs	Feet	Black
Control knobs	Smeg Portofino	Plinth	Black

Programs / Functions

No. of cooking functions

10





Hob technical features



UR			
Total no. of cook zones	6		
Front left - Gas - 2UR (duo	al) - 4.20 kW		
Rear left - Gas - AUX - 1.0	00 kW		
Front centre - Gas - AUX -	1.00 kW		
Rear centre - Gas - Semi F	Rapid - 1.80 kW		
Front right - Gas - Semi Ro	apid - 1.80 kW		
Rear right - Gas - Rapid -	3.00 kW		
Type of gas burners	Standard	Gas safety valves	Yes
Automatic electronic ignition	Yes	Burner caps	Matt black enamelled
	Total no. of cook zones Front left - Gas - 2UR (dua Rear left - Gas - AUX - 1.0 Front centre - Gas - AUX - Rear centre - Gas - Semi F Front right - Gas - Semi Ra Rear right - Gas - Rapid - Type of gas burners Automatic electronic	Total no. of cook zones 6Front left - Gas - 2UR (dual) - 4.20 kWRear left - Gas - AUX - 1.00 kWFront centre - Gas - AUX - 1.00 kWRear centre - Gas - Semi Rapid - 1.80 kWFront right - Gas - Semi Rapid - 1.80 kWRear right - Gas - Rapid - 3.00 kWType of gas burnersStandardAutomatic electronicYes	Total no. of cook zones 6Front left - Gas - 2UR (dual) - 4.20 kWRear left - Gas - AUX - 1.00 kWFront centre - Gas - AUX - 1.00 kWRear centre - Gas - Semi Rapid - 1.80 kWFront right - Gas - Semi Rapid - 1.80 kWRear right - Gas - Rapid - 3.00 kWType of gas burnersStandardAutomatic electronicYesBurner caps

Main Oven Technical Features

*** II5It 🧾 <u>.5</u>			
No. of lights	2	Total no. of door glasses	4
Fan number	3	No.of thermo-reflective	3
Net volume of the cavity	115	door glasses	
Gross volume, 1st cavity	126 I	Safety Thermostat	Yes
Cavity material	Ever Clean enamel	Heating suspended	Yes
No. of shelves	5	when door is opened	
Type of shelves	Metal racks	Cooling system	Tangontial
Light type	Halogen	Cooling system	Tangential
	-		



Light Power Cooking time setting	40 W Start and Stop	Door Lock During Pyrolisis	Yes
Light when oven door is open	•	Usable cavity space dimensions (HxWxD)	371x724x418 mm
Door opening	Flap down	Temperature control	Electronic
Removable door Full glass inner door	Yes Yes	Lower heating element power	1700 W
Removable inner door	Yes	Upper heating element - Power	1200 W
		Grill elememt	1700 W
		Large grill - Power	2900 W
		Circular heating element - Power	2 x 1850 W
		Grill type	Electric
		Soft Close system	Yes

Options Main Oven

Timer	Yes	Minimum Temperature	50 °C
End of cooking acoustic	Yes	Maximum temperature	260 °C
alarm			


Accessories included for Main Oven & Hob

Rack with back and s	side 1	Grill mesh	1
stop		Telescopic Guide rails,	1
20mm deep tray	1	partial Extraction	
40mm deep tray	1		
	1 1	•	-

Electrical Connection

Plug Electrical connection	(I) Australia 4000 W	Type of electric cable installed	Yes, Single phase
rating		Cable testing	Yes
Current	18 A	Type of electric cable	Yes, Double and Three
Voltage	220-240 V		Phase
Voltage 2 (V)	380-415 V	Frequency	50/60 Hz
		Terminal block	5 poles







Not included accessories

AIRFRY9



Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.

KITH95CPF9

Height extension kit (950 mm), suitable for Portofino cookers

GTP

Partially extractable telescopic guides (1 level) Extraction: 300 mm Material: Stainless steel AISI 430 polished

TPKCPF9



Teppanyaki grill plate, suitable for Portofino cookers

PPR9



Refractary pizza stone without handles. Squared shaped stone: L64xH2,3xP37,5 cm Suitable also for gas ovens, to be put on the griddle.



КІТРВХ

Height reduction feet (850 mm)



BGCPF9

Cast iron grill plate suitable for Portofino FS Cookers

SFLK1



Child lock

PRTX

Refractary pizza stone with handles. D=35cm Not suitable for microwave ovens. Suitable for gas ovens, to be put on the griddle.

КІТРС9Х9

Splashback, 90 cm, for Sinfonia and Portofino pyrolytic cookers

KIT600CPF9P

Cover strip for hob back side, suitable for 90 cm Portofino cookers with piro oven

BBQ9





KITPD

Heigh extension black feet (950 mm) for cookers



ΚΙΤΡΑΧ

Heigh extension feet (950 mm), stainless steel, suitable for Master, Sinfonia and Concerto cookers



PALPZ

Pizza shovel with fold away handle width: 315mm length : 325mm

GTT

Totally extractable telescopic guides (1 level) Extraction: 433 mm Material: Stainless steel AISI 430 polished





SMOLD

Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C



Symbols glossary (TT)

** Triple Fan Technology: The oven is equipped with an exclusive three fan system, which, combined with the increased power of the motors, enables excellent cooking performance. The two large side fans distribute the air around the outer perimeter of the cavity while the smaller central fan increases ventilation by creating a vertical vortex of heat. Accordingly, the temperature within the cavity is uniform, allowing food to be cooked evenly on all five levels, like in professional kitchens.



(??)

Installation in column: Installation in column

Defrost by time: with this function the time of thawing of foods are determined automatically.

Quadruple glazed: Number of glazed doors.

- Fan assisted base: the mix of fan and lower £ heating element alone allows to finish cooking foods already cooked on the surface but not internally more quickly. This system is recommended to finish cooking foods that are already well cooked on the surface, but not internally, which therefore require a moderate higher heat. Ideal for any type of food.
 - Upper and lower element only: a traditional cooking method best suited for single items located in the centre of the oven. the top pf the oven will always be hottest. Ideal for roast, fruit cakes, bread etc.
 - Circulaire: The combination of the fan and circular element around it gives a hot air cooking method. This provides many benefits including no preheat if cook time is more than 20 minutes, no flavour transfer when cooking different foods at the same time, less energy, and shorter cook times. Good for all types of food.
 - Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon.

Heavy duty cast iron pan stands: for maximum stability and strength.



Air cooling system: to ensure a safe surface temperatures.

- Defrost by weight: With this function the defrosting time is determined
- Enamel interior: The enamel interior of all Smeg ovens have a special antacid lining which helps keep the interior clean by reducing the amount of cooking grease adhering to it.
- 3

ECO

- Fan with upper and lower elements: The elements combined with the fan aim to provide more uniform heat, a similar method to conventional cooking, so pre-heat is required. Most suitable for items requiring slow cooking methods.
- Lower heating element only: This function is ideal for foods that require extra base temperature without browning, e.g. pastry dishes, pizza. Also suitable for slow cooking of stews and casseroles.
 - ECO: The combination of the grill, fan and lower element is particularly suitable for cooking small quantities of food.
- Half grill: For rapid cooking and browning of foods. Best results can be obtained by using the top shelf for small items, the lower shelves for larger ones, such as chops or sausages. For half grill heat is generated only at the centre of the element, so is ideal for smaller quantities.



(%)	Fan with grill element: The fan reduces the fierce heat from the grill, providing an excellent method of grilling various foods, chops, steaks, sausages etc. giving even browning and heat distribution, without drying out the food. The top two levels recommended for use, and the lower part of the oven can be used to keep items warm at the same time, an excellent facility when cooking a grilled breakfast. Half grill (centre portion only) is ideal for small quantities of food.		Circulaire with upper and lower elements: The use of the fan with both elements allows food to be cooked quickly and effectively, ideal for large joints that require thorough cooking. It offers a similar result to rotisserie, moving the heat around the food, instead of moving the food itself, enabling any size or shape to be cooked.
٧	Gas ovens offer instantaneous heat control, reduced cooking times and the ability to bake at much lower temperatures than electric ovens.	旦	All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.
J	The inner door glass: can be removed with a few quick movements for cleaning.	¢ [©]	Side lights: Two opposing side lights increase visibility inside the oven.
D.	Automatic opening: some models have Automatic opening door when the cycle is finished which is a perfect solution for handle-less kitchen units as no handle is needed. For safety reasons, the door locks automatically when the machine is in use to avoid it being opened inadvertently.	P	Pyrolitic: Pyrolitic cleaning cycles can be selected as necessary to automatically clean the oven interior.
P	Pyrolitic: The Eco pyrolitic cleaning function can be selected when the oven has a lighter build up of dirt. This function has a maximum duration of 1.5 hours.	<u>;</u> ;	Air at 40°C provides the perfect environment for proving yeast type dough mixes. Simply select the function and place dough in the cavity for allotted
i	Sabbath: This function allows you to cook food during the Sabbath, the Holiday of rest in the Jewish religion, respecting the precepts. The oven works	<u>.5</u>	The oven cavity has 5 different cooking levels.
Ø	Soft close: all models are equipped with advanced function of smooth closing of the door, which allows the device to close smoothly and quietly.		Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely.
ŝ	Electronic control: Allows you to maintain temperature inside the oven with the precision 2- 3 ° C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.	UR	Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.
115 R	The capacity indicates the amount of usable space in the oven cavity in litres.	COMPACT screen	
Q	Knobs control		



Benefit (TT)

True-convection

The best cooking performances guaranteed by ventilated circular flow.

Multiple fans and heating elements guarantee the perfect aerodynamic heat flow, allowing homogeneous and quicker cooking inside the cavity.

Gas hob

Induction offers fast cooking and precise temperature control

Equipped with a thermocouple, the gas supply is cut off if the flame is extinguished for greater safety

Isothermic Cavity

The best cooking performance at the highest energy efficiency

Triple Turbine

The oven has three fans and two circular heating elements, allowing cooking with rotating heat

Tangential cooling

New cooling system with tangential fan and airflow from the door to the splashback

Soft close

The door is equipped with a specific system for silent closing

Pyrolysis

Easy oven cleaning thanks to special pyrolytic function

LCD display

Easy and intuitive user-experience and cook with a simple touch.

Multilevel halogen light

Internal halogen lighting on different levels guarantees excellent visibility

Electronic control

Electronic control for timely temperature management and heat uniformity

Telescopic guides

Easy extraction and safe insertion of trays into the oven thanks to telescopic guides

Adjustable height

Cooker top flushed with the working area thanks to adjustable feet



Sabbath mode

Possibility of cooking food in compliance with the provisions of the Jewish religious holiday of rest, thanks to Sabbath mode

Removalble inner glass

Internal door glasses are easily removable for complete cleaning

Multilevel cooking

Several cooking levels allow maximum flexibility of use

Cold door

During any function, the external door glass is cold, avoiding any risk of burns

AirFry (AIRFRY optional accessory)

Lighter and tastier food thanks to airfry basket

BBQ (optional accessory)

Barbeque cooking directly in the oven with the double-sided grill

Pizza stone (optional accessory)

Baking with refractory stone for soft and crispy pizza and yeast products (STONE optional accessory)

Push-pull storage compartment

More space thanks to the lower push-pull compartment, ideal for storing accessories or cooking utensils