

CS6CMXA2

Cooker size

N. of cavities with energy label

Cavity heat source

Hob type

Type of main oven

Cleaning system main oven

EAN code

60x60 cm

1

ELECTRICITY

Ceramic

Thermoseal

Vapour Clean

8017709330897



Aesthetics





Aesthetic Classic
Serie Sinfonia
Colour Stainless steel

Finishing Satin

Design Square design

Door With 2 horizontal strips

Upstand Ye

Hob colour Stainless steel

Command panel finish Finger friendly stainless

steel

Control knobs Smeg Classic
Controls colour Stainless steel

Display Touch

Colour of buttonsBlackNo. of controls6Serigraphy colourBlack

Handle Smeg Classic

Handle Colour Brushed stainless steel

Glass type eclypse Feet Silver

Plinth Stainless steel

Storage compartment Door

LogoAssembled st/steelLogo positionFacia below the oven

Programs / Functions

No. of cooking functions Traditional cooking functions

(R)

Circulaire

®

Turbo

ECO

Eco

Static

Small grill



Large grill

%

Fan grill (large)



Fan assisted bottom

SMEG SPA 17/05/2024

8



Cleaning functions



Vapour Clean

Hob technical features



Total no. of cook zones 4 Selected zone indicator Yes

Residual heat indicator Yes

Main Oven Technical Features



















No. of lights 1 Fan number Net volume of the cavity 721 Gross volume, 1st cavity 791

Cavity material Ever Clean enamel

No. of shelves

Type of shelves Metal racks Light type Halogen 40 W **Light Power**

Cooking time setting Start and Stop

Light when oven door is Yes

open

Flap down Door opening

Removable door Yes Full glass inner door Yes

Removable inner door Yes Total no. of door glasses 3

No.of thermo-reflective door glasses

Safety Thermostat Yes

Cooling system Tangential

Usable cavity space dimensions (HxWxD)

Electro-mechanical Temperature control

360x444x425 mm

Lower heating element 1200 W

power

Upper heating element - 1000 W

Power

Grill elememt 1700 W Large grill - Power 2700 W Circular heating element 2000 W

- Power

Grill type Electric

Options Main Oven

Timer Yes End of cooking acoustic Yes

Minimum Temperature 50 °C Maximum temperature 260 °C

Accessories included for Main Oven & Hob



alarm

Rack with back and side 2

40mm deep tray 1 Grill mesh

1

Telescopic Guide rails, partial Extraction

Electrical Connection

17/05/2024 **SMEG SPA**



Electrical connection

10400 W

rating Current

Voltage

220-240 V

Voltage 2 (V)

29 A

380-415 V

Type of electric cable installed

Type of electric cable

Frequency

Terminal block


Yes, Single phase

Yes, Double and Three

Phase

50/60 Hz

5 poles





Not included accessories

AIRFRY

Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.



SFLK1 Child lock



Partially extractable telescopic guides (1 level) Extraction: 300 mm Material: Stainless steel AISI 430 polished



PRTX

Refractary pizza stone with handles. D=35cm Not suitable for microwave ovens. Suitable for gas ovens, to be put on the griddle.



BNP608T

Teflon-coated tray, 8mm depth, to be placed on the grid



GRILLPLATE

Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.



KITPBX

Height reduction feet (850 mm)



KITC6X

Splashback, 60x75 cm, stainless steel, suitable for Master and Sinfonia cookers



BN620-1

Enamelled tray, 20mm deep



SCRP

Induction and ceramic hobs and teppanyaki scraper



BBO

Double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of grilled cooking. The ribbed side is particularly suitable for meats and cheeses. The smooth side for fish, seafood and vegetables.



TPKPLATE

Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.



PALPZ

Pizza shovel with fold away handle width: 315mm length: 325mm



GTT

Totally extractable telescopic guides (1 level) Extraction: 433 mm Material: Stainless steel AISI 430 polished







BN640 Enamelled tray, 40mm deep



SMOLD

Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C



Symbols glossary (TT)



Air cooling system: to ensure a safe surface temperatures.



...



Triple glazed doors: Number of glazed doors.



Enamel interior: The enamel interior of all Smeg ovens have a special antacid lining which helps keep the interior clean by reducing the amount of cooking grease adhering to it.



Fingerprint proof stainless steel: Fingerprint proof stainless steel keeps stainless steel looking as good as new.



Circogas: In gas ovens the fan distributes the heat quickly and evenly throughout the oven cavity, avoiding flavour transfer when cooking a number of different dishes at the same time. In electric ovens this combination completes cooking more quickly of foods that are ready on the surface, but that require more cooking inside, without further browning.



Upper and lower element only: a traditional cooking method best suited for single items located in the centre of the oven. the top pf the oven will always be hottest. Ideal for roast, fruit cakes, bread etc.



Circulaire: The combination of the fan and circular element around it gives a hot air cooking method. This provides many benefits including no preheat if cook time is more than 20 minutes, no flavour transfer when cooking different foods at the same time, less energy, and shorter cook times. Good for all types of food.



ECO: The combination of the grill, fan and lower element is particularly suitable for cooking small quantities of food.



Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon.



Half grill: For rapid cooking and browning of foods. Best results can be obtained by using the top shelf for small items, the lower shelves for larger ones, such as chops or sausages. For half grill heat is generated only at the centre of the element, so is ideal for smaller quantities.



Fan with grill element: The fan reduces the fierce heat from the grill, providing an excellent method of grilling various foods, chops, steaks, sausages etc. giving even browning and heat distribution, without drying out the food. The top two levels recommended for use, and the lower part of the oven can be used to keep items warm at the same time, an excellent facility when cooking a grilled breakfast. Half grill (centre portion only) is ideal for small quantities of food.



Circulaire with upper and lower elements: The use of the fan with both elements allows food to be cooked quickly and effectively, ideal for large joints that require thorough cooking. It offers a similar result to rotisserie, moving the heat around the food, instead of moving the food itself, enabling any size or shape to be cooked.



Glass ceramic: The base of the hob is made glass ceramic. Heating is performed by the heating elements Hi-Light.



All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.



The inner door glass: can be removed with a few quick movements for cleaning.





Side lights: Two opposing side lights increase visibility inside the oven.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



The oven cavity has 5 different cooking levels.



Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely.



Vapour Clean: a simple cleaning function using steam to loosen deposits in the oven cavity.



The capacity indicates the amount of usable space in the oven cavity in litres.



Benefit (TT)

True-convection

The best cooking performances guaranteed by ventilated circular flow.

Multiple fans and heating elements guarantee the perfect aerodynamic heat flow, allowing homogeneous and quicker cooking inside the cavity.

Vapor Clean

By inserting water into a recess at the bottom of the cavity, steam is generated, which softens the residue and facilitates its removal

By inserting water into a recess at the bottom of the cavity, steam is generated, which softens the residue and facilitates its removal.

Hob type ceramic

Ceramic hobs offers fast cooking and precise temperature control