

# CVI121G



|                        |                |
|------------------------|----------------|
| <b>Product Family</b>  | Wine Cooler    |
| <b>Installation</b>    | Built-in       |
| <b>Built-In Niche</b>  | 45 cm          |
| <b>Defrost</b>         | Automatic      |
| <b>Cooling type</b>    | Fan assisted   |
| <b>Hinge type</b>      | Variable hinge |
| <b>Hinge position</b>  | Right          |
| <b>Reversible door</b> | Yes            |



## Wine cooler compartment features



|  |                           |
|--|---------------------------|
| <b>Number of fixed shelves</b>                     | 1                         |
| <b>Number of removable shelves</b>                 | 2                         |
| <b>No. of lights</b>                               | 1                         |
| <b>Shelves material</b>                            | Wood                      |
| <b>Removable shelves on telescopic guide rails</b> | Yes                       |
| <b>Type of internal light</b>                      | LED                       |
| <b>Air filter</b>                                  | Activated charcoal filter |

## Programs / Functions



|                          |                                      |                           |                     |
|--------------------------|--------------------------------------|---------------------------|---------------------|
| <b>Control setting</b>   | Touch control                        | <b>Control lock</b>       | Yes                 |
| <b>Controls</b>          | Internal, in the compartment         | <b>Lighting forced ON</b> | In a maximum period |
| <b>Display</b>           | LCD                                  | <b>Fan forced ON</b>      | Yes                 |
| <b>Functions display</b> | Temperature alarm, Temperature value | <b>Temperature Alarm</b>  | Yes                 |
| <b>Power on lamp</b>     | Yes                                  | <b>Door open alarm</b>    | Yes                 |

## Technical Features

|                                     |   |                              |                          |
|-------------------------------------|---|------------------------------|--------------------------|
| <b>Adjustable temperature zones</b> | 1 | <b>Number of compressors</b> | 1                        |
|                                     |   | <b>Compressor type</b>       | Low vibration compressor |
|                                     |   | <b>Refrigerant gas type</b>  | R600a                    |


|                                    |            |  |                       |
|------------------------------------|------------|--|-----------------------|
| <b>Independent cooling systems</b> | 1          | <b>Refrigerant Quantity (gr)</b>             | 20 g                  |
| <b>Number of door glasses</b>      | 2          | <b>Foam agent</b>                            | HFO                   |
| <b>Temperature range</b>           | 5-20 °C    | <b>Metal panel on the back of the fridge</b> | Metal                 |
| <b>Type of temperature control</b> | Electronic | <b>Door opening type</b>                     | With push pull system |
| <b>Anti-UV door glass</b>          | Yes        |  |                       |
| <b>Integrated heating element</b>  | Yes        |  |                       |

## Performance / Energy Label

|  |              |   |                  |
|--|--------------|---|------------------|
|  |              |   |                  |
| <b>Max Capacity (bottles 0,75lt)</b>   | 21           | <b>Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s)</b> | 56 l             |
| <b>Annual energy consumption</b>   | 100 kWh/year | <b>Climatic class</b>   | SN, N, ST        |
| <b>Energy efficiency class</b>   | F            | <b>EEL</b>  | 124 %            |
| <b>Airborne acoustical noise emission class</b>                                  | C            | <b>Noise level</b>  | 36 dB(A) re 1 pW |
| <b>Total volume</b>  | 56 l         |   |                  |

## Electrical Connection

|                      |           |                                  |              |
|----------------------|-----------|----------------------------------|--------------|
| <b>Nominal power</b> | 40 W      | <b>Frequency (Hz)</b>            | 50 Hz        |
| <b>Current</b>       | 0,4 A     | <b>Power supply cable length</b> | 180 cm       |
| <b>Voltage (V)</b>   | 220-240 V | <b>Plug</b>                      | (F;E) Schuko |



## Symbols glossary

-  A+: Energy efficiency class A+ helps to save up to 10% energy compared to class A. Maximum performance with minimum consumption is guaranteed.
-  LCD display: to optimize performance and simplify the use of the appliance.
-  LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.
-  Touch controls: Easy to use touch controls allow the appliance to be programmed at the touch of a button.
-  The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.
-  Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge.
-  Built-in niche
-  Energy efficiency class F