


CVI329X3



Product Family

Wine Cooler

Installation

Built-in

Built-In Niche

60 cm

Defrost

Automatic

Cooling type

Fan assisted

Hinge type


Variable hinge

Hinge position

Right

Reversible door

Yes



Wine cooler compartment features



Number of fixed shelves

1

Number of removable shelves

2

No. of lights

2

Shelves material

Wood

Removable shelves on telescopic guide rails

Yes

Type of internal light

LED

Air filter

Activated charcoal filter

Programs / Functions



Control setting

Touch control

Controls

Internal, in the compartment

Display

LED

Functions display

Temperature alarm, Temperature value

Power on lamp

Yes

Control lock

Yes

Lighting forced ON

In a maximum period

Fan forced ON

Yes

Temperature Alarm

Yes

Door open alarm

Yes

Technical Features

Adjustable temperature zones

Number of compressors

1

Compressor type

Low vibration compressor

Refrigerant gas type

R600a


Independent cooling systems	1	Refrigerant Quantity (gr)	20 g
Number of door glasses	2	Foam agent	HFO
Temperature range	5-20 °C	Metal panel on the back of the fridge	Metal
Type of temperature control	Electronic	Door opening type	With push pull system
Anti-UV door glass	Yes		
Integrated heating element	Yes		

Performance / Energy Label

			
Max Capacity (bottles 0,75lt)	29	Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s)	79 l
Annual energy consumption	140 kWh/year	Climatic class	SN, N, ST
Energy efficiency class	G	EEI	170 %
Airborne acoustical noise emission class	C	Noise level	38 dB(A) re 1 pW
Total volume	79 l		

Electrical Connection

Nominal power	40 W	Frequency (Hz)	50 Hz
Current	0,4 A	Power supply cable length	180 cm
Voltage (V)	220-240 V	Plug	(F;E) Schuko



Symbols glossary



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



LED display: to show programmes, functions and options selected and the time to the end of the cycle.



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



Energy efficiency class G



A: Product drying performance, measured from A+++ to D / G depending on the product family



Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge.



Touch controls: Easy to use touch controls allow the appliance to be programmed at the touch of a button.