

CVIU321X1



Installation	Built-in
Built-In Niche	45 cm
Defrost	Automatic
Cooling type	Fan assisted
Hinge type	Standard
Hinge position	Right
Reversible door	Yes



Wine cellar compartment features



Number of fixed shelves	1
Number of removable shelves	2
Shelves material	Wood
Removable shelves on telescopic guide rails	Yes
Type of internal light	Led
Air filter	Activated charcoal filter

Programs/Functions



Control setting	Touch control	Control lock	Yes
Controls	Inner, in the cellar compartment	Lighting forced ON	In a maximum period
Display	LED	Fan forced ON	Yes
Functions display	Temperature alarm, Temperature value	Temperature Alarm	Yes
Power on lamp	Yes	Door open alarm	Yes

Technical Features

Adjustable temperature zones	1	Number of compressors	1
Independent cooling systems	1	Compressor type	Low vibration compressor
Number of door glasses	2	Refrigerant gas type	R600a


Temperature range	5-20 °C	Refrigerant Quantity (gr)	0.7 oz
Type of temperature control	Electronic	Foam agent	HFO
Anti-UV door glass	Yes	Metal panel on the back of the fridge	Metal
Integrated heating element	Yes	Door opening type	With push pull system

Performance / Energy Label - Reg. 2019









Max Capacity (bottles 0,75lt)	21	Sum of the volumes of the frozen compartment(s)	0.0 gal
Annual energy consumption	100 kWh/year	Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s)	14.8 gal
Airborne acoustical noise emission class	C	Climate class	SN, N, ST
Total net volume	14.8 gal	EEL	124 %

Electrical Connection

Plug	(F;E) Schuko	Voltage (V)	115 V
Electrical connection rating	40 W	Frequency (Hz)	50/60 Hz
Current	1.95 A	Power supply cable length	70 7/8 "



Symbols glossary (TT)

	A+: Energy efficiency class A+ helps to save up to 10% energy compared to class A. Maximum performance with minimum consumption is guaranteed.		The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.
	LED display: to show programmes, functions and options selected and the time to the end of the cycle.		Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge.
	Fingerprint proof stainless steel: Fingerprint proof stainless steel keeps stainless steel looking as good as new.		LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.
	Built-in niche		Touch controls: Easy to use touch controls allow the appliance to be programmed at the touch of a button.