

CX103GMBL

Cooker size

N. of cavities with energy label

Cavity heat source

Hob type

Type of main oven Type of second oven

Cleaning system main oven

EAN code

Energy efficiency class

Energy efficiency class, second cavity

100x60 cm

2

ELECTRICITY

Gas

Thermo-ventilated Thermo-ventilated Ever Clean enamel

8017709336622

Α

В



Aesthetics







Aesthetic Classica Series Concerto Design Standard Colour

Glossy black **Finishing** Command panel finish

Logo position

Hob colour Type of pan stands Type of control setting

hob

Black

Enamelled metal

Assembled

Command panel

Black enamel Cast Iron

Control knobs

Type of control knobs

Controls colour No. of controls

Serigraphy colour

Display name Door

Glass type

Handle

Handle Colour

Feet color

Plinth

Smeg Classic

Stainless steel

8 Silver DigiScreen

With frame

Black

Smeq Classic

Brushed stainless steel

none Black

Programs / Functions main oven

No. of cooking functions Traditional cooking functions

Circulaire

Small grill

Large grill

Fan grill (large)

Programs / Functions auxiliary oven

SMEG SPA 27/7/2025

4



Cooking functions cavity 2 Traditional cooking functions, cavity 2 1



Circulaire

Programs / Functions third oven

No. of functions third oven

Full grill



Hob technical features

UR

Total no. of cook zones 5

Centrale sinistra - Gas - 2UR (dual) - 4.20 kW

Rear centre - Gas - Semi Rapid - 1.80 kW

Front centre - Gas - AUX - 1.00 kW

Rear right - Gas - Rapid - 2.90 kW

Front right - Gas - Semi Rapid - 1.80 kW

Standard Type of gas burners

Automatic electronic Yes

ignition

Gas safety valves

Burner caps Matt black enamelled

Yes

Main Oven Technical Features













1





No. of lights

Fan number Net volume of the cavity 61 | Gross volume, 1st cavity 70 l

Cavity material Ever Clean enamel

No. of shelves 4

Type of shelves Metal racks Light type Halogen 40 W **Light Power**

Cooking time setting Start and Stop

Side opening Door opening

Removable door Yes Full glass inner door Yes Removable inner door Yes Total no. of door glasses 3 No.of thermo-reflective door glasses

Safety Thermostat Yes

Cooling system **Tangential**

Usable cavity space

316x460x412 mm

dimensions (HxWxD)

Temperature control Electro-mechanical

Circular heating element 2000 W

- Power

Options Main Oven

Timer Minimum Temperature 50 °C Yes End of cooking acoustic Yes Maximum temperature 245 °C

alarm



Second Oven Technical Features



Fan number 2 Removable door

Net volume of the second cavity Second cavity Second cavity Second Seco

Gross volume, 2nd 94 No. thermo-reflective door glasses

Cavity material Ever Clean enamel Safety Thermostat Yes
No. of shelves 9 Cooling system Tan

lo. of shelves 9 Cooling system Tangential

Type of shelves Metal racks Usable cavity space 605×275×370 p

Type of shelves Metal racks Usable cavity space 605x275x370 mm No. of lights 1 dimensions (HxWxD)

No. of lights 1 dimensions (HxWxD)

Light type Halogen Temperature control Electro-mechanical

Yes

Yes

2

Light Power 40 W Circular heating element 2500 W

Door opening Side opening - Power

Options Auxiliary Oven

Minimum Temperature 50 °C Maximum temperature 245 °C

Third Oven Technical Features



Net volume, 3rd cavity 35 l Removable inner door Yes

Gross volume, 3rd 41 l No. total door glasses 3

cavity No. of thermo-reflective 1

Cavity material Ever Clean enamel door glasses

No. of shelves 2 Safety Thermostat Yes

Type of shelves Metal racks Cooling system Tangential

No. of lights 1 Usable cavity space 169x440x443 mm Light type Halogen dimensions (HxWxD)

Light Power 40 W Temperature control Electro-mechanical

Door openingFlap downLarge grill - Power2700 WRemovable doorYesGrill typeElectricFull glass inner doorYesTilting grillYes

Options Third Oven

Minimum Temperature 50 °C Maximum temperature 260 °C

Accessories included for Main Oven & Hob

Rack with back and side 1 40mm deep tray 1 stop



Accessories included for Secondary Oven

Oven grid with back

3

stop

Accessories included for Third Oven

Rack with back and side $\,\,1\,$

stop

40mm deep tray

1

Installed, Single phase Double and Three Phase


Electrical Connection

Plug Not present Electrical connection 8600 W

rating

Current 38 A Voltage 220-240 V Voltage 2 (V) 380-415 V Electric cable
Additional connection
modalities
Frequency

Frequency 50/60 Hz Terminal block 5 poles





Compatible Accessories

AIRFRY

Air fryer rack AIRFRY. Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.



BBQ

Double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of grilled cooking. The ribbed side is particularly suitable for meats and cheeses. The smooth side for fish, seafood and vegetables.

BG6090-1

Cast iron grill plate suitable for Concerto cookers and BM93-BU93



BN620-1

Enamelled tray suitable for 45 cm and 60 cm ovens. Depth 20 mm. Perfect for a wide range of savoury and sweet baking.



BN640

Enamelled tray suitable for 45cm and 60cm ovens. Depth 540 mm. Perfect for cooking and roasting meat and fish in sauces. Also ideal for experimenting with lighter and crunchy side dishes



BNP608T

Teflon-coated tray, 8 mm depth, to be placed on the grid



GRM

Coffee machine support



GTP

Partially extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.



GTT

Totally extractable telescopic quides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.



KIT90N9

Splashback black, 90 cm, suitable for BU & BM cookers




KITH93

Height extension kit (950mm), black, suitable for TR93 cookers (945-960mm)



PALPZ

Pizza shovel with folding handle. Dimensions L31.5 x H32.5 cm. Easy and convenient to use and store. Perfect for serving pizza, bread and savory pastries in a safe and professional way.





SMOLD

Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C



SFLK1 Child lock



WOKGHU



Cast iron WOK Support



Symbols glossary



Heavy duty cast iron pan stands: for maximum stability and strength.





Installation in column: Installation in column



Air cooling system: to ensure a safe surface temperatures.



B: Product energy rating, measured from A+++ to D / G depending on the product family.



Double glazed doors: Number of glazed doors.



Triple glazed doors: Number of glazed doors.



Ever Clean Enamel: Ever Clean enamel is applied electrostatically, corner to corner and edge to edge to prevent cracking or cracks over time. It is a particular pyrolytic enamel, resistant to acids which, in addition to being pleasantly bright, promotes greater cleaning of the oven walls, thanks to its lower porosity. It is baked at over 850 °C and slowly polymerized at a scientifically determined rate to ensure uniform depth and strength Ever Clean enamel creates an impeccable finish both on the inside of the oven and on the trays, making the surfaces of the oven incredibly easy to maintain over time as it reduces the adhesion of fat during cooking



Circulaire: it is the perfect function for cooking all types of dishes in a more delicate way. The heat comes from the back of the oven and is distributed quickly and evenly The fan is active. It is also ideal for cooking on multiple levels without mixing smells and flavors.



Grill: Very intense heat coming only from above from a double heating element. The fan is not active. Provides excellent grilling and gratinating results. Used at the end of cooking, it gives a uniform browning to dishes.



4.3 inch display with LED technology, usability with knobs + 3 touch keys



Knobs control



Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon.



Half grill: For rapid cooking and browning of foods. Best results can be obtained by using the top shelf for small items, the lower shelves for larger ones, such as chops or sausages. For half grill heat is generated only at the centre of the element, so is ideal for smaller quantities.



Fan grill: very intense heat coming only from above from a double heating element The fan is active. It allows the optimal grilling of thickest meats. Ideal for large cuts of meat.



Light



All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.



The inner door glass: can be removed with a few quick movements for cleaning.



Side lights: Two opposing side lights increase visibility inside the oven.



The oven cavity has 2 different cooking levels.



The oven cavity has 4 different cooking levels.



The oven cavity has 9 different cooking levels.





Electronic control: Allows you to maintain temperature inside the oven with the precision 2-3 °C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.



Tilting grill: the tilting grill can be easily unhooked to move the heating element and clean the roof of the appliance in one simple step.



Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.



The capacity indicates the amount of usable space in the oven cavity in litres.



The capacity indicates the amount of usable space in the oven cavity in litres.



The capacity indicates the amount of usable space in the oven cavity in litres.



Benefit (TT)

Gas hob

Gas provides permanent control of the heat source and the temperature change is immediate

Equipped with a thermocouple, the gas supply is cut off if the flame is extinguished for greater safety.

Ever Clean Enamel

Easy oven cleaning thanks to special pyrolytic enamel

Touch control

Easy and intuitive timer setting with a single touch

True-convection

The best cooking performances guaranteed by ventilated circular flow

Multiple fans and heating elements guarantee the perfect aerodynamic heat flow, allowing homogeneous and quicker cooking inside the cavity.

Multilevel cooking

Several cooking levels allow maximum flexibility of use

Multilevel halogen light

Internal halogen lighting on different levels guarantees excellent visibility

Removalble inner glass

Internal door glasses are easily removable for complete cleaning

Tangential cooling

New cooling system with tangential fan and airflow from the door to the splashback

Cold door

During any function, the external door glass is cold, avoiding any risk of burns

AirFry (AIRFRY optional accessory)

Lighter and tastier food thanks to airfry basket (optional accessory)

Isothermic Cavity

The best cooking performance at the highest energy efficiency

Adjustable height

Cooker top flushed with the working area thanks to adjustable feet



BBQ (optional accessory)

Barbecue cooking directly in the oven with the double-sided grill (BBQ optional accessory)

Pizza stone (optional accessory)

Baking with refractory stone for soft and crispy pizza and yeast products (STONE optional accessory)

Single turbine

The oven has a fan equipped with a circular heating element allowing cooking with rotating heat