

DNP92SEUK

EAN Code	8017709327491
Product Family	Tumble dryer
Commercial width	60 cm
Commercial depth	Standard (54 cm)
Installation	Free-standing
Drying system	Heat pump condenser
Load type	Frontal











Aesthetics

Door window Colour	Giant door White	Control knob colour	Black/Chrome
Front panel colour	White	Front panel type	NovaCare
LED/display colour	White	Door colour	Black with chrome ring
Function buttons colour	Black	Door handle color	Black
		Cabinet colour	White

Programs

Controls	Electronics
Programme graphics	Written in EN
No. of programmes	15
Programmes	

 Cotton ECO	 Rapid	 Hygiene Drying
 Refresh Hygiene	 Steam Refresh	 Bed sheet
 Cotton	 Synthetic	 Towels
 Outdoor	 Shirts	 Jeans
 Mix	 Timed Programmes	 Duvet

Special programmes



Hygiene Drying



Outdoor

Refresh Hygiene

Steam Refresh



Shirts

Display

Program duration

Delay start

Residual time indicator

Visualisation of the selected options

Display type



Programme progress indicator



End of cycle indicator



Clean filter indicator

Yes

Condenser container full indicator

Yes

Technical Features



Type of motor	Standard	Door size	40 cm
Functioning	Electronic control	Max. door opening angle	160 °
Humidity sensor	Yes	Door hinges	Right
Time drying selection	From 10 to 160 min	Reversible door	Yes
Cooling down phase	Yes	Child lock (programme set lock)	Yes
Anti-iron phase	Yes	Water condenser position	At the top
Internal light	Yes	Heating pump system	Yes
Combined filter	Yes	Type of cooling gas	R290
Fluff filter	Yes	Amount of cooling gas in kg	0.125
Drum material	Stainless steel	Condenser water drain hose	Yes
Drum volume	110 l	Column installation, with compatible washing-machine	With stacking kit, available as optional accessory
Transparent door	Yes		

Performance / Energy label – Reg 2023

Type Condensing


Electrical Connection

Connected power 900 W Frequency (Hz) 50 Hz

Current	10 A	Power supply cable length	150 cm
Voltage (V)	230-240 V	Plug	(G) UK e Singapore

Logistic Information

Width (mm)	598 mm	Product Height (mm)	846 mm
Depth (mm)	607 mm		



Compatible Accessories



KITSPNC

























Stacking kit dedicated to WN & DN
Dimension (mm): L598xH35xP618

KITSTWD



KITSPNC1

Symbols glossary

 <p>A++: Energy efficiency class A++ helps to save up to 20% energy compared to class A. Maximum performance with minimum consumption is guaranteed.</p>	 <p>Easy Iron: this is an option which can be selected to ensure the finished laundry is left with less creases to make ironing easier.</p>
 <p>Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.</p>	 <p>Delay timer: can be set to run the programme at a convenient time or to take advantage of off-peak energy periods.</p>
 <p>LED display: to show programmes, functions and options selected and the time to the end of the cycle.</p>	 <p>40 cm: Large loading hatch of 40 cm in diameter, makes laundry loading and unloading easier and faster with maximum ease of use.</p>
 <p>Humidity sensor: allows to adjust dryer to obtain the desired drying level (Iron dry, Cupboard dry and Extra dry), saving time and reducing energy consumption. In addition, manual adjusting allows you to program drying time according to your preferences.</p>	 <p>End: Show the stage at which the program is in progress: the program has finished.</p>
 <p>Internal lights: help to illuminate the inside of the drum.</p>	 <p>Noise Level: Excellent insulation and special devices keep noise to a minimum.</p>
 <p>Cotton, linen and colored fabrics that do not fade</p>	 <p>Eco 40-60: reference programme defined by EU regulations for measuring the energy performance of washing machines. Ideal for normally soiled cotton garments washable at 40 °C or 60 °C, it provides an excellent balance between cleaning performance and savings, although it requires a longer washing time.</p>
 <p>Program for drying cotton items including sheets, pillow cases, pajamas, lingerie, tablecloths, etc</p>	 <p>For fiber duvets indicating suitability on the label</p>
 <p>For high speed centrifuged jeans</p>	 <p>For synthetic fabrics without pigments and for cotton</p>
 <p>Short ventilation for cotton and linen garments without blowing hot air</p>	 <p>Gentle drying for shirts avoiding the formation of folds</p>
 <p>Selection of timed cycles at low temperatures.</p>	 <p>Super fast: a programme designed to wash small amounts of laundry fast, ideal for washing lightly soiled garments.</p>
 <p>Shirts: a cycle to wash shirts in a short time with the utmost care, using a delicate spin for easy ironing.</p>	 <p>Steam Option: the steam is perfect for smoothing out creases, refreshing fabrics, neutralizing odors and releasing dirt, destroying allergens more quickly than by washing the item in water.</p>
 <p>Shows the phase of program: Shows the phase in which the program is being.</p>	 <p>Special program for garments / fabrics, such as children's clothes, which require sanitized and delicate washing.</p>



Program dedicated to drying thick cotton laundry, such as towels, bathrobes, etc.



This programme is suitable for outdoor clothing, waterproof jackets, jackets with inner insulation, etc. Thanks to the delicate temperature and the delicate movement of the drum, it treats the garments better to protect the external fabrics.



Program for delicately treating garments in synthetic or mixed fabrics, such as t-shirts and blouses.