

# FAB10HLBL6

**Product Family** Refrigerator Installation Free standing Category One Door Until 60 Reference width Until 100 Reference height Cooling type Static Standard Hinge type Hinge position Left

EAN code 8017709342531



### **Aesthetics**

**Aesthetic** 50's Style Handle type Fixed Colour Black Handle colour Chrome **Finishing** Logo colour Glossy Chrome Design Rounded Side material Steel Side colour Material Heat-moulded Black Handle External Logo Applied

## Refrigerator compartment features



No. of adjustable

shelves

Type of adjustable

shelves

No. of lights refrigerator 1

compartment

Internal light in fridge
Type of internal light

(fridge)

Yes LED

## Refrigerator Inner Door

Number of adjustable

door shelves

2

Glass

No. of bottle shelves

1

## Other Refrigerator features

Accessories Bottle rack, Separatore

lattine



## Other technical features

Type of temperature control

No. of compressors Refrigerant gas type Type of compressor Refrigerant Quantity (gr)

Foam agent

Electro-mechanical

R600a Standard 28 q

Cyclopentane

### Performance / Energy Label - Reg. 2019

D †

72 kWh/a Annual energy

consumption

**Energy efficiency class** Airborne acoustical В

noise emission class

Total net volume 135 I Sum of the volumes of 135 I the chill compartment(s) and the unfrozen

compartment(s)

Airborne acoustical

noise emissions

Climate class SN, N, ST, T EEI 79 %

### **Electrical Connection**

Plug (F;E) Schuko 50 W


**Electrical connection** rating

Current

0,35 A

Voltage (V) Frequency (Hz) Power supply cable 220-240 V 50 Hz 180 cm

35 dB(A) re 1 pW





# Alternative products



FAB10HLRD6

Hinge position: Left

Red



FAB10HLCR6

Hinge position: Left

Cream



FAB10HLWH6

Hinge position: Left

White



# Symbols glossary



Energy efficiency class D



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



## Benefit (TT)

### Refrigerant gas R600a

Environmentally friendly R600a refrigerant gas contributes to rapid cooling with lower energy consumption

#### Climate class

Climatic class SN-T makes the appliance suitable for working at room temperature between 10  $^{\circ}$ C and 43  $^{\circ}$ C (50  $^{\circ}$ F  $\sim$  109  $^{\circ}$ F)

#### External handle

The external handle ensures practicality and ease of use of the refrigerator

#### Refrigerator Internal lighting

Interior lighting for perfect visibility of shelves in the refrigerator compartment