

# FAB30RCR5



Product Family	Refrigerator
Installation	Free standing
Category	Top Mount
Reference width	Until 60 cm
Cooling type	Fan assisted refrigerator, static freezer
Defrost	Manual
Hinge type	Standard
Hinge position	Right
EAN code	8017709297763



## Aesthetics

Aesthetic	50's Style	Logo colour	Chrome
Colour	Cream	Side material	Steel
Design	Rounded	Side colour	Cream
Finishing	Glossy	Logo	Applied
Material	Heat-moulded	Door shelves profile color	Chrome
Handle	External	Drawers profile color	Chrome
Handle type	Fixed	Color of glass shelf profile	Chrome
Handle colour	Chrome		

## Refrigerator compartment features



Number of compartments	2	Crisper Cover	Yes
Compartment types	Low temperature compartment, Fruit and vegetable compartment	Type of crisper/vegetable drawers cover	Glass
No. of adjustable shelves	2	Low temperature compartment	Yes
Number of fruit and vegetables drawers	1	Internal light in fridge	Yes
Type of adjustable shelves	Glass	Type of internal light (fridge)	LED
Type of crisper/vegetable drawers cover	On sliding rails		

## Refrigerator Inner Door

No. of door shelves with transparent cover	1	No. of bottle shelves	1
Number of adjustable door shelves	2	Bottle shelves with wire support	Yes
Adjustable door shelves with wire support	Yes		


## Other Refrigerator features

			
MultiFlow	Yes	Fan	Yes


## Freezer compartment features

No. of shelves	1	Type of shelves	Wire
----------------	---	-----------------	------

## Other technical features

			
Door open alarm		Acoustic and visual	
Type of temperature control		Electronic	
No. of compressors		1	
Refrigerant gas type		R600a	
Type of compressor		Inverter	
Refrigerant Quantity (gr)		70 g	
Foam agent		Cyclopentane	

## Performance / Energy Label - Reg. 2019


			
Annual energy consumption	168 kWh/a	Airborne acoustical noise emissions	37 dB(A) re 1 pW
Energy efficiency class	D	Temperature Rise Time	30 h
Airborne acoustical noise emission class	C	4 star - Freezing capacity	4 kg/24h
Total net volume	294 l	Climate class	SN, N, ST, T
Sum of the volumes of the frozen compartment(s)	72 l	EEL	80 %
Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s)	222 l		

## Electrical Connection

Electrical connection rating	100 W	Frequency (Hz)	50/60 Hz
Current	0.8 A	Power supply cable length	180 cm
Voltage (V)	220-240 V	Plug	(F;E) Schuko

## Logistic Information

Width	600 mm	Product depth with handle	768 mm
Depth without handle	728 mm	Product depth with doors open at 90°	1197 mm
Height	1720 mm	Spacer depth	20 mm
Product width with maximum doors opening	926 mm		



---

## Alternative products

---



**FAB30RWH5**

**Hinge position:** Right  
White



**FAB30RPK5**

**Hinge position:** Right  
Pink



**FAB30RBL5**

**Hinge position:** Right  
Black



**FAB30RRD5**

**Hinge position:** Right  
Red



**FAB30RPG5**

**Hinge position:** Right  
Pastel green



**FAB30ROR5**

**Hinge position:** Right  
Orange



**FAB30RLI5**

**Hinge position:** Right  
Lime green



**FAB30RPB5**

**Hinge position:** Right  
Pastel blue



**FAB30RSV5**








**Hinge position:** Right  
Silver



**FAB30RBE5**

**Hinge position:** Right  
Blue

## Symbols glossary

	4 stars freezing compartment for better food preservation.		A+++: Appliances with this symbol can reduce energy consumption by a further 30% from the standard A energy rating.
	Energy efficiency class D		Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge.
	LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.		Smeg's evolution towards more intelligent and eco-friendly models has led to the choice of Inverter technology, which significantly reduces consumption.
	Multiflow Cooling System: the Multiflow ventilation system allows an even distribution of cool air around the fridge cabinet.		