

FAB32ULCR3



Product family	Refrigerator
Installation	Freestanding
Category	Bottom mount
Cooling type	No Frost
Defrost	Automatic
Hinge position	Left
EAN code	8017709271961



Aesthetic

Aesthetics	Retro-Style	Logo	Applied
Color	Cream	Door shelf profile color	Chromed
Finishing	Glossy	Drawers profile color	Chromed
Handle color	Chromed	Glass shelf profile color	Chromed
Side material	Steel	Display	7 segment
Side color	Cream	Display position	Internal

Refrigerator compartment features



Number of compartments	2	Crisper cover	Yes
No. of adjustable shelves	2	Type of crisper cover	Glass
Number of fruit and vegetables drawers	1	LifePlus zone - 32°F	Yes
Type of adjustable shelves	Glass	Refrigerator lighting	Yes
Crisper drawer type	Standard	Refrigerator lighting	LED

Refrigerator Inner Door

No. of door shelves with transparent cover	1	No. of bottle shelves	1
Number of adjustable door shelves	2	Door bin with wire support	Yes

Adjustable door bins with wire support Yes

Other Refrigerator features



Accessories
MultiFlow

Egg tray
Yes

Fan

Yes

Freezer features

Number of drawers 2
No. of compartments with flap 1

Shelf type Glass

Other Freezer features



Accessories

1 x ice box

Fast-freezing
compartment

Yes

Other technical features



Display functions

Holiday, Fast-freezing, Fast-cooling, ECO, Temperature alarm

Fast-freezing button

Yes

Power-on light

Yes

Temperature alarm

Yes

Door open alarm

Acoustic and visual

Temperature Alarm

Yes

Temperature setting type

Electronic

No. of compressors

1

Refrigerant gas type

R600a

Compressor type

Inverter

No. of evaporators

2

Refrigerant quantity

2.1 oz

Foam agent

Cyclopentane

Performance / Energy Label

Noise level 37 dB(A) re 1 pW


Freezer capacity 3.99 cu. ft.

Electrical Connection

Electrical connection rating	127 W	Frequency (Hz)	50/60 Hz
Current	1,2 A	Power cord length	70 7/8 "
Voltage (V)	115 V	Plug	(B) NEMA 5-15P

Logistic Information

Width	23 11/16 "	Width with doors open at 90°	36 7/16 "
Depth without handle	28 11/16 "	Product depth (handle included)	30 1/4 "
Height	77 1/2 "	Depth with door open at 90°	47 1/8 "



Alternative products



FAB32ULRD3

Hinge position: Left
Red



FAB32ULWH3

Hinge position: Left
White



FAB32ULBL3

Hinge position: Left
Black



FAB32ULOR3

Hinge position: Left
Orange



FAB32ULPK3

Hinge position: Left
Pink



FAB32ULPB3













Hinge position: Left
Pastel Blue



FAB32ULPG3

Hinge position: Left
Pastel green

Symbols glossary

	4 stars freezing compartment for better food preservation.		A+++: Appliances with this symbol can reduce energy consumption by a further 30% from the standard A energy rating.
	The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.		Economical mode: Analyzes fridge functioning during the activation and optimizes the operating cycle in order to reduce power consumption.
	Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge.		Fast freezing: The fast freezing function brings the temperature of the compartment down when activated a few hours prior to usage.
	Power saving mode: The power saving mode allows you to disable the refrigerator and keep the freezer working.		LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.
	Life Plus 0°C: The temperature in the Lifeplus compartments is kept at 0°C, which preserves fresh meat and fish longer.		Inverter technology: The evolution of Smeg's driers towards more intelligent and environmentally sustainable models has led to the choice of using Inverter technology with heat pumps, which reduces significantly energy consumption.
	Air plus: keeps food fresher for longer.		No Frost: The No Frost and Frost free systems prevent ice from forming so that no defrosting is required.