

FAB38URBL



Product Family	Refrigerator
Installation	Free standing
Category	Bottom Mount
Sistema Total No - Frost	Total
Cooling type	Total No Frost - Double Cooling system
Defrost	Automatic
Hinge type	Standard
Hinge position	Right
EAN code	8017709291402



Aesthetics



Aesthetic	50's Style	Logo	Applied
Colour	Black	Door shelves profile color	Silver
Design	Rounded	Drawers profile color	Silver
Finishing	Glossy	Color of glass shelf profile	Silver
Handle colour	Chrome	Display	LED
Side material	Steel	Display position	Interno (cella frigo)
Side colour	Black	Alternative colours available	Pastel blue, White, Black, Cream, Red, Pastel green

Refrigerator compartment features



Number of compartments	2	Crisper Cover	Yes
Compartment types	Low temperature compartment, Fruit and vegetable compartment	Type of crisper/vegetable drawers cover	Glass
No. of adjustable shelves	3	No. of lights refrigerator compartment	2
Number of fruit and vegetables drawers	1	Low temperature compartment	Yes
Type of adjustable shelves	Glass	Internal light in fridge	Yes
		Type of internal light (fridge)	LED

Type of crisper/vegetable drawers cover On sliding rails

Refrigerator Inner Door

Number of adjustable door shelves 3 No. of bottle shelves 1

Other Refrigerator features



Humidity Control Yes
MultiFlow Yes

Fan Yes
Antibacterial odour filter

Freezer compartment features

Number of drawers 2 No. of compartments with flap 1
No. of shelves 2 Type of shelves Glass

Other Freezer features



Ice maker Manual

Fast freezing compartment Yes

Other technical features



Functions display	Fast freezing, ECO, Temperature alarm
Fast freezing button	Yes
Temperature alarm lamp	Yes
Door open alarm	Acoustic and visual
Temperature Alarm	Yes
Type of temperature control	Electronic
No. of compressors	1
Refrigerant gas type	R600a
Type of compressor	Inverter
No. of evaporators	2
Refrigerant Quantity (gr)	1.5 oz
Foam agent	Cyclopentane

Performance / Energy Label - Reg. 2019


Airborne acoustical noise emissions	42 dB(A) re 1 pW	Climate class	SN, N, ST, T
--	------------------	----------------------	--------------

Electrical Connection

Current	2,3 A	Power supply cable length	70 7/8 "
Voltage (V)	120 V	Plug	(B) NEMA 5-15P
Frequency (Hz)	60 Hz		

Logistic Information

Width	27 13/16 "	Product depth with handle	31 15/16 "
Depth without handle	30 3/8 "	Product depth with doors open at 90°	52 3/4 "
Height	80 11/16 "	Spacer depth	1 1/4 "
Product width with maximum doors opening	42 1/8 "		



Alternative products



FAB38URPG

Hinge position: Right
Pastel green



FAB38URCR

Hinge position: Right
Cream



FAB38URPB

Hinge position: Right
Pastel blue



FAB38URWH











Hinge position: Right
White



FAB38URRD

Hinge position: Right
Red

Symbols glossary

	4 stars freezing compartment for better food preservation.		The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.
	A++: Energy efficiency class A++ helps to save up to 20% energy compared to class A. Maximum performance with minimum consumption is guaranteed.		LED display: to show programmes, functions and options selected and the time to the end of the cycle.
	Economical mode: Analyzes fridge functioning during the activation and optimizes the operating cycle in order to reduce power consumption.		Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge.
	Fast freezing: The fast freezing function brings the temperature of the compartment down when activated a few hours prior to usage.		LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.
	Smeg's evolution towards more intelligent and eco-friendly models has led to the choice of Inverter technology, which significantly reduces consumption.		Air plus: keeps food fresher for longer.