

# FD32E

**Product Family** Refrigerator Installation Free standing Category Top Mount Until 60 Reference width 160 - 200 Reference height Cooling type Static Standard Hinge type Hinge position Right Reversible door Yes

**EAN code** 8017709337551



Yes

#### **Aesthetics**

drawers cover

Universale **Aesthetic** Handle type Fixed Colour White Handle colour White Side material Design Flat Steel Material Metal sheet Side colour White Handle External Applied Logo

## Refrigerator compartment features

No. of adjustable 3 Crisper Cover Yes shelves Type of Glass

Number of fruit and 1 crisper/vegetable vegetables drawers drawers cover

Type of adjustable Glass Internal light in fridge

shelves Type of internal light Incandescent light

Type of Standard (fridge) crisper/vegetable

## **Refrigerator Inner Door**

Number of adjustable 3 No. of bottle shelves 1 door shelves

# Other Refrigerator features

Accessories Egg tray



### Freezer compartment features

No. of shelves 1 Type of shelves Wire

Other Freezer features

Accessories 1 ice box lce tray shelf Yes

#### Other technical features

SACTURA STOP

Antibacterial Gasket Yes

Type of temperature control Electro-mechanical

No. of compressors1Refrigerant gas typeR600aType of compressorStandardFoam agentCyclopentane

## Performance / Energy Label NEW 2019

Ê

Annual energy 208 kWh/a Sum of the volumes of 237 l

consumption the chill compartment(s)

Energy efficiency class E and the unfrozen
compartment(s)

Airborne acoustical C
noise emission class

C C Compartment(s)

Airborne acoustical 37 dB(A) re 1pW

Total net volume 306 l noise emissions

Sum of the valumes of 60 l Temperature Rise Time 13 h

Sum of the volumes of 69 l

the frozen

compartment(s)

Temperature Rise Time 13 n

SN, N, ST

EEI 100 %


### **Electrical Connection**

 Plug
 (F;E) Schuko
 Voltage (V)
 220-240 V

Electrical connection 120 W Frequency (Hz) 50 Hz

rating Power supply cable 215 cm
Current 0.6 A length







# Symbols glossary (TT)



Antibacterial treatment: antibacterial treatment to ensure better hygiene



Energy efficiency class E