

KPRU24X

Product family Hood

Hood Type Integrated (semi) hood Design Canopy pro-style

Extraction Extraction

Electronic control Yes

MaterialStainless steelType of steelBrushed

EAN code 8017709338558

Hood width 24 "
Aesthetic Classica
Colour Stainless steel

Finishing Satin
Logo Embossed



Controls



Control setting Touch control

Program / Functions

No. of speeds Intensive speed

24h air filter function

Auto-vent 2.0







Technical Features









No. of lights 2
Light type LED
Light Power 1,3 W
Dimmer mode Yes
Light color temperature 3000 K

Light color temperature scale (K)

Free outlet maximum

capacity

Motor power

599 CFM

350 W

Anti-grease filters Stainless steel
Filter replacement Yes

indicator

No. of filters

Vent outlet 5 7/8 "
Minimum distance from 750 "

GAS hob

Minimum distance from

ELECTRIC hob

Yes

650 "

2

Non return valve




| | Extraction rate IEC 61591 [CFM] | Noise level IEC 60704-2- 13 [dBA] |
|-----------------|------------------------------------|--------------------------------------|
| Speed 1 | 213 | 54 |
| Speed 2 | 325.5 | 63 |
| Speed 3 | 454 | 70 |
| Intensive speed | 590.5 | 76 |


Electrical Connection


Electrical connection 353 W rating

Voltage 120 V

Frequency (Hz) 60 Hz Power supply cable 1000 " length









Compatible Accessories

FLT6U





Symbols glossary



24h: When selected this function refreshes the air for c. 10 minutes every hour over a 24 hour period, at minimum speed and an imperceptible noise level.



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Warning light(s): to advise when filters need changing.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.



Touch controls: Easy to use touch controls allow the appliance to be programmed at the touch of a button.



Intensive/turbo setting: when extra fast extraction is required.



Dimmering Lights



V-Condense System is a system that avoids the drips of condensation that you could show up on the hood within certain circumstance of use.