

PGF32C



| | |
|----------------|-------------------|
| Product Family | Hob |
| Built-in type | Ultra-low profile |
| Dimensions | 30 cm |
| Power supply | Electric |
| Type | Ceramic |
| EAN code | 8017709138035 |



Aesthetics



| | |
|-------------------------|-----------------------|
| Aesthetic | Classica |
| Colour | Stainless steel/Black |
| Finishing | Glass |
| Material | Glass |
| Glass type | Ceramic |
| Frame | Yes |
| Frame colour | Stainless Steel |
| Type of control setting | Control knobs |
| Control knob position | Front |
| No. of controls | 2 |
| Controls colour | Steel effect |

Program / Functions

| | |
|---------------------------|---|
| No. of ceramic cook zones | 2 |
| Power levels | 9 |
| Total no. of cook zones | 2 |

Options

| | |
|-----------------|------------|
| Worktop Cut-Out | 494x292 mm |
|-----------------|------------|

Technical Features




Front-centre - Ceramic - Single - 1.20 kW - Ø 14.0 cm

Rear-centre - Ceramic - Single - 1.80 kW - Ø 18.0 cm

Residual heat indicator Yes

Electrical Connection

| | | | |
|----------------------------------|-------------|---------------------------|-----------|
| Plug | Not present | Voltage (V) | 220-240 V |
| Electrical connection rating (W) | 3000 W | Frequency (Hz) | 50/60 Hz |
| Current | 13 A | Power supply cable length | 120 cm |



Compatible Accessories

6MP1PGF

6 Linea knobs for PGF hobs



SCRP

Non-scratch hob scraper - suitable for induction and ceramic hobs

LGPGF-1

Aluminium connecting strip for PGF



Symbols glossary



Ultra-low profile: Installation of product with flat edge - height of 1 mm.



Glass ceramic: The base of the hob is made glass ceramic. Heating is performed by the heating elements Hi-Light.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Knobs control

Benefit (TT)

Ceramic hobs

Shorter cooking times and constant temperature control thanks to the ceramic cooktop, ensuring high performance

Glass

Brightness and elegance in the kitchen: the acid-etched glass gives the surface a refined, modern look that enhances the space

Ceramic

Stability and design even up to 700 °C: the cooktop material resists high temperatures without deforming, maintaining aesthetics and functionality even with intensive use

Accurate power adjustment via knobs, for more precise cooking level control

Control knob position frontal

Instant and intuitive control thanks to front controls, easily accessible for practical use

Nine power levels and Boost function for optimal cooking performance