

S8L1743E



| | |
|------------------|---------------|
| Product Family | Refrigerator |
| Installation | Built-in |
| Category | One Door |
| Built-in niche | 178 |
| Reference width | Until 60 |
| Reference height | 160 - 200 |
| Cooling type | Fan assisted |
| Defrost | Automatic |
| Hinge type | Sliding |
| Hinge position | Right |
| Reversible door | Yes |
| EAN code | 8017709292348 |



Aesthetics



| | | | |
|---------------|-------------|------------------------------|-------------------|
| Aesthetic | Universale | Door shelves profile color | Silver |
| Colour | White | Drawers profile color | Silver |
| Material | Metal sheet | Color of glass shelf profile | Silver |
| Side material | Steel | Display | LCD Touch |
| Side colour | White | Display position | Interno (sul Top) |
| Logo | Silk screen | | |

Refrigerator compartment features



| | | | |
|---|------------------|---|-------|
| No. of adjustable shelves | 5 | Type of crisper/vegetable drawers cover | Glass |
| Number of fruit and vegetables drawers | 1 | Low temperature compartment | Yes |
| Type of adjustable shelves | Glass | Internal light in fridge | Yes |
| Type of crisper/vegetable drawers cover | On sliding rails | Type of internal light (fridge) | LED |
| Crisper Cover | Yes | | |

Refrigerator Inner Door

| | | | |
|--|---|-----------------------|---|
| No. of door shelves with transparent cover | 1 | No. of bottle shelves | 1 |
|--|---|-----------------------|---|

Number of adjustable door shelves 3

Other Refrigerator features



Accessories Kit listeria, Egg tray Fan Yes

Other technical features



| | |
|-----------------------------|---|
| Functions display | Holiday, Fast cooling, Control lock, Temperature alarm, Cooling timer |
| Temperature alarm lamp | Yes |
| Door open alarm | Yes |
| Temperature Alarm | Yes |
| Type of temperature control | Electronic |
| No. of compressors | 1 |
| Refrigerant gas type | R600a |
| Type of compressor | Standard |
| Refrigerant Quantity (gr) | 38 g |
| Foam agent | Cyclopentane |


Performance / Energy Label - Reg. 2019



| | | | |
|--|-----------|--|------------------|
| Annual energy consumption | 114 kWh/a | Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s) | 311 l |
| Energy efficiency class | E | Airborne acoustical noise emissions | 34 dB(A) re 1 pW |
| Airborne acoustical noise emission class | B | Climate class | SN, N, ST |
| Total net volume | 311 l | EEI | 100 % |

Electrical Connection

| | | | |
|------------------------------|--------------|---------------------------|-----------|
| Plug | (F;E) Schuko | Voltage (V) | 230-240 V |
| Electrical connection rating | 100 W | Frequency (Hz) | 50 Hz |
| Current | 0,7 A | Power supply cable length | 240 cm |



Symbols glossary



Energy efficiency class E



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge.



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



LCD display: to optimize performance and simplify the use of the appliance.



Power saving mode: The power saving mode allows you to disable the refrigerator and keep the freezer working.



Built-in niche

Benefit (TT)

Fan

The fan contributes to an even distribution of air inside the refrigerator

Refrigerant gas R600a

Environmentally friendly R600a refrigerant gas contributes to rapid cooling with lower energy consumption

Climate class

Climatic class SN-T makes the appliance suitable for working at room temperature between 10 °C and 43 °C (50 °F ~ 109 °F)

Refrigerator Internal lighting

Interior lighting for perfect visibility of shelves in the refrigerator compartment

Fruit and vegetable drawer

The fruit and vegetable drawer ensures the best storage conditions for fresh food, avoiding any contamination

Internal display

Internal display for targeted temperature control and a clean, minimalist design