

# S8L174D3E







**Product Family** Refrigerator Installation Built-in One Door Category Built-in niche 178 Until 60 Reference width 160 - 200 Reference height Cooling type Fan assisted **Defrost** Automatic Hinge type Door on door

Hinge position Right Reversible door Yes

EAN code 8017709292287



### **Aesthetics**



**Aesthetic** Universale Door shelves profile Silver color Colour White

Drawers profile color Silver Design Flat Color of glass shelf Chrome Side material Steel profile

Side colour White Display

LCD Touch Logo Silk screen Display porition Interno (sul Top)

## Refrigerator compartment features

Yes



No. of adjustable 5 Type of Glass

shelves crisper/vegetable drawers cover Number of fruit and 1

vegetables drawers Low temperature Yes

compartment Type of adjustable Glass shelves Internal light in fridge Yes

Type of internal light LED Type of On sliding rails

crisper/vegetable (fridge) drawers cover

# **Refrigerator Inner Door**

**Crisper Cover** 

No. of door shelves with 1 No. of bottle shelves 1 transparent cover



Number of adjustable door shelves

3

## Other Refrigerator features

\*

Accessories Kit listeria, Egg tray Fan Yes

## Other technical features

9

Functions display Holiday, Fast cooling, Cooling timer

R600a

Door open alarm Yes

Type of temperature control Electronic

No. of compressors Refrigerant gas type

Type of compressor Standard
Refrigerant Quantity (gr) 36 g
Max weight door panel (fridge) 26 kg

Foam agent Cyclopentane

## Performance / Energy Label - Reg. 2019

E A

Annual energy 114 kWh/a Airborne acoustical

consumption
Energy efficiency class E

Airborne acoustical B noise emission class

Total net volume 311 | Sum of the volumes of 311 | the chill compartment(s)

and the unfrozen compartment(s)

Airborne acoustical 35 dB(A) re 1 pW noise emissions

Temperature Rise Time 0.00 h
Climate class SN, N, ST, T
EEI 100 %


### **Electrical Connection**

Plug (F;E) Schuko Voltage (V) 230-240 V Electrical connection 100 W Frequency (Hz) 50 Hz

rating Power supply cable 240 cm

Current 0,7 A length







# Symbols glossary



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.





Energy efficiency class E



LCD display: to optimize performance and simplify the use of the appliance.



Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge.



Power saving mode: The power saving mode allows you to disable the refrigerator and keep the freezer working.



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



Built-in niche



### Benefit (TT)

#### Fan

The fan contributes to an even distribution of air inside the refrigerator

### Refrigerant gas R600a

Environmentally friendly R600a refrigerant gas contributes to rapid cooling with lower energy consumption

#### Climate class

Climatic class SN-T makes the appliance suitable for working at room temperature between 10  $^{\circ}$ C and 43  $^{\circ}$ C (50  $^{\circ}$ F  $\sim$  109  $^{\circ}$ F)

### Self-supporting hinges

Self-supporting hinges ensure a perfect fit between the equipment door and the cabinet door, giving the product a minimalist and elegant appearance

### Refrigerator Internal lighting

Interior lighting for perfect visibility of shelves in the refrigerator compartment

### Fruit and vegetable drawer

The fruit and vegetable drawer ensures the best storage conditions for fresh food, avoiding any contamination

### Internal display

Internal display for targeted temperature control and a clean, minimalist design