

SCB92PN8

Cooker size 90x60 cm 2

N. of cavities with energy label

Cavity heat source **ELECTRICITY** Gas

Hob type

Thermo-ventilated Type of main oven

Type of second oven Static Cleaning system main oven **Pyrolitic**

EAN code 8017709149710

Energy efficiency class Energy efficiency class, second cavity Α



Aesthetics



Aesthetic Classica Display electronic 5 buttons

Series Concerto Colour of buttons Silver Colour Black No. of controls 8 Serigraphy colour White Design Standard

Door With 2 horizontal strips Handle **Smeq Classic**

Upstand Yes **Handle Colour** Brushed stainless steel

Type of pan stands Cast Iron Glass type Stopsol Hob colour Stainless steel Silver Feet Command panel finish **Enamelled metal** Storage compartment Door Control knobs Assembled **Smeq Classic**

Controls colour Stainless steel Logo position Facia below the oven

9

Programme / Functions

No. of cooking functions Traditional cooking functions

Fan assisted

Circulaire

Static

Turbo Small grill Eco

Large grill Fan grill (large) Fan assisted bottom



Cleaning functions



Pyrolytic

Programs / Functions Auxiliary Oven

Bottom element + Upper element

Traditional cooking functions, cavity 2

Small grill

Large grill

Bottom

Fan-assisted bottom

Hob technical features



Total no. of cook zones 5

Front left - Gas - Rapid - 1.00 kW

Rear left - Gas - Semi Rapid - 1.80 kW

Central - Gas - UR - 3.50 kW

Rear right - Gas - Semi Rapid - 1.80 kW

Front right - Gas - AUX - 3.00 kW

Type of gas burners Standard

Automatic electronic

ignition

Yes

Gas safety valves

Burner caps

Yes

Matt black enamelled

Main Oven Technical Features



















No. of lights Net volume of the cavity 70 l Gross volume, 1st cavity 791

Cavity material Ever Clean enamel

No. of shelves

Type of shelves Metal racks Light type Halogen **Light Power** 40 W

Cooking time setting Start and Stop

Light when oven door is Yes

open

Removable door Yes Full glass inner door Yes Removable inner door Yes Total no. of door glasses 4

No.of thermo-reflective

door glasses

Safety Thermostat Heating suspended when door is opened

Tangential

1200 W

Yes

Yes

Yes

Cooling system **Door Lock During**

Pyrolisis

Usable cavity space

360X460X425 mm

dimensions (HxWxD)

Temperature control Electro-mechanical

Lower heating element

Upper heating element - 1000 W

Power

Grill elememt 1700 W Large grill - Power 2700 W



Circular heating element 2000 W

- Power

Grill type Electric

Options Main Oven

Minimum Temperature Timer Yes 50 °C End of cooking acoustic Maximum temperature 280 °C

alarm

Second Oven Technical Features

Net volume of the 35 I

No. total door glasses 3 second cavity No. thermo-reflective

Gross volume, 2nd 36 I door glasses cavity

Safety Thermostat Yes Ever Clean enamel Cavity material Cooling system **Tangential**

No. of shelves Usable cavity space 311x206x418 mm

Type of shelves Metal racks dimensions (HxWxD)

No. of lights Temperature control Electro-mechanical

Incandescent Lower heating element - 700 W Light type

Light Power 25 W power

Upper heating element - 600 W Removable door Yes Power

Full glass inner door Yes Grill element - power 1300 W Removable inner door Yes

Large grill - Power 1900 W Grill type Electric

Options Auxiliary Oven

Minimum Temperature 50 °C Maximum temperature 245 °C

Accessories included for Main Oven & Hob

Moka stand 40mm deep tray 1

Rack with back and side 1

20mm deep tray 1

Grill mesh stop

Accessories included for Secondary Oven

Grill mesh Rack with back and side 1 1

Wide baking tray

Electrical Connection



Electrical connection

5200 W

rating Current

23 A

Voltage

380-415 V

Voltage 2 (V)

220-240 V

Type of electric cable installed

Additional connection

modalities

Frequency


Yes, Single phase

Yes, Double and Three

Phase

50/60 Hz

Terminal block 5 poles





Not included accessories



KITPC92X9

Splashback, 90cm, stainless steel, for Concerto cookers with double pyrolitic ovens



PPX6090

Stainless steel grill plate suitable for 90 cm Concerto cookers



KITH900BG91

Plinth, 90cm, three sides, black, suitable for Concerto cookers single or double cavities, hight 900 mm



SFLK1

Child lock



GTP

Partially extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.



KITSB9MB





Totally extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.



SMOLD

Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C



Symbols glossary (TT)



A: Product drying performance, measured from A+++ to D / G depending on the product family



Heavy duty cast iron pan stands: for maximum stability and strength.



Air cooling system: to ensure a safe surface temperatures.



Triple glazed doors: Number of glazed doors.



Quadruple glazed: Number of glazed doors.



Ever Clean Enamel: Ever Clean enamel is applied electrostatically, corner to corner and edge to edge to prevent cracking or cracks over time. It is a particular pyrolytic enamel, resistant to acids which, in addition to being pleasantly bright, promotes greater cleaning of the oven walls, thanks to its lower porosity. It is baked at over 850 °C and slowly polymerized at a scientifically determined rate to ensure uniform depth and strength Ever Clean enamel creates an impeccable finish both on the inside of the oven and on the trays, making the surfaces of the oven incredibly easy to maintain over time as it reduces the adhesion of fat during cooking



Fan assisted base: the mix of fan and lower heating element alone allows to finish cooking foods already cooked on the surface but not internally more quickly. This system is recommended to finish cooking foods that are already well cooked on the surface, but not internally, which therefore require a moderate higher heat. Ideal for any type of food.



Fan assisted: Intense and homogeneous traditional cooking, also suitable for complex recipes. The fan is active and the heat comes from below and from above at the same time. Ventilated cooking ensures a faster and more homogeneous result, leaving fragrant foods outside and moister inside. Ideal for baked pasta, biscuits, roasts and cobblers.



Static: Traditional cooking suitable for the preparation of one dish at a time. The fan is not active and the heat comes from below and from above at the same time. Static cooking is slower and more delicate, ideal in order to get well cooked and dry dishes even inside. Ideal for cooking all types of roasts, fatty meats, bread, filled cakes.



Static: Traditional cooking suitable for the preparation of one dish at a time. The fan is not active and the heat comes from below and from above at the same time. Static cooking is slower and more delicate, ideal in order to get well cooked and dry dishes even inside. Ideal for cooking all types of roasts, fatty meats, bread, filled cakes.



Base: the heat comes only from the bottom of the cavity. The fan is not active. Ideal for sweet and savory pies, cobblers and pizzas. Designed to complete cooking and make food more crunchy This symbol in gas ovens indicates the gas burner.



Circulaire: it is the perfect function for cooking all types of dishes in a more delicate way. The heat comes from the back of the oven and is distributed quickly and evenly The fan is active. It is also ideal for cooking on multiple levels without mixing smells and flavors.



ECO: low energy consumption cooking: this function is particularly suitable for cooking on a single shelf with low energy consumption. It is recommended for all types of food except those that can generate a lot of moisture (for example vegetables). To achieve maximum energy savings and reduce time, it is recommended to put the food in the oven without preheating the cooking compartment



Grill: Very intense heat coming only from above from a double heating element. The fan is not active. Provides excellent grilling and gratinating results. Used at the end of cooking, it gives a uniform browning to dishes.



Half grill: For rapid cooking and browning of foods. Best results can be obtained by using the top shelf for small items, the lower shelves for larger ones, such as chops or sausages. For half grill heat is generated only at the centre of the element, so is ideal for smaller quantities.



Fan grill: very intense heat coming only from above from a double heating element The fan is active. It allows the optimal grilling of thickest meats. Ideal for large cuts of meat.



Turbo: the heat comes from 3 directions: above, below and from the back of the oven The fan is active. It allows quick cooking, even on several shelves without mixing the aromas. Ideal for large volumes or foods that require intense cooking.



All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.



The inner door glass: can be removed with a few quick movements for cleaning.



Side lights: Two opposing side lights increase visibility inside the oven.



PYROLYSIS - AUTOMATIC CLEANING FUNCTION: the oven heats up to a temperature approaching 500 °C and chars grease and food residues into a fine ash that can be easily wiped off with a damp cloth. At such a high temperature, the door locks automatically for safety, while the temperature of the door remains controlled so it is safe to touch User adjustable function based on the level of dirt present in the oven.



The oven cavity has 4 different cooking levels.



The oven cavity has 5 different cooking levels.



Electronic control: Allows you to maintain temperature inside the oven with the precision 2-3 ° C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.



Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.



The capacity indicates the amount of usable space in the oven cavity in litres.



The capacity indicates the amount of usable space in the oven cavity in litres.