

# SCV115G



Installation	Free standing
Reference width	Until 60
Reference height	160 - 200
Defrost	Automatic
Cooling type	Fan assisted
Hinge type	Standard
Hinge position	Right



## Wine cellar compartment features



Number of fixed shelves	1
Number of removable shelves	5
Number of removable and folding shelves	1
No. of lights	1
Shelves material	Wood
Adjustable shelves	Yes
Type of internal light	Led
Air filter	Activated charcoal filter

## Programs/Functions




Control setting	Control buttons	Control lock	Yes
Controls	Inner, in the cellar compartment	Temperature Alarm	Yes
Display	7 digits LED	Door open alarm	Yes

## Technical Features

Adjustable temperature zones	2	Compressor type	Low vibration compressor
Temperature range	5-22 °C	Refrigerant gas type	R600a
Type of temperature control	Electronic	Foam agent	Cyclopentane
		Metal panel on the back of the fridge	Metal


Anti-UV door glass	Yes	Adjustable feet	2 Front
Integrated heating element	Yes	Door opening type	With handle
Number of compressors	1		

## Performance / Energy Label - Reg. 2019

	Annual energy consumption	173 kWh/a	Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s)	368 l
	Energy efficiency class	G	Climate class	SN, N, ST
	Airborne acoustical noise emission class	C	EEL	171 %
	Total net volume	368 l	Noise level	39 dB(A) re 1 pW

## Electrical Connection







Plug	(F;E) Schuko	Voltage (V)	220-240 V
Electrical connection rating	200 W	Frequency (Hz)	50-60 Hz
Current	1 A		



---

## Symbols glossary

---

- |                                                                                  |                                                                                                                                 |                                                                                   |                                                                                                                                            |
|----------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|
|  | The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether. |  | Energy efficiency class G                                                                                                                  |
|  | LED display: to show programmes, functions and options selected and the time to the end of the cycle.                           |  | Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge. |
|  | Fingerprint proof stainless steel: Fingerprint proof stainless steel keeps stainless steel looking as good as new.              |  | LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.                      |

---

## Benefit (TT)

---

### **External handle**

Handle with sober and elegant aesthetics, for easy door opening

### **UV-protected door glass**

The UV-protected door glass protects the bottles from the passage of light into the wine cooler for impeccable storage

### **Display Shelf**

The repositionable display shelf ensures that the best bottles are always in view, with the possibility of displaying magnum bottles as well

### **LED lights**

LED lights ensure perfect multi-level visibility inside the wine cooler

### **Activated charcoal air filter**

The activated charcoal air filter ensures excellent quality of the air and is easy to maintain

### **Low-vibration compressor**

The low-vibration compressor avoids exposing the bottles to prolonged vibrations, which could compromise the quality of the wine