

# **SE264TD1**



**Product Family** 

Built-in Ultra-low profile or Fully Flushed

Hob

Dimensions60 cmPower supplyElectricTypeCeramic

**EAN code** 8017709312039



### **Aesthetics**



AestheticsUniversalColourBlackFinishingGlassMaterialGlassGlass TypeCeramicGlass edgeStraight edgeType of control settingTouch control

SliderRedControl knobs positionFrontSerigraphy colourGrey

# **Program / Functions**

No. of ceramic cook zones 4

Main on/off switch Yes

Power levels 9

Total no. of cook zones 4

## **Options**







Standard cut out 490x560 mm
End cooking timer 4
Minute minder 1

Residual time indicator Yes Show Room Demo Yes Option



End of cooking acoustic Yes alarm

Control Lock / Child Safety

Yes

### **Technical Features**







Rear left - Ceramic - single - 2.10 kW - Ø 21.0 cm Front left - Ceramic - single - 1.20 kW - Ø 14,5 cm Rear right - Ceramic - single - 1.80 kW - Ø 18.0 cm Front right - Ceramic - single - 1.20 kW - Ø 14.5 cm

Automatic switch off

Yes

Yes

when overheat

Automatic switch off

when overflow

Residual heat indicator Yes

## **Electrical Connection**


Nominal power (W) 6300 W Current 27 A Voltage (V) 220-240 V

Voltage 2 (V) 380-415 V Type of electric cable Single and Double phase

50/60 Hz Frequency (Hz) Power supply cable 130 cm

length

**Terminal Box** 4 poli





# **Compatible Accessories**



### SCRP

Induction and ceramic hobs and teppanyaki scraper



## Symbols glossary



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



Touch control



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Glass ceramic: The base of the hob is made glass ceramic. Heating is performed by the heating elements Hi-Light.



Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Time elapsed: shows how long the cooking zone has been in use.



Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.



### **Benefit**

#### Ceramic hobs

Shorter cooking times and constant temperature control thanks to the ceramic cooktop, ensuring high performance

#### Glass

Brightness and elegance in the kitchen: the acid-etched glass gives the surface a refined, modern look that enhances the space.

#### Ceramic

Stability and design even up to 700°C: the cooktop material resists high temperatures without deforming, maintaining aesthetics and functionality even with intensive use.

Immediate access to functions via touch display, for simple and intuitive control

#### Control knob position frontal

Instant and intuitive control thanks to front controls, easily accessible for practical use.

Nine power levels and Boost function for optimal cooking performance