

SE364TDMB



Product Family Hob

Built-in type Ultra-low profile or Fully Flushed

Dimensions60 cmPower supplyElectricTypeCeramic

EAN code 8017709336387



Aesthetics



AestheticSelezioneColourBlackFinishingGlassMaterialGlassGlass typeCeramicGlass edgeStraight edgeType of control settingControl knobs

Control knob positionFrontNo. of controls4Controls colourBlackSerigraphy colourGrey

Program / Functions

No. of ceramic cook zones 4
Power levels 6
Total no. of cook zones 4

Options

Worktop Cut-Out 490x560 mm

Technical Features







Front-left - Ceramic - Single - 1.80 kW - Ø 18.4 cm Rear-left - Ceramic - Single - 1.20 kW - Ø 14.8 cm Rear-right - Ceramic - Single - 1.80 kW - Ø 18.4 cm Front-right - Ceramic - Single - 1.20 kW - Ø 14.8 cm


Automatic switch off Yes

when overheat

Residual heat indicator Yes

Electrical Connection

Plug Electrical connection	Not present 6000 W	Additional connection modalities	Yes, Three and Single/Two-phase
rating (W)		Type of electric cable	Yes, Three and Single/Two-
Current	18 A	supplied	phase
Voltage (V)	220-240 V	Frequency (Hz)	50/60 Hz
Voltage 2 (V)	380-415 V	Power supply cable length	150 cm
		Terminal box	6 poles





Compatible Accessories



SCRP

Non-scratch hob scraper - suitable for induction and ceramic hobs



Symbols glossary



Knobs control



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Glass ceramic: The base of the hob is made glass ceramic. Heating is performed by the heating elements Hi-Light.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Benefit (TT)

Ceramic hobs

Shorter cooking times and constant temperature control thanks to the ceramic cooktop, ensuring high performance

Glass

Brightness and elegance in the kitchen: the acid-etched glass gives the surface a refined, modern look that enhances the space.

Ceramic

Stability and design even up to 700°C: the cooktop material resists high temperatures without deforming, maintaining aesthetics and functionality even with intensive use.

Accurate power adjustment via knobs, for more precise cooking level control

Control knob position frontal

Instant and intuitive control thanks to front controls, easily accessible for practical use.