

SE464TD



Product Family

Built-in type Ultra-low profile or Fully Flushed

Hob

Dimensions60 cmPower supplyElectricTypeCeramic

EAN code 8017709324209



Aesthetics





AestheticUniversaleColourBlackFinishingGlassMaterialGlassGlass typeCeramicGlass edgeStraight edgeType of control settingCompact Slider

SliderYesLED coloursRedControl knob positionFrontSerigraphy colourGrey

Program / Functions



No. of ceramic cook zones 4

No. of cooking zones with booster 4

Main on/off switch Yes

Power levels 9

Total no. of cook zones 4

Options



















Worktop Cut-Out 490x560 mm Residual time indicator Yes Keep warm automatic Yes **Limited Power** Yes function **Consumption Mode Limited Power** Melting/Low 2500 to 6000 - step 100 W Yes temperature cooking Consumption Mode in W function Showroom Demo Option Yes End cooking timer 4 Control Lock / Child Yes Pause option Yes Safety Minute minder Quick start Yes 1 End of cooking alarm Yes

Technical Features







Front-left - Ceramic - Single - 1.80 kW - Ø 18.5 cm Rear-left - Ceramic - Single - 1.20 kW - Ø 15.0 cm Rear-right - Ceramic - Single - 1.80 kW - Ø 18.5 cm Front-right - Ceramic - Single - 1.20 kW - Ø 15.0 cm

Yes

Yes

Automatic switch off when overheat


Automatic switch off

when overflow

Residual heat indicator Yes

Electrical Connection

Plug Not present Type of electric cable Yes, Single phase installed **Electrical connection** 6000 W Additional connection Yes, Double and Three rating (W) modalities Phase Current 18 A Frequency (Hz) 50/60 Hz Voltage (V) 220-240 V Power supply cable 150 cm Voltage 2 (V) 380-415 V length Terminal box 6 poles





Compatible Accessories



SCRP

Non-scratch hob scraper - suitable for induction and ceramic hobs



Symbols glossary



Power booster: option allows the zone to work at full power when very intense cooking is necessary.



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



Compact Slider intuitive and easy to use



The slider control panel allows you to adjust the power simply by passing your finger across the touch device.



ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.



This function allows you to keep cooked food warm without burner it



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Glass ceramic: The base of the hob is made glass ceramic. Heating is performed by the heating elements Hi-Light.



Melting function, suitable for slowly melting delicate foods such as chocolate or butter.



Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.



All cooking zones can be reduced to the minimum power level, so the hob can be left unattended for a short period without food overcooking or burning. Then just press again this function, the previously set power levels can be reactivated.



Quick Start function: the chosen temperature is reached faster. The heating element works at maximum power until the right temperature is reached.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Time elapsed: shows how long the cooking zone has been in use.



Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.



Benefit (TT)

Ceramic hobs

Shorter cooking times and constant temperature control thanks to the ceramic cooktop, ensuring high performance

Glass

Brightness and elegance in the kitchen: the acid-etched glass gives the surface a refined, modern look that enhances the space.

Ceramic

Stability and design even up to 700°C: the cooktop material resists high temperatures without deforming, maintaining aesthetics and functionality even with intensive use.

Immediate access to functions via touch display, for simple and intuitive control

Control knob position frontal

Instant and intuitive control thanks to front controls, easily accessible for practical use.

Keep Warm function

Dishes always served at the right temperature, even after cooking, thanks to the Keep Warm function

Energy consumption optimization with Eco-Logic Advance, allowing absorption limitation from 2.4 kW in 0.1 kW steps

Nine power levels and Boost function for optimal cooking performance

Melting/Low temperature cooking function

Delicate ingredients like butter or chocolate can be melted at 44°C in a controlled way