

SIA1963DG



Product Family

Built-in type Ultra-low profile or Fully Flushed

Hob

Dimensions 90 cm Power supply Electric Induction Type

EAN code 8017709328016



Aesthetics







Aesthetic Linea

Colour Neptune Grey

Finishing Glass Material Glass

Glass type 'Glassy' ceramic Glass edge Straight edge

Double ceramization Yes

Vivo Screen Max Type of control setting

Slider Yes LED colours TFT Control knob position Front Serigraphy colour Black Alternative colours available Black

Options





Multizone Option

Worktop Cut-Out

Auto Multizone

Follow Pot

Flexible Zone Type

Auto-boiling Function

Simmering Function











Yes

Yes

Yes

Yes

Yes

AreaZone

500-916 mm




















Residual time indicator Yes **Limited Power** Si Advance

Consumption Mode

Limited Power 2400 a 11100 - step 100

1

Yes

Consumption Mode in W W Showroom Demo Option Yes

SMEG SPA 26/12/2024



Keep warm automatic Yes Control Lock / Child Yes function Safety Melting/Low Bridge option Yes Yes temperature cooking Quick start Yes function Rapid level selection Yes End cooking timer 6 Pause option Yes


Technical Features











Central - Induction - Multizone - 2.40 kW - Booster 3.70 kW - 84.0x40.0 cm

Automatic setting according to pan dimension

Si. min 10 cm pan detection

Yes

Yes

Permanent Automatic Yes Pot Detection with indication of the relative control

Automatic switch off

when overheat

Automatic switch off when overflow

Residual heat indicator **Protection against** accidental start up

Yes

Yes Yes

Electrical Connection

Plug Not present 11100 W **Electrical connection** rating (W) 49 A Current Voltage (V) 220-240 V Voltage 2 (V) 380-415 V Type of electric cable Yes, Three-phase installed

Additional connection modalities Type of electric cable supplied Frequency (Hz) Power supply cable

length

Terminal box


Yes, Single and Double

phase

Yes, Single and Double

phase 50/60 Hz 120 cm

5 poles



SMEG SPA 26/12/2024



Not included accessories

GRILLPLATE



Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.

TPK



Stainless steel grill plate to cook Teppanyaki dishes



SCRP

Non-scratch hob scraper - suitable for induction and ceramic hobs

TPKPLATE



Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.

SMEG SPA 26/12/2024



Symbols glossary (TT)

has been in use.

TWIN_ZONE_72dpi

O	Automatic merge of zones for a bigger area	O	Permanent auto pot detection
<i>""</i>	Automatic Boiling function: a sensor confirms once the boiling point has been reached and then an acoustic alert signals that the ingredients can be added, saving time and energy.	P	Power booster: option allows the zone to work at full power when very intense cooking is necessary.
δ	Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.	VIVO screen wax	7 inches TFT touch, high resolution display, true colours
9	The slider control panel allows you to adjust the power simply by passing your finger across the touch device.	್	Possibility to freely move the pot everywhere without turn off the initial settings chosen.
GLASSY	Elegant silver or black glass with under glass serigraphy which allows smoothness, briliance and no noise to the surface		This function allows you to keep cooked food warm without burner it
STOP °C∓	Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.		Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.
亡	Melting function, suitable for slowly melting delicate foods such as chocolate or butter.	○	Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.
(1)	All cooking zones can be reduced to the minimum power level, so the hob can be left unattended for a short period without food overcooking or burning. Then just press again this function, the previously set power levels can be reactivated.	ECO logic ADVANCE	Possibility to set the maximum power absorbion of the hob
† 14 † 10 † 5	Quick selection, with one touch cooking begins at the highest level, then automatically reduces after time. Ideal for dishes that require quick boiling and then continued cooking without constant control (eg beef broth).	4	Quick Start function: the chosen temperature is reached faster. The heating element works at maximum power until the right temperature is reached.
Н	Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.	<i>"!!</i>	Simmering function: ideal for long-cooking recipes, preventing food from boiling over or sticking to the pan.
()	Time elapsed: shows how long the cooking zone	$(\dot{\circ})$	Timer: All ceramic hobs have a timer which

SMEG SPA 26/12/2024

automatically ends cooking after a preset time.