

# SISL7845MB



<b>Product Family</b>	Hob
<b>Built-in type</b>	Support
<b>Dimensions</b>	80 cm
<b>Power supply</b>	Electric
<b>Type</b>	Induction
<b>EAN code</b>	8017709357160



## Aesthetics

<b>Aesthetic</b>	Isola
<b>Serie</b>	Alta Pro
<b>Colour</b>	Black with matt black frame
<b>Perimeter lighting</b>	Yes
<b>Material</b>	Glass
<b>Glass type</b>	Prestige ceramic
<b>Glass edge</b>	Straight edge
<b>Frame</b>	Yes
<b>Frame colour</b>	Black
<b>Frame material</b>	Aluminum
<b>Type of control setting</b>	Vivo Screen
<b>LED colours</b>	TFT
<b>Control knob position</b>	Front
<b>Logo</b>	Silk screen
<b>Serigraphy colour</b>	Grey
<b>Alternative colours available</b>	Stainless steel

## Program / Functions



<b>No. of induction cook zones</b>	4
<b>Time-setting options</b>	Automatic switch-off
<b>No. of cooking zones with booster</b>	4
<b>No. of Flexible zones</b>	1
<b>Main on/off switch</b>	Yes
<b>Power levels</b>	17
<b>Total no. of cook zones</b>	4

## Options



<b>Multizone Option</b>	Yes	<b>Melting/Low temperature cooking function</b>	Yes
<b>Flexible Zone Type</b>	MultiZone	<b>End cooking timer</b>	4
<b>Worktop Cut-Out</b>	490x745 mm	<b>Pause option</b>	Yes
<b>Double Booster</b>	Yes	<b>Minute minder</b>	1
<b>Follow Pot</b>	Yes	<b>End of cooking alarm</b>	Yes
<b>Pasta function</b>	Yes	<b>Residual time indicator</b>	Yes
<b>Steaming function</b>	Yes	<b>Limited Power Consumption Mode</b>	Si Advance
<b>Roasting function</b>	Yes	<b>Limited Power Consumption Mode in W</b>	2400 a 7400 - step 100 W
<b>Auto-boiling Function</b>	Yes	<b>Showroom Demo Option</b>	Yes
<b>Simmering Function</b>	Yes	<b>Control Lock / Child Safety</b>	Yes
<b>Keep warm automatic function</b>	Yes	<b>Quick start</b>	Yes

## Technical Features




Front-left - Induction - Multizone - 2.10 kW - Booster 3.00 kW - Double booster 3.70 kW - 21.0x0.0 cm  
 Rear-left - Induction - Multizone - 2.10 kW - Booster 3.00 kW - Double booster 3.70 kW - 21.0x0.0 cm  
 Central - Induction - Single - 1.40 kW - Booster 1.85 kW - Double booster 2.20 kW - Ø 14.5 cm  
 Front-right - Induction - Single - 2.60 kW - Booster 3.20 kW - Double booster 3.70 kW - Ø 26.0 cm  
 Multizone left - Booster 3.7 kW - 38.5x23.0 cm

<b>Automatic setting according to pan dimension</b>	Yes	<b>Automatic switch off when overheat</b>	Yes
<b>pan detection</b>	Yes, min. 9 cm	<b>Automatic switch off when overflow</b>	Yes
<b>Permanent Automatic Pot Detection with indication of the relative control</b>	Yes	<b>Residual heat indicator</b>	Yes
<b>Minimum pan diameter indication</b>	Yes	<b>Protection against accidental start up</b>	Yes

## Electrical Connection

<b>Electrical connection rating (W)</b>	7400 W	<b>Type of electric cable supplied</b>	Yes, Double and Three Phase
<b>Current</b>	33 A	<b>Frequency (Hz)</b>	50/60 Hz
<b>Voltage (V)</b>	220-240 V	<b>Power supply cable length</b>	120 cm
<b>Voltage 2 (V)</b>	380-415 V	<b>Terminal box Plug</b>	5 poles Not present
<b>Type of electric cable installed</b>	Yes, Single phase		

Additional connection modalities Yes, Double and Three Phase



---

## Compatible Accessories

---



### GRILLPLATE

Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.



### TPKPLATE





















Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.



### SCRP

Non-scratch hob scraper - suitable for induction and ceramic hobs

## Symbols glossary

 <p>Permanent auto pot detection</p>	 <p>Automatic Boiling function: a sensor confirms once the boiling point has been reached and then an acoustic alert signals that the ingredients can be added, saving time and energy.</p>
 <p>Power booster: option allows the zone to work at full power when very intense cooking is necessary.</p>	 <p>Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.</p>
 <p>Additional maximum power level for a better energy consumption</p>	 <p>Possibility to freely move the pot everywhere without turn off the initial settings chosen.</p>
 <p>This function allows you to keep cooked food warm without burner it</p>	 <p>Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.</p>
 <p>Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.</p>	 <p>Melting function, suitable for slowly melting delicate foods such as chocolate or butter.</p>
 <p>Multizone: allows several pans to be used at once, large or small, offering freedom of placement and greater flexibility</p>	 <p>Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.</p>
 <p>All cooking zones can be reduced to the minimum power level, so the hob can be left unattended for a short period without food overcooking or burning. Then just press again this function, the previously set power levels can be reactivated.</p>	 <p>Quick Start function: the chosen temperature is reached faster. The heating element works at maximum power until the right temperature is reached.</p>
 <p>Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.</p>	 <p>Simmering function: ideal for long-cooking recipes, preventing food from boiling over or sticking to the pan.</p>
 <p>Time elapsed: shows how long the cooking zone has been in use.</p>	 <p>Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.</p>
 <p>Min diameter pot detection of 9 cm.</p>	 <p>Possibility to set the maximum power absorption of the hob.</p>