

SOP6900TN





Category 60cm Oven **Product Family** Electric Power supply **Heat source** Electric

Cooking method Thermo-ventilated Galileo cavity Traditional pyro Cleaning system Pyrolytic

EAN code 8017709314903

White



Steel effect

Aesthetics

Victoria Symbols **Aesthetics** Serigraphy type Colour Black With panel Door Design Rounded Handle Victoria Painted material Material **Handle Colour** Stainless steel Type of steel Brushed Applied Logo Glass Type Clear1 Control knobs Victoria

Controls

Serigraphy colour



Display name DigiScreen Control setting Control knobs Display technology **LED** No. of controls

Programs / Functions

No. of cooking functions

9

Controls colour



Traditional cooking functions Static

Fan assisted





Turbo (circulaire + bottom + upper +



ECO

Large grill

fan)

Fan grill (large)





Fan assisted base

Cleaning functions



Pyrolytic

Options







Delay start and automatic Time-setting options

end cooking

Minute minder Yes 1

Timer

Other options

Keep warm, Eco light

Showroom demo option Yes Yes

Rapid pre-heating

Technical Features

























30°C Minimum Temperature 280°C Maximum temperature Shelf positions 5 2 No. of lights Light type Halogen User-replaceable light Yes 40 W Light power Yes Light when door is opened 1200 W

Lower heating element

power

Upper heating element - 1000 W

Power

Grill element - power 1700 W Large grill - Power 2700 W

Door opening type Door

Removable door Full glass inner door Removable inner door Total no. of door glasses 4

Chimney Cooling system Cooling duct **Door Lock During Pyrolisis**

Usable cavity space dimensions (HxWxD) Temperature control

353x470x401 mm

Standard opening

Cool

Yes

Yes

Yes

Fixed

Double

Yes

Tangential

Electronic

Cavity material Easy clean enamel



Circular heating element 2000 W

- Power

Heating suspended when door is opened

Yes

Performance / Energy Label





Energy efficiency class Net volume of the cavity 68 litres Energy consumption per 1.09 KWh

cycle in conventional

mode

Energy consumption in 3.92 MJ

conventional mode

Energy consumption in 2.88 MJ

forced air convection

Energy consumption per 0.80 KWh

cycle in fan-forced

convection

Number of cavities Energy efficiency index 95,2 %

Accessories Included

Chrome shelf 1 Enamelled deep tray

(50mm)

Electrical Connection

Voltage 220-240 V 13 A Current Nominal power (W) 3000 W

Frequency (Hz) 50/60 Hz Power supply cable 150 cm length

400-554 560-568 550 min.15 462 583-585 44 509 39 597



Not included accessories

AIRFRY

Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.



GTP2F



GTT2F



Antifingerprint stainless steel. Cover for furniture in column installation of

more ovens

PR3845X



ET50

Enamelled tray, 50mm deep




ET20

Enamelled tray, 20mm deep



BBQ





PALPZ

Pizza shovel with fold away handle width: 315mm length: 325mm



suitable for meats and cheeses. The smooth side for fish, seafood and vegetables.

26/04/2024 **SMEG SPA**



Alternative products



SOP6900TX Stainless steel



SOP6900TP Cream



| Symbols glossary | | | |
|------------------|--|---------|--|
| B | Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed. | <u></u> | Air cooling system: to ensure a safe surface temperatures. |
| 4 | Quadruple glazed: Number of glazed doors. | 100 | Automatic lighting switches off: for greater energy savings, the lighting switches off automatically after one minute from the start of cooking. |
| Œ | Electric | A | A: Product drying performance, measured from A+++ to D / G depending on the product family |
| | Enamel interior: The enamel interior of all Smeg ovens have a special antacid lining which helps keep the interior clean by reducing the amount of cooking grease adhering to it. | (A) | Fresh Touch: Most of Smeg ovens have a "cool door." Thanks to the combination of tangential cooling and internal heat-reflecting glasses, the temperature on the outer surface of the door is maintained below 50° C. In addition to providing safety, this system protects the sides of the furniture from overheating by the oven. |
| *) | Circogas: In gas ovens the fan distributes the heat quickly and evenly throughout the oven cavity, avoiding flavour transfer when cooking a number of different dishes at the same time. In electric ovens this combination completes cooking more quickly of foods that are ready on the surface, but that require more cooking inside, without further browning. | 8 | Fan with upper and lower elements: The elements combined with the fan aim to provide more uniform heat, a similar method to conventional cooking, so pre-heat is required. Most suitable for items requiring slow cooking methods. |
| | Upper and lower element only: a traditional cooking method best suited for single items located in the centre of the oven. the top pf the oven will always be hottest. Ideal for roast, fruit cakes, bread etc. | | Lower heating element only: This function is ideal for foods that require extra base temperature without browning, e.g. pastry dishes, pizza. Also suitable for slow cooking of stews and casseroles. |
| ® | Circulaire: The combination of the fan and circular element around it gives a hot air cooking method. This provides many benefits including no preheat if cook time is more than 20 minutes, no flavour transfer when cooking different foods at the same | ECO | ECO: The combination of the grill, fan and lower element is particularly suitable for cooking small quantities of food. |

Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon.

for all types of food.

time, less energy, and shorter cook times. Good

Fan with grill element: The fan reduces the fierce heat from the grill, providing an excellent method of grilling various foods, chops, steaks, sausages etc. giving even browning and heat distribution, without drying out the food. The top two levels recommended for use, and the lower part of the oven can be used to keep items warm at the same time, an excellent facility when cooking a grilled breakfast. Half grill (centre portion only) is ideal for small quantities of food.





Circulaire with upper and lower elements: The use of the fan with both elements allows food to be cooked quickly and effectively, ideal for large joints that require thorough cooking. It offers a similar result to rotisserie, moving the heat around the food, instead of moving the food itself, enabling any size or shape to be cooked.



All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.



The inner door glass: can be removed with a few quick movements for cleaning.



Keep warm: This function allows you to keep precooked foods warm.



Side lights: Two opposing side lights increase visibility inside the oven.



Pyrolitic: Pyrolitic cleaning cycles can be selected as necessary to automatically clean the oven interior.



Rapid preheat: The rapid preheat function can be used to reach the selected temperature in just a few minutes.



The oven cavity has 5 different cooking levels.



Electronic control: Allows you to maintain temperature inside the oven with the precision 2-3 °C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.



The capacity indicates the amount of usable space in the oven cavity in litres.



...