

SOU130S1



Category Product Family Power supply Heat source Cooking method Cleaning system EAN code 30" Oven Electric ELECTRICITY Thermo-ventilated Pyrolitic 8017709287351



Aesthetics

Aesthetic Colour Design	Linea Silver	Serigraphy colour Serigraphy type	White Symbols and wordings
Design	Flat	Door	Full glass
Material	Glass	Handle	Linea
Glass Type	Stopsol	Logo	Silk screen

Controls


.....

9			
Display technology	TFT	No. of display	6
Control setting	Full touch	languages	
-		Display languages	Italiano, English (UK),
			English (US), Français (FR),
			Español (ES), Deutsch (DE)

Programs / Functions

No. of cooking functions	9
Automatic programmes	70





Options

Time-setting options	Delay start and automatic	Other options	Keep warm
	end cooking	Cooking with probe	Yes
Minute minder	Yes	thermometer	
Timer	1	Rapid pre-heating	Yes
Controls Lock / Child Safety	Yes		

Technical Features

.e 🖓 💾 🗅	0 <u>,</u>		
Minimum Temperature	86 °F	Circular heating element	1300 W
Maximum temperature	554 °F	- Power	
No. of shelves	6	Circular heating element	1300 W
N. of fans	2	2 - Power	
No. of lights	3	Heating suspended when door is opened	Yes
Light type	Halogen	Door opening type	Standard opening
User-replaceable light	Yes	Removable door	Yes
Light Power	20 W		
Light when door is	Yes	Total no. of door glasses	
opened		Cooling system	Tangential
Lower heating element	3000 W	Door Lock During Pyrolisis	Yes
Upper heating element - Power	1032 W	Usable cavity space dimensions (HxWxD)	410x610x415; mm
Large grill - Power	3500 W	Temperature control	Electronic
	5500 11	Cavity material	Enamel



Performance / Energy Label

Net volume of the cavity 3.64 cu.ft.

Number of cavities 1

Accessories Included

103 k

A.			
Rack with back and side stop	2	Telescopic Guide rails, total Extraction	1
Enamelled tray (20mm)	1	Temperature probe	Yes, single point
Insert gird	1		

Electrical Connection

Voltage Current Nominal power	240-208 ∨ 15,6 A 3535 W	Frequency (Hz) Power supply cable length	60 Hz 78 3/4 "
1"38.1"9/16 23"5/8 19/16 19/16 19/16 19/16 19/17/16 28"T1/16	28"3/16 28"3/16 28"3/16 28"3/16 28"1/16 28"1/16 28"1/16	2"5/8 24"1/2 true true true true true true true true	<u>6"</u>



Compatible Accessories

ET50



Enamelled tray suitable for 45cm and 60cm ovens. Depth 50 mm. Perfect for cooking and roasting meat and fish in sauces. Also ideal for experimenting with lighter and crunchy side dishes




STONE

Rectangular refractory stone Ideal for cooking pizzas with the same results as a typical wood-fired oven. Can also be used for baking bread, focaccias and other recipes such as pies, flans or biscuits Dimensions:L42 x H1,8 x P37,5 cm.

•ss•smeg

Symbols glossary





P	PYROLYSIS - AUTOMATIC CLEANING FUNCTION: the oven heats up to a temperature approaching 500 ° C and chars grease and food residues into a fine ash that can be easily wiped off with a damp cloth. At such a high temperature, the door locks automatically for safety, while the temperature of the door remains controlled so it is safe to touch User adjustable function based on the level of dirt present in the oven.	R	Temperature probe: with the temperature probe it is possible to perfectly cooking roasts, loins, meat of various cuts and sizes. In fact, the probe improve food cooking, thanks to the precise control of the temperature at the heart of the dish. The core temperature of the food is measured by a special sensor located inside the tip. When the instant temperature reaches the target temperature set by the user, cooking is finished
	Air at 40°C provides the perfect environment for proving yeast type dough mixes. Simply select the function and place dough in the cavity for allotted	-	Rapid preheating: cooking is preceded by the preheating phase which allows the cooking compartment to reach the set temperature. This option reduces the time by up to 50%.
i	SABBATH: function that allows to cook food respecting Judaism's day of rest provisions.	.6	The oven cavity has 6 different cooking levels.
	Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely.		Electronic control: Allows you to maintain temperature inside the oven with the precision 2- 3 ° C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.
Ŷ	Touch controls: Easy to use touch controls allow the appliance to be programmed at the touch of a button.	103 k	The capacity indicates the amount of usable space in the oven cavity in litres.
126 R	The capacity indicates the amount of usable space in the oven cavity in litres.	1111	
(it)	Keep warm: the function allows to keep cooked food warm.		