

# TR90GR2

Cooker size

N. of cavities with energy label

Cavity heat source

Hob type

Type of main oven

Cleaning system main oven

EAN code

**Energy efficiency class** 

90x60 cm

1

**ELECTRICITY** 

Gas

Thermo-ventilated

Catalytic

8017709322120

Α



# **Aesthetics**





**Aesthetic** Victoria Design Victoria Colour Slate Grey **Finishing** 

Command panel finish

Logo

Logo position

Upstand

Hob colour Type of pan stands Type of control setting

hob

Control knobs

Glossy **Enamelled** metal

assembled 50's

Upstand+ Command panel

Yes

Black enamel Cast Iron Control knobs

Smeg Victoria

Controls colour Stainless steel

No. of controls Serigraphy colour Black

Electronic 5 buttons Display

Door With frame Glass type Black

Handle Smeg Victoria **Handle Colour** Polished chrome

Storage compartment Drawer Sliding compartment Yes Feet none Plinth Anthracite

# **Programs / Functions**

No. of cooking functions Traditional cooking functions

Fan assisted



Circulaire

ECO

Eco

Static

Small grill

Base



Large grill

Fan grill (large)



Fan assisted base

**SMEG SPA** 2025/06/13

9



### Other functions

Defrost by time

Cleaning functions

Catalytic

Vapor clean

# Hob technical features



#### Total no. of cook zones 5

Front left - Gas - Rapid - 2.90 kW Rear left - Gas - Semi Rapid - 1.80 kW Central - Gas - 2UR (dual) - 5.00 kW Rear right - Gas - Semi Rapid - 1.80 kW

Front right - Gas - AUX - 1.00 kW

Type of gas burners Standard

Automatic electronic Yes

ignition

Gas safety valves Yes

**Burner** caps Matt black enamelled

# Main Oven Technical Features













No. of lights 2 Fan number 2 Net volume of the cavity 115 l Gross volume, 1st cavity 129 l

Cavity material Ever Clean enamel

No. of shelves

Type of shelves Metal racks Halogen Light type 40 W **Light Power** 

Cooking time setting Contaminuti + fine cottura

Yes

Light when oven door is

open

Door opening Flap down

Removable door Yes Full glass inner door Yes

Removable inner door Yes Total no. of door glasses 3 No.of thermo-reflective

door glasses

Safety Thermostat Yes

Cooling system Tangential

Usable cavity space

dimensions (HxWxD)

Electro-mechanical Temperature control

371x724x418 mm

Lower heating element 1700 W

power

Upper heating element - 1200 W

**Power** 

Grill elememt 1700 W Large grill - Power 2900 W

Circular heating element 2 x 1550 W

- Power

Grill type Electric Soft Close system Yes

# **Options Main Oven**

Timer Yes Minimum Temperature 50 °C Maximum temperature 260 °C

2025/06/13 **SMEG SPA** 



End of cooking acoustic Yes alarm


# Accessories included for Main Oven & Hob

Cast iron wok support 1 40mm deep tray 1
Moka stand in cast iron 1 Grill mesh 1
Rack with back and side 1 Catalityc panels 3
stop

20mm deep tray 1

# **Electrical Connection**

Plug Not present Installed electric cable Yes, Single phase 3200 W **Electrical connection** Power supply cable 120 cm rating length Current 14 A Frequency 50/60 Hz 220-240 V Terminal block 3 poles Voltage





# **Compatible Accessories**

### AIRFRY9

Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.

## BBQ9



#### **BGTR9**

Cast iron grill plate suitable for 90 cm Victoria, 60 and 90 cm Master and Sinfonia cookers

#### **BN920**



### **BN940**

# GTP

Partially extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.

## GTT

Totally extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.



### KIT1TR9N

Splashback black, 90cm ,suitable for TR90 and TR93 Victoria cookers

# KITHTR90



Height extension kit (950mm), black, suitable for Victoria TR90 cookers (945-960mm)

### PALPZ

Pizza shovel with folding handle. Dimensions L31.5 x H32.5 cm. Easy and convenient to use and store. Perfect for serving pizza, bread and savory pastries in a safe and professional way.

#### PPR9



Refractary pizza stone without handles. Squared shaped stone: L64xH2,3xP37,5 cm Suitable also for gas ovens, to be put on the griddle.

# SMOLD



Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C



# Symbols glossary



Heavy duty cast iron pan stands: for maximum stability and strength.



Catalytic cleaning: the system ensures perfect hygiene inside the oven thanks to the three selfcleaning panels coated with a special enamel that promotes the progessive elimination of traces of grease and odors caused by cooking.



I

Installation in column: Installation in column



Knobs control



Air cooling system: to ensure a safe surface temperatures.



Defrost by time: Manual defrost function. At the end of the set duration, the function stops.



Triple glazed doors: Number of glazed doors.



Ever Clean Enamel: Ever Clean enamel is applied electrostatically, corner to corner and edge to edge to prevent cracking or cracks over time. It is a particular pyrolytic enamel, resistant to acids which, in addition to being pleasantly bright, promotes greater cleaning of the oven walls, thanks to its lower porosity. It is baked at over 850 °C and slowly polymerized at a scientifically determined rate to ensure uniform depth and strength Ever Clean enamel creates an impeccable finish both on the inside of the oven and on the trays, making the surfaces of the oven incredibly easy to maintain over time as it reduces the adhesion of fat during cooking



Fan assisted base: the mix of fan and lower heating element alone allows to finish cooking foods already cooked on the surface but not internally more quickly. This system is recommended to finish cooking foods that are already well cooked on the surface, but not internally, which therefore require a moderate higher heat. Ideal for any type of food.



Fan assisted: Intense and homogeneous traditional cooking, also suitable for complex recipes. The fan is active and the heat comes from below and from above at the same time. Ventilated cooking ensures a faster and more homogeneous result, leaving fragrant foods outside and moister inside. Ideal for baked pasta, biscuits, roasts and cobblers.



Static: Traditional cooking suitable for the preparation of one dish at a time. The fan is not active and the heat comes from below and from above at the same time. Static cooking is slower and more delicate, ideal in order to get well cooked and dry dishes even inside. Ideal for cooking all types of roasts, fatty meats, bread, filled cakes.



Base: the heat comes only from the bottom of the cavity. The fan is not active. Ideal for sweet and savory pies, cobblers and pizzas. Designed to complete cooking and make food more crunchy This symbol in gas ovens indicates the gas burner.



Circulaire: it is the perfect function for cooking all types of dishes in a more delicate way. The heat comes from the back of the oven and is distributed quickly and evenly The fan is active. It is also ideal for cooking on multiple levels without mixing smells and flavors.



ECO: low energy consumption cooking: this function is particularly suitable for cooking on a single shelf with low energy consumption. It is recommended for all types of food except those that can generate a lot of moisture (for example vegetables). To achieve maximum energy savings and reduce time, it is recommended to put the food in the oven without preheating the cooking compartment




Grill: Very intense heat coming only from above from a double heating element. The fan is not active. Provides excellent grilling and gratinating results. Used at the end of cooking, it gives a uniform browning to dishes.



The capacity indicates the amount of usable

space in the oven cavity in litres.





# Benefit (TT)

#### Gas hob

Induction offers fast cooking and precise temperature control

Equipped with a thermocouple, the gas supply is cut off if the flame is extinguished for greater safety.

#### Catalysis

Easy oven cleaning through the use of catalytic panels in the cavity

This permanent process allows continuous cleaning and degreasing of the three cavity walls, starting its grease oxidation phase when the oven reaches 200°C.

#### **Buttons control**

Easy and intuitive timer setting with a simple buttons

### Drawer storage compartment

More space thanks to the lower drawer compartment, ideal for storing accessories or cooking utensils

#### True-convection

The best cooking performances guaranteed by ventilated circular flow

Multiple fans and heating elements guarantee the perfect aerodynamic heat flow, allowing homogeneous and quicker cooking inside the cavity.

### Multilevel cooking

Several cooking levels allow maximum flexibility of use

### Multilevel halogen light

Internal halogen lighting on different levels guarantees excellent visibility

### Removalble inner glass

Internal door glasses are easily removable for complete cleaning

### Tangential cooling

New cooling system with tangential fan and airflow from the door to the splashback

# **BBQ** (optional accessory)

Barbeque cooking directly in the oven with the double-sided grill (BBQ optional accessory)

### Pizza stone (optional accessory)

Baking with refractory stone for soft and crispy pizza and yeast products (STONE optional accessory)



# Adjustable height

Cooker top flushed with the working area thanks to adjustable feet

### Cold door

During any function, the external door glass is cold, avoiding any risk of burns

## AirFry (AIRFRY optional accessory)

Lighter and tastier food thanks to airfry basket (optional accessory)

## **Isothermic Cavity**

The best cooking performance at the highest energy efficiency

### Soft close

The door is equipped with a specific system for silent closing

### **Double Turbine**

The oven has two fans equipped with two circular heating elements allowing cooking with rotating heat