

# TR93GR

Cooker size N. of cavities with energy label Cavity heat source Hob type Type of main oven Type of second oven Cleaning system main oven EAN code Energy efficiency class Energy efficiency class, second cavity 90x60 cm 2 ELECTRICITY Gas Thermo-ventilated Thermo-ventilated Vapor Clean 8017709294243 A B




## Aesthetics

| <u>ه</u>                       |                        |
|--------------------------------|------------------------|
| Aesthetic                      | Victoria               |
| Design                         | Victoria               |
| Colour                         | Slate Grey             |
| Finishing                      | Glossy                 |
| Command panel finish           | Enamelled metal        |
| Logo                           | assembled 50's         |
| Logo position                  | Upstand+ Command panel |
| Upstand                        | Yes                    |
| Hob colour                     | Black enamel           |
| Type of pan stands             | Cast Iron              |
| Type of control setting<br>hob | Control knobs          |

- Type of control knobs Controls colour No. of controls Serigraphy colour Display name Door Glass type Handle Handle Colour Plinth
- Smeg Victoria Stainless steel 10 Silver Electronic 5 buttons With frame Black Smeg Victoria Brushed stainless steel Anthracite

## Programs / Functions main oven





#### **Cleaning functions**



Vapor clean

# Programs / Functions auxiliary oven

Cooking functions cavity 2 Traditional cooking functions, cavity 2



# Programs / Functions third oven

No. of functions third oven Oven light

Full grill

| Ho | b teo | chnical | l feature | :S |
|----|-------|---------|-----------|----|
|    |       |         |           |    |



# Total no. of cook zones 6Front left - Gas - 2UR (dual) - 4.20 kWRear left - Gas - AUX - 1.00 kWFront centre - Gas - AUX - 1.00 kWRear centre - Gas - AUX - 1.00 kWRear centre - Gas - Semi Rapid - 1.80 kWFront right - Gas - Semi Rapid - 1.80 kWRear right - Gas - Semi Rapid - 1.80 kWRear right - Gas - Semi Rapid - 1.80 kWType of gas burnersStandardAutomatic electronicYesignition

| Gas safety valves |  |
|-------------------|--|
| Burner caps       |  |

1

1

Yes Matt black enamelled

# Main Oven Technical Features

| 💷 🚊 🤌 📃                  |                   |                                  |                    |
|--------------------------|-------------------|----------------------------------|--------------------|
| No. of lights            | 1                 | Total no. of door glasses        | 3                  |
| Fan number               | 1                 | No.of thermo-reflective          | 1                  |
| Net volume of the cavity | 61 I              | door glasses                     |                    |
| Gross volume, 1st cavity | 701               | Safety Thermostat                | Yes                |
| Cavity material          | Ever Clean enamel | Cooling system                   | Tangential         |
| No. of shelves           | 4                 | Usable cavity space              | 316x460x412 mm     |
| Type of shelves          | Metal racks       | dimensions (HxWxD)               |                    |
| Light type               | Halogen           | Temperature control              | Electro-mechanical |
| Light Power              | 40 W              | Lower heating element            | 1200 W             |
| Cooking time setting     | Start and Stop    | power                            |                    |
| Door opening             | Side opening      | Upper heating element -<br>Power | 1000 W             |



| Removable door Yes        | Grill elememt                       | 1700 W   |
|---------------------------|-------------------------------------|----------|
| Full glass inner door Yes | Large grill - Power                 | 2700 W   |
| Removable inner door Yes  | Circular heating element<br>- Power | 2000 W   |
|                           | Grill type                          | Electric |
|                           | Tilting grill                       | Yes      |

# **Options Main Oven**

| Timer                   | Yes | Minimum Temperature | 50 °C  |
|-------------------------|-----|---------------------|--------|
| End of cooking acoustic | Yes | Maximum temperature | 260 °C |
| alarm                   |     |                     |        |

### **Second Oven Technical Features**

| Net volume of the<br>second cavity62  Full glass inner door<br>Removable inner doorYesGross volume, 2nd<br>cavity69  No. total door glasses2CavityEver Clean enamelNo. thermo-reflective1Cavity materialEver Clean enameldoor glasses2 |
|--|
| Gross volume, 2nd69 lNo. total door glasses2cavityEver Clean enamelNo. thermo-reflective1door glassesdoor glasses1   |
| cavity<br>Cavity material Ever Clean enamel door glasses 2<br>door glasses 2<br>door glasses 2   |
| Cavity material Ever Clean enamel door glasses   |
|  |
| No. of shelves 9 Safety Thermostat Yes   |
| Type of shelves Metal racks Cooling system Tangential  |
| No. of lights 1 Usable cavity space 605x275x370 mm   |
| Light type Halogen dimensions (HxWxD)  |
| Light Power40 WTemperature controlElectro-mechanical   |
| Door opening Side opening Circular heating element 2500 W  |
| Removable door Yes - Power   |

# **Options Auxiliary Oven**

Minimum Temperature 50 °C

Maximum temperature 245 °C


# **Third Oven Technical Features**

| 36R 🖳 🚑 🚿              |                   |   |                    |
|------------------------|-------------------|---|--------------------|
| Net volume, 3rd cavity | 361               | Removable inner door                      | Yes                |
| Gross volume, 3rd      | 41 I              | No. total door glasses                    | 3                  |
| cavity                 |                   | No. of thermo-reflective                  | 1                  |
| Cavity material        | Ever Clean enamel | door glasses                              |                    |
| No. of shelves         | 2                 | Safety Thermostat                         | Yes                |
| Type of shelves        | Metal racks       | Cooling system                            | Tangential         |
| No. of lights          | 1                 | Usable cavity space<br>dimensions (HxWxD) | 169x440x443 mm     |
| Light type             | Halogen           |   |                    |
| Light Power            | 40 W              | Temperature control                       | Electro-mechanical |
| Door opening           | Flap down         | Large grill - Power                       | 2700 W             |
| Removable door         | Yes               | Grill type                                | Electric           |



| Full glass inner door  | Yes                                   | Tilting grill  | Yes                                   |
|--|---------------------------------------|--|---------------------------------------|
| Options Third Ov   | en                                    |  |                                       |
| Minimum Temperature  | 50 °C                                 | Maximum temperature  | 260 °C                                |
| Accessories inclu  | ded for Main Oven                     | & Hob  |                                       |
|  |                                       |  |                                       |
| Cast iron wok support  | 1                                     | 40mm deep tray   | 1                                     |
| Moka stand in cast iron  | 1                                     | Grill mesh   | 1                                     |
| Rack with back and side stop   | 2                                     | Telescopic Guide rails,<br>partial Extraction                      | 1                                     |
| Accessories inclu  | ded for Secondary                     | Oven   |                                       |
|  |                                       |  |                                       |
| Oven grid with back<br>stop  | 3                                     | Plate rack/warmer  | 1                                     |
| Accessories inclu  | ded for Third Oven                    |  |                                       |
| Rack with back and side stop   |                                       | 40mm deep tray   | 1                                     |
| Rack with back and side  | 1                                     | 40mm deep tray   | 1                                     |
| Rack with back and side<br><sup>stop</sup><br>Electrical Connec  | tion                                  | 40mm deep tray<br>Electric cable                                   | 1<br>Not included                     |
| Rack with back and side<br>stop  | 1                                     |  |                                       |
| Rack with back and side<br>stop<br>Electrical Connec<br>Plug<br>Electrical connection<br>rating<br>Current | tion<br>Not present<br>8300 W<br>36 A | Electric cable<br>Additional connection<br>modalities<br>Frequency | Not included<br>Universal<br>50/60 Hz |
| Rack with back and side<br>stop<br>Electrical Connec<br>Plug<br>Electrical connection                      | tion<br>Not present<br>8300 W         | Electric cable<br>Additional connection<br>modalities              | Not included<br>Universal             |







## **Compatible Accessories**

#### AIRFRY



Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.



#### BGTR9

**BN640** 

Cast iron grill plate suitable for 90 cm Victoria, 60 and 90 cm Master and Sinfonia cookers



#### Enamelled tray suitable for 45cm and 60cm ovens. Depth 540 mm. Perfect for cooking and roasting meat and fish in

sauces. Also ideal for experimenting with lighter and crunchy side dishes



Partially extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.



#### BBQ

Double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of grilled cooking. The ribbed side is particularly suitable for meats and cheeses. The smooth side for fish, seafood and vegetables.

#### BN620-1

Enamelled tray suitable for 45 cm and 60 cm ovens. Depth 20 mm. Perfect for a wide range of savoury and sweet baking.

#### BNP608T

Teflon-coated tray, 8 mm depth, to be placed on the grid

#### GTT

Totally extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.



#### KIT1TR9N

Splashback black, 90cm ,suitable for TR90 and TR93 Victoria cookers

#### PALPZ



Pizza shovel with folding handle. Dimensions L31.5 x H32.5 cm. Easy and convenient to use and store. Perfect for serving pizza, bread and savory pastries in a safe and professional way.



#### **KITH93**

Height extension kit (950mm), black, suitable for TR93 cookers (945-960mm)

SFLK1

Child lock







#### SMOLD


Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C

#### STONE

Rectangular refractory stone Ideal for cooking pizzas with the same results as a typical wood-fired oven. Can also be used for baking bread, focaccias and other recipes such as pies, flans or biscuits Dimensions:L42 x H1,8 x P37,5 cm.

# •se•smeg

# Symbols glossary



# •ss•smeg

| ů.        | Side lights: Two opposing side lights increase visibility inside the oven.  |      | Plate rack warming: function for heating or<br>keeping dishes warm. Place the baking tray on<br>the lowest shelf and stack the dishes to be<br>heated. |
|-----------|---|------|--|
| <u>.2</u> | The oven cavity has 2 different cooking levels.   | .4   | The oven cavity has 4 different cooking levels.  |
| <u>.9</u> | The oven cavity has 9 different cooking levels.   |      | Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely.                                      |
| ŝ         | Electronic control: Allows you to maintain<br>temperature inside the oven with the precision 2-<br>3 ° C. This enables to cook meals that are very<br>sensitive to temperature changes, such as cakes,<br>souffles, puddings. | ø    | Tilting grill: the tilting grill can be easily unhooked<br>to move the heating element and clean the roof of<br>the appliance in one simple step.      |
| UR        | Ultra rapid burners: Powerful ultra rapid burners<br>offer up to 5kw of power.  | V    | Vapor Clean: a simple cleaning function using steam to loosen deposits in the oven cavity.   |
| 36 It     | The capacity indicates the amount of usable space in the oven cavity in litres.   | 61 k | The capacity indicates the amount of usable space in the oven cavity in litres.  |
| 62 H      | The capacity indicates the amount of usable space in the oven cavity in litres.   | 0    | Knobs control  |



# Benefit (TT)

#### Gas hob

Gas provides permanent control of the heat source and the temperature change is immediate

Equipped with a thermocouple, the gas supply is cut off if the flame is extinguished for greater safety.

#### Vapor Clean

By inserting water into a recess at the bottom of the cavity, steam is generated, which softens the residue and facilitates its removal

By inserting water into a recess at the bottom of the cavity, steam is generated, which softens the residue and facilitates its removal.

#### **Buttons control**

Easy and intuitive timer setting with a simple buttons

#### True-convection

The best cooking performances guaranteed by ventilated circular flow

Multiple fans and heating elements guarantee the perfect aerodynamic heat flow, allowing homogeneous and quicker cooking inside the cavity.

#### Multilevel cooking

Several cooking levels allow maximum flexibility of use

#### Multilevel halogen light

Internal halogen lighting on different levels guarantees excellent visibility

#### **Removalble inner glass**

Internal door glasses are easily removable for complete cleaning

#### **Tangential cooling**

New cooling system with tangential fan and airflow from the door to the splashback

#### **Telescopic guides**

Easy extraction and safe insertion of trays into the oven thanks to telescopic guides

#### Adjustable height

Cooker top flushed with the working area thanks to adjustable feet

#### Isothermic Cavity

The best cooking performance at the highest energy efficiency



#### Cold door

During any function, the external door glass is cold, avoiding any risk of burns

#### AirFry (AIRFRY optional accessory)

Lighter and tastier food thanks to airfry basket (optional accessory)

#### BBQ (optional accessory)

Barbecue cooking directly in the oven with the double-sided grill (BBQ optional accessory)

#### Pizza stone (optional accessory)

Baking with refractory stone for soft and crispy pizza and yeast products (STONE optional accessory)

#### Single turbine

The oven has a fan equipped with a circular heating element allowing cooking with rotating heat