

TR93IP2


Cooker size N. of cavities with energy label Cavity heat source Hob type Type of main oven Type of second oven Cleaning system main oven EAN code Energy efficiency class Energy efficiency class, second cavity 90x60 cm 2 Electric Induction Thermo-ventilated Vapor Clean 8017709312381 A B



Aesthetics

(a)			
Aesthetics	Victoria	Control knobs	Smeg Victoria
Design	Victoria	Controls colour	Stainless steel
Colour	Cream	No. of controls	9
Finishing	Gloss	Serigraphy colour	Black
Command panel finish	Enamelled metal	Display	electronic 5 buttons
Logo	assembled 50's	Door	With frame
Logo position	Upstand+ Command panel	Glass type	Black
Upstand	Yes	Handle	Smeg Victoria
Hob colour	Black enamel	Handle Colour	Brushed stainless steel
Type of control setting	Control knobs	Plinth	Anthracite

Programs / Functions





Cleaning functions



Vapor Clean

Programs / Functions Auxiliary Oven

Cooking functions cavity 2 Traditional cooking functions, cavity 2



Programme / Functions Third Oven

No. of functions third oven Oven light

Full grill

1	
Ņ:	

1

Hob technical features



Total no. of cook zones 5

Front left - Induction - single - 2.30 kW - Booster 3.00 kW Ø 21.0 cm Rear left - Induction - single - 1.40 kW Ø 18.0 cm				
Central - Induction - single - 2.30 kW - Booster 3.00 kW Ø 27.0 cm				
Rear right - Induction - single - 1.40 kW Ø 18.0 cm				
Front right - Induction - sing	gle - 2.30 kW - Booster 3.00	kW Ø 21.0 cm		
Automatic switch off when overheat	Yes	Minimum pan diameter indication	Yes	
Automatic pan detection	Yes	Selected zone indicator	Yes	

Main Oven Technical Features

🌆 🖳 🚑 🖉			
No. of lights	1	Total no. of door glasses	3
Fan number	1	No.of thermo-reflective	1
Net volume of the cavity	61 litres	door glasses	
Gross volume, 1st cavity	701	Safety Thermostat	Yes
Cavity material	Easy clean enamel	Cooling system	Tangential
Shelf positions	4	Usable cavity space	316x460x412 mm
Type of shelves	Metal racks	dimensions (HxWxD)	
Light type	Halogen	Temperature control	Electro-mechanical
Light power	40 W	Lower heating element	1200 W
Cooking time setting	Start and Stop	power	
Door opening	Side opening	Upper heating element - Power	1000 W



Removable door	Yes	Grill elememt	1700 W
Full glass inner door	Yes	Large grill - Power	2700 W
Removable inner door	Yes	Circular heating element - Power	2000 W
		Grill type	Electric
		Tilting grill	Yes

Options Main Oven

Timer	Yes	Minimum Temperature	50 °C
End of cooking acoustic	Yes	Maximum temperature	245 °C
alarm			

Second Oven Technical Features

<u>6211</u> 🖳 🤐 💭	Щ °С		
Fan number	1	Removable door	Yes
Net volume of the	62 litres	Full glass inner door	Yes
second cavity		Removable inner door	Yes
Gross volume, 2nd	69 I	No. total door glasses	1
cavity		No. thermo-reflective	1
Cavity material	Easy clean enamel	door glasses	
Shelf positions	9	Safety Thermostat	Yes
Type of shelves	Metal racks	Cooling system	Tangential
No. of lights	1	Usable cavity space	605x275x370 mm
Light type	Halogen	dimensions (HxWxD)	
Light power	40 W	Temperature control	Electro-mechanical
Door opening	Side opening	Circular heating element - Power	2500 W

Options Auxiliary Oven

Minimum Temperature 50 °C

Maximum temperature 245 °C

Third Oven Technical Features

36R 🖳 🚑 👌			
Net volume, 3rd cavity	36 I	Removable inner door	Yes
Gross volume, 3rd	41	No. total door glasses	3
cavity		No. of thermo-reflective	1
Cavity material	Easy clean enamel	door glasses	
Shelf positions	2	Safety Thermostat	Yes
Type of shelves	Metal racks	Cooling system	Tangential
No. of lights	1	Usable cavity space	169x440x443 mm
Light type	Halogen	dimensions (HxWxD)	
Light power	40 W	Temperature control	Electro-mechanical
Door opening	Flap down	Large grill - Power	2700 W
Removable door	Yes	Grill type	Electric




Full glass inner door	Yes Tilting grill		Yes		
Options Third Oven					
Minimum Temperature	50 °C	Maximum temperature	260 °C		
Accessories inclu	ded for Main Oven	& Hob			
Chrome shelf with back	2	Grill mesh	1		
and side stop		Telescopic Guide rails,	1		
40mm deep tray	1	partial Extraction			
Accessories included for Secondary Oven					
Chrome shelf with back stop	3	Plate rack/warmer	1		
Accessories included for Third Oven					
40mm deep tray	1				
Electrical Connection					
Max Power Draw	15000 W	Power supply cable	150 cm		
Current	42 A	length			
Voltage	220-240 V	Additional connection	Yes, Double and Three		
Voltage 2 (V)	380-415 V	modalities	Phase 50.11-		
Type of electric cable	Yes, Single phase	Frequency	50 Hz		

Terminal block

5 poles







Compatible Accessories

AIRFRY



Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.

BN620-1



Enamelled tray, 20mm deep





Teflon-coated tray, 8mm depth, to be placed on the grid

GTP

Partially extractable telescopic guides (1 level) Extraction: 300 mm Material: Stainless steel AISI 430 polished



KIT1TR9N

Splashback, 90x75 cm suitable for TR9 Victoria cookers, black



BBQ

Double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of grilled cooking. The ribbed side is particularly suitable for meats and cheeses. The smooth side for fish, seafood and vegetables.

BN640

Enamelled tray, 40mm deep

GRILLPLATE

Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.

GTT

Totally extractable telescopic guides (1 level) Extraction: 433 mm Material: Stainless steel AISI 430 polished

KIT600TR93

KITP65TR93

Cover strip for hob back side, suitable for TR93 Victoria cookers

KITH93

PALPZ



Height extension kit (950 mm), suitable



for TR93 cookers



Pizza shovel with fold away handle width: 315mm length: 325mm



SFLK1 Child lock





SCRP

Induction and ceramic hobs and teppanyaki scraper

SMOLD

Set of 7 silicone moulds for ice creams. ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C



SMEG SPA



STONE



Rectangular refractory stone. Ideal for cooking pizzas with the same results as a typical wood-fired oven. Can also be used for baking bread, focaccias and other recipes such as pies, flans or biscuits Dimensions:L42 x H1,8 x P37,5 cm.




TPKPLATE

Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.

-se-smeg

Symbols glossary



•ss•smeg

<u>.9</u>	The oven cavity has 9 different cooking levels.		Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely.
ŝ	Electronic control: Allows you to maintain temperature inside the oven with the precision 2- 3 ° C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.	Ċ	Tilting grill: the tilting grill can be easily unhooked to move the heating element and clean the roof of the appliance in one simple step.
V	Vapor Clean: a simple cleaning function using steam to loosen deposits in the oven cavity.	36 It	The capacity indicates the amount of usable space in the oven cavity in litres.
61 k	The capacity indicates the amount of usable space in the oven cavity in litres.	62 It	The capacity indicates the amount of usable space in the oven cavity in litres.
Q	Knobs control		



Benefit

Induction hob

Induction offers fast cooking and precise temperature control

Through the use of suitable cookware, induction is easy to use and maintain, safe and responsive

Vapor Clean

Smeg's Vapor Clean function, is an assisted steam clean program designed to help loosen food residue and spills inside the oven for easy cleaning

Smeg's Vapor Clean function, is an assisted steam clean program designed to help loosen food residue and spills inside the oven for easy cleaning

Buttons control

Easy and intuitive timer setting with a simple buttons

Circulaire

The best cooking performances guaranteed by ventilated circular flow.

Multiple fans and heating elements guarantee the perfect aerodynamic heat flow, allowing homogeneous and quicker cooking inside the cavity.

Multilevel cooking

Several cooking levels allow maximum flexibility of use

Multilevel halogen light

Internal halogen lighting on different levels guarantees excellent visibility

Removalble inner glass

Internal door glasses are easily removable for complete cleaning

Tangential cooling

New cooling system with tangential fan and airflow from the door to the splashback

Telescopic guides

Easy extraction and safe insertion of trays into the oven thanks to telescopic guides

Adjustable height

Cooker top flushed with the working area thanks to adjustable feet

Cold door

During any function, the external door glass is cold, avoiding any risk of burns

•ss•smeg

AirFry (AIRFRY optional accessory)

Lighter and tastier food thanks to airfry basket

BBQ (optional accessory)

Barbeque cooking directly in the oven with the double-sided grill

Pizza stone (optional accessory)

Baking with refractory stone for soft and crispy pizza and yeast products (STONE optional accessory)

Isothermic Cavity

The best cooking performance at the highest energy efficiency

Single turbine

The oven has a fan equipped with a circular heating element allowing cooking with rotating heat