

TR93IP2

Cooker size N. of cavities with energy label Cavity heat source Hob type Type of main oven Type of second oven Cleaning system main oven EAN code Energy efficiency class Energy efficiency class, second cavity 90x60 cm 2 ELECTRICITY Induction Thermo-ventilated Thermo-ventilated Vapor Clean 8017709312381 A B




Aesthetics

0		
Aesthetic	Victoria	Type of cor
Design	Victoria	Controls co
Colour	Cream	No. of cont
Finishing	Glossy	Serigraphy
Command panel finish	Enamelled metal	Display na
Logo	assembled 50's	Door
Logo position	Upstand+ Command panel	Glass type
Upstand	Yes	Handle
Hob colour	Black enamel	Handle Col
Type of control setting hob	Control knobs	Plinth

- Type of control knobs Controls colour No. of controls Gerigraphy colour Display name Door Glass type Handle Handle Colour
- Smeg Victoria Stainless steel 9 Black Electronic 5 buttons With frame Black Smeg Victoria Brushed stainless steel Anthracite

Programs / Functions main oven





Cleaning functions



Vapor clean

Programs / Functions auxiliary oven

Cooking functions cavity 2 Traditional cooking functions, cavity 2



Programs / Functions third oven

No. of functions third oven Oven light

Full grill

1

Hob technical features



Total no. of cook zones 5

Front left - Induction - sing	le - 2.30 kW - Booster 3.00 k\	N Ø 21.0 cm			
Rear left - Induction - single - 1.40 kW Ø 18.0 cm					
Central - Induction - single	Central - Induction - single - 2.30 kW - Booster 3.00 kW Ø 27.0 cm				
Rear right - Induction - sing	Rear right - Induction - single - 1.40 kW Ø 18.0 cm				
Front right - Induction - sin	gle - 2.30 kW - Booster 3.00	kW Ø 21.0 cm			
Automatic switch off when overheat	Yes	Minimum pan diameter indication	Yes		
Automatic pan detection	Yes	Selected zone indicator	Yes		

Main Oven Technical Features

💷 🚊 🤌 📃			
No. of lights	1	Total no. of door glasses	3
Fan number	1	No.of thermo-reflective	1
Net volume of the cavity	61	door glasses	
Gross volume, 1st cavity	701	Safety Thermostat	Yes
Cavity material	Ever Clean enamel	Cooling system	Tangential
No. of shelves	4	Usable cavity space	316x460x412 mm
Type of shelves	Metal racks	dimensions (HxWxD)	
Light type	Halogen	Temperature control	Electro-mechanical
Light Power	40 W	Lower heating element	1200 W
Cooking time setting	Start and Stop	power	
Door opening	Side opening	Upper heating element - Power	1000 W



Removable door	Yes	Grill elememt	1700 W
Full glass inner door	Yes	Large grill - Power	2700 W
Removable inner door	Yes	Circular heating element - Power	2000 W
		Grill type	Electric
		Tilting grill	Yes

Options Main Oven

Timer	Yes	Minimum Temperature	50 °C
End of cooking acoustic	Yes	Maximum temperature	245 °C
alarm			

Second Oven Technical Features

521E 🖳 😔 💭			
Fan number	1	Removable door	Yes
Net volume of the	62 I	Full glass inner door	Yes
second cavity		Removable inner door	Yes
Gross volume, 2nd	69 I	No. total door glasses	1
cavity		No. thermo-reflective	1
Cavity material	Ever Clean enamel	door glasses	
No. of shelves	9	Safety Thermostat	Yes
Type of shelves	Metal racks	Cooling system	Tangential
No. of lights	1	Usable cavity space	605x275x370 mm
Light type	Halogen	dimensions (HxWxD)	
Light Power	40 W	Temperature control	Electro-mechanical
Door opening	Side opening	Circular heating element - Power	2500 W

Options Auxiliary Oven

Minimum Temperature 50 °C

Maximum temperature 245 °C


Third Oven Technical Features

361 📃 🚑 🔊 💭			
Net volume, 3rd cavity	36 I	Removable inner door	Yes
Gross volume, 3rd	41	No. total door glasses	3
cavity		No. of thermo-reflective	1
Cavity material	Ever Clean enamel	door glasses	
No. of shelves	2	Safety Thermostat	Yes
Type of shelves	Metal racks	Cooling system	Tangential
No. of lights	1	Usable cavity space	169x440x443 mm
Light type	Halogen	dimensions (HxWxD)	
Light Power	40 W	Temperature control	Electro-mechanical
Door opening	Flap down	Large grill - Power	2700 W
Removable door	Yes	Grill type	Electric



Full glass inner door	Yes	Tilting grill	Yes
Options Third Ov	ven		
Minimum Temperature	50 °C	Maximum temperature	260 °C
Accessories incl	uded for Main	Oven & Hob	
Rack with back and sid	e 2	Grill mesh	1
stop		Telescopic Guide rails,	1
40mm deep tray	1	partial Extraction	
Accessories incl	uded for Secor	idary Oven	
Oven grid with back stop	3	Plate rack/warmer	1
Accessories incl	uded for Third	Oven	
40mm deep tray	1		
Electrical Conne	ction		
Plug	Not present	Electric cable	Installed, Single phase
Electrical connection rating	15000 W	Power supply cable length	150 cm
Current	42 A	Additional connection	Double and Three Phase
Voltage	220-240 V	modalities	
Voltage 2 (V)	380-415 V	Frequency	50 Hz
		Terminal block	5 poles








Compatible Accessories

AIRFRY




BN620-1



Enamelled tray suitable for 45 cm and 60 cm ovens. Depth 20 mm. Perfect for a wide range of savoury and sweet baking.

BNP608T



GTP

Partially extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.



BBQ

Double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of grilled cooking. The ribbed side is particularly suitable for meats and cheeses. The smooth side for fish, seafood and vegetables.

BN640

Enamelled tray suitable for 45cm and 60cm ovens. Depth 540 mm. Perfect for cooking and roasting meat and fish in sauces. Also ideal for experimenting with lighter and crunchy side dishes

GRILLPLATE



Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.

GTT

Totally extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.



KIT1TR9N

Splashback black, 90cm ,suitable for TR90 and TR93 Victoria cookers



кітн9з



Height extension kit (950mm), black, suitable for TR93 cookers (945-960mm)

PALPZ



Pizza shovel with folding handle. Dimensions L31.5 x H32.5 cm. Easy and convenient to use and store. Perfect for serving pizza, bread and savory pastries in a safe and professional way.



KIT600TR93

Cover strip for hob back side, suitable for TR93 Victoria cookers

KITP65TR93

Depth extension kit (650 mm), nero, suitable for TR93 cookers

SCRP

Non-scratch hob scraper - suitable for induction and ceramic hobs

-ss-smeg



SFLK1

Child lock

STONE



Rectangular refractory stone Ideal for cooking pizzas with the same results as a typical wood-fired oven. Can also be used for baking bread, focaccias and other recipes such as pies, flans or biscuits Dimensions:L42 x H1,8 x P37,5 cm.

SMOLD

Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C


TPKPLATE



Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.



Symbols glossary



during its contact with the hob.

•ss•smeg

旦	All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.	H	The inner door glass: can be removed with a few quick movements for cleaning.
Ŏ.	Side lights: Two opposing side lights increase visibility inside the oven.		Plate rack warming: function for heating or keeping dishes warm. Place the baking tray on the lowest shelf and stack the dishes to be heated.
<u>;2</u> -	The oven cavity has 2 different cooking levels.	.4	The oven cavity has 4 different cooking levels.
.9	The oven cavity has 9 different cooking levels.		Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely.
°	Electronic control: Allows you to maintain temperature inside the oven with the precision 2- 3 ° C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.	Ċ	Tilting grill: the tilting grill can be easily unhooked to move the heating element and clean the roof of the appliance in one simple step.
V	Vapor Clean: a simple cleaning function using steam to loosen deposits in the oven cavity.	36 It	The capacity indicates the amount of usable space in the oven cavity in litres.
61 It	The capacity indicates the amount of usable space in the oven cavity in litres.	62 H	The capacity indicates the amount of usable space in the oven cavity in litres.
Q	Knobs control		



Benefit (TT)

Induction hob

Induction offers fast cooking and precise temperature control

Through the use of suitable cookware, induction is easy to use and maintain, safe and responsive.

Vapor Clean

By inserting water into a recess at the bottom of the cavity, steam is generated, which softens the residue and facilitates its removal

By inserting water into a recess at the bottom of the cavity, steam is generated, which softens the residue and facilitates its removal.

Buttons control

Easy and intuitive timer setting with a simple buttons

True-convection

The best cooking performances guaranteed by ventilated circular flow

Multiple fans and heating elements guarantee the perfect aerodynamic heat flow, allowing homogeneous and quicker cooking inside the cavity.

Multilevel cooking

Several cooking levels allow maximum flexibility of use

Multilevel halogen light

Internal halogen lighting on different levels guarantees excellent visibility

Removalble inner glass

Internal door glasses are easily removable for complete cleaning

Tangential cooling

New cooling system with tangential fan and airflow from the door to the splashback

Telescopic guides

Easy extraction and safe insertion of trays into the oven thanks to telescopic guides

BBQ (optional accessory)

Barbecue cooking directly in the oven with the double-sided grill (BBQ optional accessory)

Pizza stone (optional accessory)

Baking with refractory stone for soft and crispy pizza and yeast products (STONE optional accessory)



Cold door

During any function, the external door glass is cold, avoiding any risk of burns

AirFry (AIRFRY optional accessory)

Lighter and tastier food thanks to airfry basket (optional accessory)

Adjustable height

Cooker top flushed with the working area thanks to adjustable feet

Isothermic Cavity

The best cooking performance at the highest energy efficiency

Single turbine

The oven has a fan equipped with a circular heating element allowing cooking with rotating heat