

TRA4110BL

Cooker size

N. of cavities with energy label

Cavity heat source

Hob type

Type of main oven
Type of second oven

Cleaning system main oven

EAN code

110x60 cm

3

ELECTRICITY

Gas

Thermoseal

Fan assisted

Vapour Clean

8017709171605



Aesthetics





Aesthetic Victoria
Design Victoria
Colour Black

Command panel finish Enamelled metal

Logo assembled 50's
Logo position Upstand

Upstand Yes

Hob colour Black enamel
Type of pan stands Cast Iron
Type of control setting Control knobs

Control knobs Smeg Victoria

Controls colour Stainless steel

No. of controls 12 Serigraphy colour Silver

Display electronic 5 buttons

Door With frame Glass type Black

Handle Smeg Victoria

Handle Colour Brushed stainless steel

Storage compartment Drawer
Plinth Anthracite

Programs / Functions

No. of cooking functions Traditional cooking functions

Static



Fan assisted



Circulaire



Eco



Fan assisted bottom

5

Other functions



Defrost



Cleaning functions



Programs / Functions Auxiliary Oven

Cooking functions cavity 2 Bottom element + fan

Bottom element + Upper element

Defrost

Vapour Clean

Other functions cavity 2











Programs / Functions Third Oven

No. of functions third oven Oven light

Full grill





Hob technical features



Total no. of cook zones 7

Front right - Gas - Semi Rapid - 1.80 kW Rear right - Gas - Semi Rapid - 1.60 (BBQ) kW

Front centre - Gas - Rapid - 2.90 kW Rear centre - Gas - AUX - 1.40 - 0.80 kW

Rear left - Gas - Rapid - 2.90 kW Front left - Gas - AUX - 1.00 kW Left - Gas - 2UR (dual) - 4.20 kW

Type of gas burners Standard Automatic electronic Yes

ignition

Gas safety valves Yes

Matt black enamelled **Burner** caps

Main Oven Technical Features









Net volume of the cavity 63 l Gross volume, 1st cavity 681











No. of lights Total no. of door glasses 3



Cavity material

Ever Clean enamel

Type of shelves Light type

No. of shelves

Metal racks Halogen 40 W

Light Power Cooking time setting Door opening

Start and Stop Side opening

Removable door Full glass inner door Removable inner door

Yes Yes

No.of thermo-reflective

door glasses

Safety Thermostat

Cooling system **Tangential**

Usable cavity space dimensions (HxWxD)

Temperature control Lower heating element

power

Upper heating element - 1000 W

Power

1700 W Grill elememt Large grill - Power 2700 W Circular heating element 2700 W

- Power

Grill type Electric

Options Main Oven

Timer

Yes

End of cooking acoustic

Minimum Temperature Maximum temperature

50 °C 260°C

3

1

Yes

1700 W

Yes

1200 W

316x444x425 mm

Electro-mechanical

alarm

Second Oven Technical Features















Net volume of the second cavity

Gross volume, 2nd

cavity

Cavity material

No. of shelves

Type of shelves

No. of lights

Light type **Light Power**

Door opening Removable door

Full glass inner door Removable inner door

63 I

68 I

Ever Clean enamel

Metal racks

Halogen 40 W

Side opening

Yes Yes Yes

No. total door glasses No. thermo-reflective

door glasses

Safety Thermostat

Cooling system **Tangential** 316x444x425 mm

Usable cavity space dimensions (HxWxD)

Temperature control Electro-mechanical

Lower heating element - 1200 W

power

Upper heating element - 1000 W

Power

Grill element - power Large grill - Power

Grill type

2700 W Electric Tilting grill Yes

Options Auxiliary Oven

Minimum Temperature 50°C

Maximum temperature 260 °C

Third Oven Technical Features















Net volume, 3rd cavity

Gross volume, 3rd

cavity

Cavity material

No. of shelves Type of shelves

No. of lights Light type

Light Power Door opening

Removable door Full glass inner door 36 I 41 I

Ever Clean enamel

Metal racks

Incandescent

25 W Flap down

Yes Yes

Removable inner door Yes 3 No. total door glasses No. of thermo-reflective

door glasses

Safety Thermostat Yes Cooling system

Usable cavity space

dimensions (HxWxD)

Temperature control

Large grill - Power Grill type Tilting grill

Tangential 169x440x443 mm

Electro-mechanical

2700 W Electric Yes

Options Third Oven

Minimum Temperature

50 °C

Maximum temperature

260 °C

Accessories included for Main Oven & Hob



Cast iron wok support Moka stand in cast iron Teppanyaki

Rack with back and side 2

40mm deep tray

Grill mesh 1

Telescopic Guide rails, partial Extraction

stop

Accessories included for Secondary Oven



Rack with back and side 2

40mm deep tray

1

Grill mesh

Telescopic Guide rails,

partial Extraction

Accessories included for Third Oven

Rack with back and side 1

40mm deep tray

1

1

1

Electrical Connection

Plug

stop

Electrical connection

rating

Current Voltage

(I) Australia 8700 W

38 A 220-240 V Type of electric cable

installed

Type of electric cable

Yes, Single phase


Yes, Double and Three

Phase

50/60 Hz Frequency



Voltage 2 (V) 380-415 V Terminal block 5 poles





Not included accessories

KITH4110



Height extension kit (950 mm), suitable for TR4110 cookers

SFLK1



Child lock

PRTX



Refractary pizza stone with handles. D=35cm Not suitable for microwave ovens. Suitable for gas ovens, to be put on the griddle.

TPKTR



Teppanyaki grill plate for TR4110 cookers

BN620-1



Enamelled tray, 20mm deep

KIT600TR4110



Cover strip for hob back side, suitable for TR4110 Victoria cookers

BBQ




Double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of grilled cooking. The ribbed side is particularly suitable for meats and cheeses. The smooth side for fish, seafood and vegetables.

GTT



Totally extractable telescopic guides (1 level) Extraction: 433 mm Material: Stainless steel AISI 430 polished

AIRFRY



GTP



Partially extractable telescopic guides (1 level) Extraction: 300 mm Material: Stainless steel AISI 430 polished

BNP608T



Teflon-coated tray, 8mm depth, to be placed on the grid

KIT1TR41N



Splashback 110x75 cm suitable for TR4110 Victoria cookers, black

KITP65TR41



Depth extension kit (650 mm), suitable for TR4110 cookers

BGTR4110



Cast iron grill plate suitable for Victoria Cookers TR4110

PALPZ



Pizza shovel with fold away handle width: 315mm length: 325mm

BN640



Enamelled tray, 40mm deep



SMOLD



Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C



Symbols glossary (TT)

,	<u> </u>		
***	Heavy duty cast iron pan stands: for maximum stability and strength.		Installation in column: Installation in column
!!!	Air cooling system: to ensure a safe surface temperatures.	*	With the switch on this symbol, no heating is possible even if the thermostat is turned.
3	Triple glazed doors: Number of glazed doors.		Enamel interior: The enamel interior of all Smeg ovens have a special antacid lining which helps keep the interior clean by reducing the amount of cooking grease adhering to it.
*	Fan assisted base: the mix of fan and lower heating element alone allows to finish cooking foods already cooked on the surface but not internally more quickly. This system is recommended to finish cooking foods that are already well cooked on the surface, but not internally, which therefore require a moderate higher heat. Ideal for any type of food.	(%)	Fan with upper and lower elements: The elements combined with the fan aim to provide more uniform heat, a similar method to conventional cooking, so pre-heat is required. Most suitable for items requiring slow cooking methods.
	Upper and lower element only: a traditional cooking method best suited for single items located in the centre of the oven. the top pf the oven will always be hottest. Ideal for roast, fruit cakes, bread etc.		Upper and lower element only: a traditional cooking method best suited for single items located in the centre of the oven. the top pf the oven will always be hottest. Ideal for roast, fruit cakes, bread etc.
®	Circulaire: The combination of the fan and circular element around it gives a hot air cooking method. This provides many benefits including no preheat if cook time is more than 20 minutes, no flavour transfer when cooking different foods at the same time, less energy, and shorter cook times. Good for all types of food.	ECO	ECO: The combination of the grill, fan and lower element is particularly suitable for cooking small quantities of food.
\sim	Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon.	; <mark>Ċ</mark> ;	Light
(Gas ovens offer instantaneous heat control, reduced cooking times and the ability to bake at much lower temperatures than electric ovens.	夕	All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.
	The inner door glass: can be removed with a few quick movements for cleaning.	Ö, Ö	Side lights: Two opposing side lights increase visibility inside the oven.
.2	The oven cavity has 2 different cooking levels.	.4	The oven cavity has 4 different cooking levels.

SMEG SPA 28/12/2024

Electronic control: Allows you to maintain

souffles, puddings.

temperature inside the oven with the precision 2-

3 ° C. This enables to cook meals that are very sensitive to temperature changes, such as cakes,

Telescopic rails: allow you to pull out the dish and

check it without having to remove it from the oven

entirely.





Tilting grill: the tilting grill can be easily unhooked to move the heating element and clean the roof of the appliance in one simple step.



Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.



Vapour Clean: a simple cleaning function using steam to loosen deposits in the oven cavity.



The capacity indicates the amount of usable space in the oven cavity in litres.



The capacity indicates the amount of usable space in the oven cavity in litres.

9

Knobs control



Benefit (TT)

True-convection

The best cooking performances guaranteed by ventilated circular flow.

Multiple fans and heating elements guarantee the perfect aerodynamic heat flow, allowing homogeneous and quicker cooking inside the cavity.

Gas hob

Induction offers fast cooking and precise temperature control

Equipped with a thermocouple, the gas supply is cut off if the flame is extinguished for greater safety

Vapor Clean

By inserting water into a recess at the bottom of the cavity, steam is generated, which softens the residue and facilitates its removal

By inserting water into a recess at the bottom of the cavity, steam is generated, which softens the residue and facilitates its removal.

Isothermic Cavity

The best cooking performance at the highest energy efficiency

Tangential cooling

New cooling system with tangential fan and airflow from the door to the splashback

Multilevel halogen light

Internal halogen lighting on different levels guarantees excellent visibility

Buttons control

Easy and intuitive timer setting with a simple buttons

Telescopic guides

Easy extraction and safe insertion of trays into the oven thanks to telescopic guides

Adjustable height

Cooker top flushed with the working area thanks to adjustable feet

Removalble inner glass

Internal door glasses are easily removable for complete cleaning

Multilevel cooking

Several cooking levels allow maximum flexibility of use



Cold door

During any function, the external door glass is cold, avoiding any risk of burns

AirFry (AIRFRY optional accessory)

Lighter and tastier food thanks to airfry basket

Drawer storage compartment

More space thanks to the lower compartment, ideal for storing accessories or cooking utensils

BBQ (optional accessory)

Barbeque cooking directly in the oven with the double-sided grill

Pizza stone (optional accessory)

Baking with refractory stone for soft and crispy pizza and yeast products (STONE optional accessory)