

UM3416-2

Sink material Stainless steel Sink type Side by side bowls

No. of bowls 1 + 1/2

EAN code 8017709325664



Aesthetics



Universal Building in type **Aesthetics** Undermount Series Alba Logo **Embossed** Colour Stainless steel Tap hole / precut tap No Taphole

hole **Finishing** Brushed

	Bowl type	Bowl thickness (mm)	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Radius corner right bowl (mm)	Overflow LH bowl	Strainer position	Strainer dimension
RH Bowl	Half bowl	0.7	165 x 300 x 130	130	85		Centre of bowl	3.5"
LH Bowl	Traditional	0.6	340 x 400 x 180	180	75	Yes, traditional	Side bowl	3.5"

Technical Features



Frame thickness Tap hole diameter 1 mm Frame depth (mm) 445 Dividing wall width

Dimensions of the

product WxDxH (mm)

180x580x445 mm

35 mm 30 mm No. of clips 8

Cutout dimension

undermount (mm)

408*543 mm

Type of clips Undermount clip


Base unit size 60 cm



Accessories Included

Accessories for installation

Strainer, Siphon with dishwasher outlet connection, Fixing clips





Compatible Accessories





Siphon double bowls sinks (dishwasher connection included)



DB34

Cestello in filo inox per abbinamento alle vasche di dimensione 340*400 mm



KITFD050

Waste disposal 0,5 HP Motor: 1/2 horsepower Fits all sinks with 3 1/2" waste outlet



KITFD075

Waste disposal 0,75 HP Motor: 3/4 horsepower Fits all sinks with 3 1/2" waste outlet



KITFD100

Waste disposal 1 HP Motor: 1 horsepower Fits all sinks with 3 1/2" waste outlet



RND2V

Rondò waste kit 2 bowls with 1 standard overflow



Symbols glossary



Cupboard width required for sink installation



Sink depth - depending on the model, the depth can be from 13 to 24,5



Sink depth - depending on the model, the depth can be from 13 to 24.5



Under table top installation: The sink is fixed under tabletop, which extends the work surface and the depth of the sink.



Benefit

Two bowls

Designed for versatility, the two-bowl configuration offers enhanced functionality, making kitchen tasks more efficient.