

# UM3416-2

**Sink material** Stainless steel  
**Type** Side by side undermount bowls  
**No. of bowls** 1 + 1/2  
**EAN code** 8017709325664



## Aesthetics



<b>Aesthetic</b>	Universale	<b>Building in type</b>	Undermount
<b>Series</b>	Alba	<b>Logo</b>	Embossed
<b>Colour</b>	Stainless steel	<b>Tap hole / precut tap hole</b>	No Taphole
<b>Finishing</b>	Brushed		

	Bowl type RH	Bowl thickness (mm)	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Radius corner right bowl (mm)	Overflow LH bowl	Strainer position	Strainer dimension
RH Bowl	Half bowl	0.7	165 x 300 x 130	130	85		Centre of bowl	3.5"
LH Bowl	Traditional	0.6	340 x 400 x 180	180	75	Yes, traditional	Side bowl	3.5"

## Technical Features




<b>Frame thickness</b>	1 mm	<b>Tap hole diameter</b>	35 mm
<b>Frame depth (mm)</b>	445	<b>Dividing wall width</b>	30 mm
<b>Dimensions of the product (mm)</b>	180x580x445 mm	<b>No. of clips</b>	8
<b>Cutout dimension undermount (mm)</b>	408*543 mm	<b>Type of clips</b>	Undermount clip
<b>Base unit size</b>	60 cm		

## Accessories Included

Accessories for installation

Strainer, Savespace siphon with dishwasher outlet connection, Fixing clips



---

## Compatible Accessories

---



**3713**

Siphon double bowls sinks (dishwasher connection included)



**DB34**

St/steel drain basket to fit STD radius 340 x 400 bowl, 180 mm depth



**KITFD050**

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



**KITFD075**

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



**KITFD100**

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet







**RND2V**

2 Bowls standard Rondò waste kit with rectangular overflow

---

## Symbols glossary

---

- |  |   |   |   |
|--|---|---|---|
|  | Cupboard width required for sink installation                         |  | Sink depth - depending on the model, the depth can be from 13 to 24,5   |
|  | Sink depth - depending on the model, the depth can be from 13 to 24,5 |  | Under table top installation: The sink is fixed under tabletop, which extends the work surface and the depth of the sink. |

---

## Benefit (TT)

---

### Two bowls

Two bowls for greater versatility and dual functionality