

# UM3416-1

**Sink material** Stainless steel  
**Type** Side by side undermount bowls  
**No. of bowls** 1 + 1/2  
**EAN code** 8017709081140



## Aesthetics



<b>Aesthetic</b>	Universale	<b>Building in type</b>	Undermount
<b>Colour</b>	Stainless steel	<b>Logo</b>	Embossed
<b>Finishing</b>	Brushed	<b>Tap hole / precut tap hole</b>	No Taphole
<b>Series</b>	Alba		

	Bowl type RH	Bowl thickness (mm)	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Radius corner right bowl (mm)	Overflow LH bowl	Strainer position	Strainer dimension
RH Bowl	Half bowl	0.7	165 x 300 x 130	130	80		Centre of bowl	3.5"
LH Bowl	Traditional	0.7	340 x 400 x 180	180	80	Yes, traditional	Side bowl	3.5"

## Technical Features




<b>Frame thickness</b>	1 mm	<b>Tap hole diameter</b>	35 mm
<b>Dimensions of the product (mm)</b>	180x581x460 mm	<b>Dividing wall width</b>	30 mm
<b>Cutout dimension undermount (mm)</b>	409*543 mm	<b>No. of clips</b>	6
<b>Base unit size</b>	60 cm	<b>Type of clips</b>	Undermount clip

## Accessories included

Accessories for  
installation

Strainer, Savespace siphon  
with dishwasher outlet  
connection, Fixing clips



---

## Compatible Accessories

---



**3713**

Siphon double bowls sinks (dishwasher connection included)



**DB34**

St/steel drain basket to fit STD radius 340 x 400 bowl, 180 mm depth



**KITFD050**

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



**KITFD075**

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



**KITFD100**

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet







**RND2V**

2 Bowls standard Rondò waste kit with rectangular overflow

---

## Symbols glossary

---

- |  |  |   |   |
|--|--|---|---|
|  | Cupboard width required for sink installation.                         |  | Sink depth - depending on the model, the depth can be from 13 to 24,5.  |
|  | Sink depth - depending on the model, the depth can be from 13 to 24,5. |  | Under table top installation: The sink is fixed under tabletop, which extends the work surface and the depth of the sink. |